



2025 PRODUCT CATALOG

FIXTURES • VALVES • REGISTERS • FIRE PROTECTION • SUPPLIES

Effective January 1, 2025

Exclusively from **KELLER SUPPLY**





2025 PRODUCT CATALOG

Toilets & Accessories

TOILETS.....	4-6
TOILET SEATS	7-12
WAX RINGS.....	13
CLOSET BOLTS	14

Urinals

URINALS	16-17
---------------	-------

Lavs

LAVS.....	20-25
-----------	-------

Faucets

FAUCETS	28-34
---------------	-------

Sinks & Accessories

STAINLESS STEEL SINKS	36-42
BASKET STAINERS.....	43-46
AIR GAPS	47
SINK HOLE COVERS.....	48

Plumbing Specialties

WATER SUPPLY CONNECTORS	50-51
ANGLE STOPS.....	52-53
ESCUTCHEONS	54-55
TUBULAR.....	56-63
STAINLESS STEEL CLEANOUT COVERS	64
SHOWER DRAINS.....	65
ACCESS DOORS	67

WATER HAMMER ARRESTORS	68
WATER HEATER ACCESSORIES.....	69-70
HANDI-PLUGS	71

Valves & Accessories

WASHING MACHINE VALVES.....	74
BALL VALVES.....	75-76
YARD HYDRANTS.....	77
HOSE BIBBS	78-79

Fire Protection

FIRE PROTECTION.....	82-83
----------------------	-------

HVAC Accessories

FLOOR REGISTERS & GRILLES	86-92
---------------------------------	-------

Misc Specialties

HANGER STRAPS.....	94
2-HOLE PIPE STRAPS	94-95
PLASTIC CLAMPS.....	95-97
PIPE WRAP TAPE.....	98
HOSE CLAMPS	98
BOCA PLATES	99
STUD GUARDS	99
CABLE TIES	100

Appendix

INDEX	102-104
BRANCHES.....	105-107

Exclusively from  **KELLER SUPPLY**



Toilets & Accessories

TOILETS
TOILET SEATS
WAX RINGS
CLOSET BOLTS



Exclusively from
 **KELLER SUPPLY**



TOILETS

EXCLUSIVELY BY KELLER SUPPLY

**AVAILABLE IN
12", 10" & 14"
ROUGH IN**

**AVAILABLE IN
RIGHT HAND
LEVER (1312R)**



673555, 673536

VITREOUS CHINA - TOILET HET WATER CLOSET, 1.28 GPF

Model Numbers:

BOWL

673552	0342	Round Front, Comfort Height, 1.28 gpf, White
673555	0343	Elongated Front, Comfort Height, 1.28 gpf, White
647985	0347	Elongated Front, ADA, 1.28 gpf, White

TANK

795149	1310	Tank Only, 10" Rough In, 1.28 gpf, White
795152	1314	Tank Only, 14" Rough In, 1.28 gpf, White
673536	1342	Toilet Tank, 1.28 gpf, White
673537	1342R	Toilet Tank, 1.28 gpf, Right Hand Flush Lever, White

Features:

- Made of vitreous china
- High efficiency technology (1.28 gpf/4.8 lpf)
20% water savings compared to low consumption systems
Listed on EPA WaterSense Program
- FET³ with direct feed jet
- 2" fully glazed trapway
- Siphon jet action
- 3" flush valve
- 12" (305mm) rough in (optional 10" & 14" available)
- 16-1/2" comfort height bowls
- Available in standard ADA height
- Standard seat installations (sold separately)
- Color matched flush lever

Specifications:

Water Surface: 7-5/8" x 6-1/4"

Seal: 2-1/2"


Trapway: 2"

Complies to the following Standards:

ASME A112.19.2 / CSA B45.1

ICC/ANSI A117.1

1310 10" TANK	BOWL 0342	BOWL 0343	BOWL 0347
D	6-3/4"	6-3/4"	6-3/4"
F	26-1/4"	28-1/4"	28-1/4"
R	10"	10"	10"
1342 12" TANK	BOWL 0342	BOWL 0343	BOWL 0347
A	28-7/8"	28-7/8"	28-7/8"
B	17-1/2"	17-1/2"	17-1/2"
C	16-1/2"	18-1/2"	18-1/2"
D	8-3/8"	8-3/8"	8-3/8"
E	16-1/2"	16-1/2"	17"
F	28-1/4"	30-1/4"	30-1/4"
R	12"	12"	12"
1314 14" TANK	BOWL 0342	BOWL 0343	BOWL 0347
D	9-1/2"	9-1/2"	9-1/2"
F	30-1/4"	32-1/4"	32-1/4"
R	14"	14"	14"



VITREOUS CHINA - TOILET

LOW CONSUMPTION WATER CLOSET, 1.60 GPF

Model Numbers:

BOWL

- 673539 0612 Round Front, 1.6 gpf, White
- 673544 0613 Elongated Front, 1.6 gpf, White
-  673548 0614 Elongated Front, ADA, 1.6 gpf, White

TANK

- 795157 1210 Tank Only, 10" Rough In, 1.6 gpf, White
- 795160 1214 Tank Only, 14" Rough In, 1.6 gpf, White
- 673533 1212 Tank Only, 12" Rough In, 1.6 gpf, White
- 673846 1212R Toilet Tank, 1.6 gpf, Right Hand Flush Lever, White

Features:

- Made of vitreous china
- 2" fully glazed trapway
- Siphon jet action
- 12" (305mm) rough in (optional 10" & 14" available)
- Available in standard ADA height
- Standard seat installations (sold separately)
- Color matched flush lever

Specifications:


Water Surface: 7-5/8" x 6-1/4"

Seal: 2-1/2"

Trapway: 2"

FOOTPRINT DIMENSIONS

	BOWL 0612	BOWL 0613	BOWL 0614
AA	9"	9"	9"
BB	18-1/2"	18-1/2"	18-1/2"
CC	6"	6"	6"
DD	8-7/8"	8-7/8"	8-7/8"
EE	6-1/8"	6-1/2"	6-1/2"



1210 10" TANK

	BOWL 0612	BOWL 0613	 BOWL 0614
D	6-1/8"	6-1/8"	6-1/8"
F	26-1/2"	28-1/8"	28-1/8"
R	10"	10"	10"

1212 12" TANK

	BOWL 0612	BOWL 0613	 BOWL 0614
A	29-3/4"	29-3/4"	31-3/4"
B	15-3/4"	15-3/4"	15-3/4"
C	16-1/2"	18-1/2"	18-1/2"
D	8-1/2"	8-1/2"	8-1/2"
E	15"	15"	17"
F	28-1/2"	30-1/8"	30-1/8"
R	12"	12"	12"

1214 14" TANK

	BOWL 0612	BOWL 0613	 BOWL 0614
D	9-5/8"	9-5/8"	9-5/8"
F	30-1/2"	32-1/8"	32-1/8"
R	14"	14"	14"




673544, 795160

Complies to the following Standards:

ASME A112.19.2 / CSA B45.1

 ICC/ANSI A117.1





684554

VITREOUS CHINA - COMMERCIAL ELONGATED/ADA FLUSH VALVE TOILET, 1.1 GPF

Model Numbers:

684554 7501 Elongated Bowl Only, 1.28 gpf, White

 684556 7502 ADA Elongated Bowl Only, 1.28 gpf, White


Features:

- Made of vitreous china
- Elongated rim (seat sold separately)
- High efficiency or low consumption
 - Operates in the range of 1.1 gpf (4.2 lpf) to 1.6 gpf (6 lpf) depending on flushometer valve specified. (flushometer valve sold separately)
 - 1.1 gpf (4.2 Lpf) systems operate at a 31% water savings when compared to low consumption toilet systems.
- 10" (254mm) or *12" (305mm) rough in
- Fully glazed 2" (50mm) trapway
- 11" (279mm) x 13" (330 mm) water surface area
- Direct feed jet
- 1-1/2" inlet spud (included)
- 100% factory tested

Complies to the following Standards:

ASME A112.19.2 / CSA B45.1

ICC/ANSI A117.1




WOOD TOILET SEAT DELUXE ROUND

Model Numbers:

813318 CTSW200-WH Deluxe Round Closed-Front Toilet Seat

Features:

- Closed-front wood toilet seat
- Molded wood
- Plastic top-mount hinges
- White




WOOD TOILET SEAT DELUXE ROUND WITH EZ CLEAN HINGES

Model Numbers:

813319 CTSW250-WH Deluxe Round Closed-Front Wood Toilet Seat with with Cover and Plastic EZ Clean Hinges

Features:

- Closed-front wood toilet seat
- Molded wood
- EZ Clean hinges
- White





EXCLUSIVELY BY KELLER SUPPLY

TOILET SEATS



WOOD TOILET SEAT


DELUXE ROUND WITH SOFT-CLOSE HINGES

Model Numbers:

813321 CTSW300-WH Deluxe Round Closed-Front Wood Toilet Seat with Cover and Soft-Close Hinges

Features:

- Closed-front wood toilet seat
- Molded wood
- Soft-Close Clean hinges
- White



WOOD TOILET SEAT


DELUXE ELONGATED

Model Numbers:

813326 CTSW2000-WH Deluxe Elongated Closed-Front Toilet Seat

Features:

- Closed-front wood toilet seat
- Molded wood
- Plastic top-mount hinges
- White




WOOD TOILET SEAT DELUXE ELONGATED WITH EZ CLEAN HINGES

Model Numbers:

813328 CTSW2500-WH Deluxe Elongated Closed-Front Wood Toilet Seat with Cover and Plastic EZ Clean Hinges

Features:

- Closed-front wood toilet seat
- Molded wood
- EZ Clean hinges
- White




WOOD TOILET SEAT DELUXE ELONGATED WITH SOFT-CLOSE HINGES

Model Numbers:

813331 CTSW3000-WH Deluxe Elongated Closed-Front Wood Toilet Seat with Cover and Soft-Close Hinges

Features:

- Closed-front wood toilet seat
- Molded wood
- Soft-Close Clean hinges
- White





EXCLUSIVELY BY KELLER SUPPLY

TOILET SEATS




PLASTIC TOILET SEAT STANDARD ROUND

Model Numbers:

979696 CTSP70-000 Closed-Front, White

Features:

- Closed-front plastic toilet seat with cover
- Polypropylene construction
- Closed-front with cover




PLASTIC TOILET SEAT DELUXE ROUND WITH SLOW-CLOSE HINGES

Model Numbers:

979990 CTSP1210S00 Closed-Front, White

Features:

- Closed-front toilet seat with plastic EZ Clean & Soft-Close hinges
- Polypropylene construction
- Closed-front with cover




PLASTIC TOILET SEAT STANDARD ELONGATED

Model Numbers:

979698 CTSP170-000 Closed-front, White

Features:

- Closed-front plastic toilet seat with cover
- Polypropylene construction
- Closed-front with cover




PLASTIC TOILET SEAT DELUXE ELONGATED WITH SLOW-CLOSE HINGES

Model Numbers:

979997 CTSP1211S00 Closed-Front, White

Features:

- Closed-front toilet seat with plastic EZ Clean & Soft-Close hinges
- Polypropylene construction
- Closed-front with cover





EXCLUSIVELY BY KELLER SUPPLY

TOILET SEATS




PLASTIC TOILET SEAT COMMERCIAL ELONGATED

Model Numbers:

979999 CTSP1955CT-000 No Cover, White

Features:

- Open front plastic toilet seat less cover
- Polypropylene construction
- Stainless steel self-sustaining hinges



MOUNTING HARDWARE




PLASTIC TOILET SEAT COMMERCIAL HEAVY DUTY ELONGATED

Model Numbers:

980000 CTSP1955SSCT-000 No Cover, White

Features:

- Open front plastic toilet seat less cover
- Polypropylene construction
- Stainless steel self-sustaining hinges



MOUNTING HARDWARE



HEAVY DUTY WAX BOWL RING WITH HORN

Model Numbers:

1360754 CWRNS Heavy Duty Wax Bowl Ring with Horn and Extra Wax

Features:

- 100% pure petroleum wax gasket for setting any floor type closet bowl
- Wax Bowl Ring fits all floor-type toilet bowls with 3" or 4" waste lines
- With a plastic polyethylene flanged sleeve which extends the discharge opening and provides a positive seal and proper bowl alignment
- 24 per pack
- Shelf life: 1 year from manufacture
- Specific gravity: 0.85-0.95
- Melting point: 167°F -176°F
- Working temperature: 50°F -140°F

Common Applications:

Heavy Duty Wax Bowl Ring provides a permanent, sanitary, gas and watertight seal on most types of water closets.

Wax Bowl Ring will not dry out, harden or deteriorate.

Ingredients:

Petrolatum (Non-Hazardous)

When used for the intended end use application, this product is considered an "article" as defined in OSHA 29 CFR 1910.1200(c)



Approvals and Listings:

Meets Federal Specification TT-P-1536A.

HEAVY DUTY WAX BOWL RING

Model Numbers:

1360753 CWRREG Heavy Duty Wax Bowl Ring

Features:

- 100% pure petroleum wax gasket for setting any floor type closet bowl
- Wax Bowl Ring fits all floor-type toilet bowls with 3" or 4" waste lines
- 48 per pack
- Shelf life: 1 year from manufacture
- Specific gravity: 0.85-0.95
- Melting point: 167°F -176°F
- Working temperature: 50°F -140°F

Common Applications:

Heavy Duty Wax Bowl Ring provides a permanent, sanitary, gas and watertight seal on most types of water closets.

Wax Bowl Ring will not dry out, harden or deteriorate.

Ingredients:

Petrolatum (Non-Hazardous)

When used for the intended end use application, this product is considered an "article" as defined in OSHA 29 CFR 1910.1200(c)



Approvals and Listings:

Meets Federal Specification TT-P-1536A.




BRASS PLATED CLOSET BOLT SET

Model Numbers:

1044147 CAC02-995 1/4" x 2-1/4" Closet Bolt Set

Features:

- 1/4" x 2-1/4" Brass Plated Closet Bolt
- Packed with 2 acorn nuts, 2 hex nuts, and 4 washers



Urinals

URINALS



Exclusively from







VITREOUS CHINA - COMMERCIAL SIPHON JET QUARTER STALL URINAL

Model Numbers:

673558 7100 Siphon Jet Quarter Stall Vitreous China Urinal with Hangers, 0.5-1.0 gpf, White

Features:

- Made of vitreous china
- High Efficiency Technology (0.5-1.0 gpf / 1.9-3.8 lpf)
- Siphon-Jet flushing action
- Integral flushing rim
- Integral trap
- 3/4" top inlet spud (included)
- Outlet connection is 2" NPT inside threaded (included)
- 14" elongated rim
- Hanging bracket (1 included)
- Flush valve not included



Complies to the following Standards:

ASME A112.19.2 / CSA B45.1

 ICC/ANSI A117.1



VITREOUS CHINA - COMMERCIAL WASHOUT HALF STALL URINAL

Model Numbers:

673560 7102 Washout Half Stall Vitreous China Urinal
with Mounting Bracket, 0.125-1.0 gpf, White

Features:

- Made of vitreous china
- HEU technology (0.125 gpf/0.47 lpf) to (1.0 gpf/3.8 lpf)
- Washout flushing action
- Extended privacy shields
- Integral flushing rim
- Integral trap
- 3/4" top inlet spud (included)
- Outlet connection is 2" NPT inside threaded (included)
- 14" elongated rim
- Hanging bracket (2 included)
- Flush Valve not Included



Complies to the following Standards:

ASME A112.19.2 / CSA B45.1

 ICC/ANSI A117.1



Lavs

LAVS



Exclusively from
 **KELLER SUPPLY**



95938

VITREOUS CHINA - LAVATORY OVAL DROP-IN L1290

Model Numbers:

93968	L1290-1	Single-Hole 20-1/4" x 17-1/4", White
95938	L1290-4	4" Center 20-1/4" x 17-1/4", White
98134	L1290-8	8" Center 20-1/4" x 17-1/4", White

Features:


- 20" x 17" oval overall size lavatory
- 7.6" depth
- Concealed front overflow drain
- Available in white
- DXF file available

Complies to the following Standards:

ASME A112.19.2 / CSA B45.1

ICC/ANSI A117.1

ADACompliant



Note: All drawings contain the necessary measurements which are subject to standard industry tolerances. They are stated in inches and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished product.

VITREOUS CHINA - LAVATORY ROUND DROP-IN L1390

Model Numbers:

416314	L1390-1	Single-Hole 19", White
99963	L1390-4	4" Center 19", White
100220	L1390-8	8" Center 19", White

Features:

- 19" round overall size lavatory
- 8.5" depth
- Concealed front overflow drain
- Available in white
- DXF file available




99963

Complies to the following Standards:

ASME A112.19.2 / CSA B45.1

ICC/ANSI A117.1

ADA Compliant



Note: All drawings contain the necessary measurements which are subject to standard industry tolerances. They are stated in inches and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished product.



Drain assembly not included.

Complies to the following Standards:

ASME A112.19.2 / CSA B45.1

ICC/ANSI A117.1

ADA Compliant

VITREOUS CHINA - LAVATORY


RECTANGULAR UNDERMOUNT L1506

Model Numbers:

427158 L1506 20" x 14", White

Features:

- 20" x 14" lavatory with unglazed rim
- 8.1" depth
- Geometric rectangular basin with curved sides
- Concealed front overflow drain
- No faucet holes; requires wall- or counter-mount faucet
- Available in white
- DXF file available



Note: All drawings contain the necessary measurements which are subject to standard industry tolerances. They are stated in inches and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished product.

VITREOUS CHINA - LAVATORY OVAL UNDERMOUNT L1560

Model Numbers:

8969 L1560 19" x 16", White

Features:

- 19" x 16" lavatory with unglazed rim
- 8.1" depth
- Concealed front overflow drain
- No faucet holes; Requires wall- or counter-mount faucet
- Available in white
- DXF file available



Drain assembly not included.


8969

Complies to the following Standards:

ASME A112.19.2 / CSA B45.1

ICC/ANSI A117.1

ADA Compliant



Note: All drawings contain the necessary measurements which are subject to standard industry tolerances. They are stated in inches and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished product.



795243

VITREOUS CHINA - COMMERCIAL WALL HUNG LAVATORY L1917

Model Numbers:

795243 L1917-4 4" Center 19" x 17", White

795255 L1917-8 8" Center 19" x 17", White

Features:

- Complies with the (ADA) accessible standards
- Made of vitreous china
- 19 5/8" x 17 3/8" (500 mm x 442 mm)
- Available in 4" and 8" center faucet holes
- Raised faucet shelf for splash guard
- Contoured self-drain shelf
- Front overflow
- Includes wall hanger bracket

Nominal Dimensions:

19-5/8" x 17-3/8" (500mm x 442mm)

Bowl Size:


14-3/4" (375mm) wide
10-7/8" (276mm) front to back
5" (127mm) deep

Complies to the following Standards:


ASME A112.19.2 / CSA B45.1

ICC/ANSI A117.1


BARRIER FREE INSTALLATION



WALL HANGER BRACKET DETAILS (Included)



STANDARD INSTALLATION



Note: All drawings contain the necessary measurements which are subject to standard industry tolerances. They are stated in inches and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished product.

VITREOUS CHINA - COMMERCIAL WALL HUNG LAVATORY L2018

Model Numbers:


795227 L2018-4 4" Center 20" x 18", White

795240 L2018-8 8" Center 20" x 18", White


Features:

- Complies with the (ADA) accessible standards
- Made of vitreous china
- 20 5/8" x 18 1/2" (523 mm x 470 mm)
- Available in 4" and 8" center faucet holes
- High Back splash guards
- Side splash guards with contoured self-drain shelf
- Front overflow
- Includes wall hanger bracket
- Drilled for concealed arm carrier (arm carrier sold separately)


BARRIER FREE INSTALLATION



CONCEALED ARM CARRIER ADJUSTMENT LOCATION (arm carrier sold separately)



STANDARD INSTALLATION



Note: All drawings contain the necessary measurements which are subject to standard industry tolerances. They are stated in inches and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished product.



795240

Complies to the following Standards:

ASME A112.19.2 / CSA B45.1

ICC/ANSI A117.1



Faucets

FAUCETS



Exclusively from





1334874

SINGLE HANDLE LAVATORY FAUCET RFC-550

Model Numbers:


1334874 RFC-550CJP Polished Chrome

Features:

- 4" centerset
- Washerless design
- Stainless steel supply lines with metal housing
- 1.2 gpm water efficient aerator
- Max flow rate 1.2 gpm (4.54 lpm) at 60 psi
- 50/50 pop-up drain assembly
- Metal lever handle


Complies to the following Standards:

Meets ASME A112.18.1
NSF/ANSI Std.61 Compliant
AB1953 Compliant
cUPC/IAPMO Listed
ADA Compliant



PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL	QTY
1	Handle Assembly	Mixing	1
2	Adjusting Ring	Brass	1
3	Cap	Zinc	1
4	Cam Assembly	Mixing	1
5	Cam Ball	Stainless Steel	1
6	Housing	Zinc	1
7	Seat & Spring Kit	Mixing	1
8	Body	Brass	1
9	Supply Lines	Stainless Steel	2
10	Bottom Gasket	Plastic	1
11	Set Screw	Stainless Steel	2
12	Lock Sets	Steel & ABS	2
13	50/50 Pop-up	Mixing	1





1334921

Complies to the following Standards:

Meets ASME A112.18.1
NSF/ANSI Std.61 Compliant
AB1953 Compliant
cUPC/IAPMO Listed
ADA Compliant




SINGLE HANDLE LAVATORY FAUCET RFB-500

Model Numbers:


1334920 RFB-500C Chrome
1334921 RFB-500BN Brushed Nickel
1334922 RFB-500MB Matte Black

Features:

- Ceramic cartridge design
- Stainless steel supply lines with metal housing
- 1.2 gpm water efficient aerator
- Max flow rate 1.2 gpm (4.54 lpm) at 60 psi
- Metal push pop-up drain
- Metal lever handle
- Faucet includes optional 4" faucet hole cover plate.

**PARTS BREAKDOWN:**

NO.	PART NAME	MATERIAL	QTY
1	Handle	Zinc	1
2	Cap	Zinc	1
3	Lock Nut	Zinc	1
4	Cartridge	Ceramic	1
5	Housing	Zinc	1
6	Body	Brass	1
7	Aerator	Mixing	1
8	Back Plate Assembly	Mixing	1
9	Shank	Stainless Steel	1
10	Washer	Stainless Steel	1
11	Lock Nut	Metal	1
12	Escutcheon	Stainless Steel & Plastic	1
13	Metal Pop-Up	Mixing	1





1334923

Complies to the following Standards:

Meets ASME A112.18.1

NSF/ANSI Std.61 Compliant

AB1953 Compliant

cUPC/IAPMO Listed

ADA Compliant



SINGLE HANDLE PULL-DOWN KITCHEN FAUCET

Model Numbers:


1334923 RFH-151C Chrome

1334925 RFH-151SS Stainless Steel


1334926 RFH-151MB Matte Black

Features:

- Ceramic disc cartridge design
- Stainless steel supply lines with metal housing
- 1.8 gpm water efficient aerator
- Max flow rate 1.8 gpm (6.81 lpm) at 60 psi
- Two-function sprayer
- Metal lever handle
- Faucet includes optional 8" faucet hole cover plate.

**PARTS BREAKDOWN:**

NO.	PART NAME	MATERIAL	QTY
1	Handle	Zinc	1
2	Cap	Zinc	1
3	Cartridge	Ceramic	1
4	Spray Head	Plastic & Brass	1
5	Housing	Stainless Steel	1
6	Body	Zinc & Stainless Steel	1
7	Shank	Stainless Steel	1
8	Gasket	Rubber	1
9	Washer	Steel	1
10	Lock Nut	Zinc	1
11	Weight	Lead	1
12	Escutcheon	Stainless Steel & Plastic	1



SINGLE HANDLE

PULL-DOWN PRE-RINSE KITCHEN FAUCET

Model Numbers:

- 1334927

RFH-155C

Chrome
- 1334929

RFH-155SS


Stainless Steel
- 1334930

RFH-155MB

Matte Black


Features:

- Ceramic disc cartridge design
- Stainless steel supply lines with metal housing
- 1.8 gpm water efficient aerator
- Max flow rate 1.8 gpm(6.81 lpm) at 60 psi
- Two-function sprayer
- Metal lever handle
- Faucet includes optional 8" faucet hole cover plate.



PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL	QTY
1	Handle	Zinc	1
2	Cap	Zinc	1
3	Cartridge	Ceramic	1
4	Spray Head	Plastic	1
5	Nut	Brass	1
6	Spring	Stainless Steel	1
7	Swing	Stainless Steel	1
8	Bracket Tube	Stainless Steel	1
9	Body	Zinc	1
10	Supply Lines	Stainless Steel	1
11	Supply Lines	Stainless Steel	1
12	Escutcheon	Stainless Steel & Plastic	1
13	Shank	Stainless Steel	1
14	Gasket	Rubber	1
15	Lock Sets	Zinc & Steel	1



1334927

Complies to the following Standards:

- Meets ASME A112.18.1
- NSF/ANSI Std.61 Compliant
- AB1953 Compliant
- cUPC/IAPMO Listed
- ADA Compliant



**Complies to the following Standards:**

Meets ASME A112.18.1

cUPC/IAPMO Listed

ADA Compliant




TWO HANDLE LAUNDRY FAUCET

Model Numbers:


80663 CBF200CP Polished chrome

Features:

- 4" Centerset
- 1/4 Turn washerless cartridge
- Solid brass waterways with metal housing
- Flow rate 2.2 gpm (8.6 lpm) at 60 psi with optional aerator
- Metal handle

**PARTS BREAKDOWN:**

NO.	PART NAME	MATERIAL	QTY
1	Screw	Brass	2
2	Handle	Zinc	2
3	Lock Nut	Zinc	2
4	Escutcheon	Zinc	1
5	Washerless Cartridge	Mixing	2
6	Seat	EPDM	2
7	Spring	Stainless Steel	2
8	Body	Brass	1
9	Bottom Gasket	PP	1
10	Lock Nut	ABS	2
11	Nut	Brass	2
12	Spout	Brass	1
13	Aerator Assembly	Mixing	1
14	Garden Hose Adapter Assembly	Mixing	1
15	Cap	Brass	1
16	"C" Clip	POM	1
17	O-Ring	EPDM	2



Sinks & Accessories

STAINLESS STEEL SINKS

BASKET STRAINERS

AIR GAPS

SINK HOLE COVERS



Exclusively from





EXCLUSIVELY BY KELLER SUPPLY

STAINLESS STEEL SINKS



Strainer basket not included.

UNDERMOUNT SINGLE BOWL CS1815US

Model Numbers:

630800 CS1815US Undermount Single Bowl Sink

Specifications:


Material: 18 ga Stainless Steel*Dimensions:* 18-1/2" x 15" x 7"*Drain Opening:* 3-1/2"*Finish:* Satin

Features:

- Scratch and stain resistant commercial-grade premium satin brush finish guarantees durability and lasting shine.
- Sound deaden pad undercoated insulation prevents from condensation and reduces noise while sink is in use.

Installation:

Clips, instruction manual and cut out template included.

Items required for assembly: screwdriver and silicone.

Strainer basket not included.

UNDERMOUNT SINGLE BOWL CS2318US

Model Numbers:

581273 CS2318US Undermount Single Bowl Sink

Specifications:


Material: 18 ga Stainless Steel*Dimensions:* 23-1/8" x 17-7/8" x 9"*Drain Opening:* 3-1/2"*Finish:* Satin

Features:

- Scratch and stain resistant commercial-grade premium satin brush finish guarantees durability and lasting shine.
- Sound deaden pad undercoated insulation prevents from condensation and reduces noise while sink is in use.

Installation:

Clips, instruction manual and cut out template included.

Items required for assembly: screwdriver and silicone.

UNDERMOUNT SINGLE BOWL CS2321US

Model Numbers:

467745 CS2321US Undermount Single Bowl Sink

Specifications:

Material: 16 ga Stainless Steel

Dimensions: 23-5/8" x 21" x 9"

Drain Opening: 3-1/2"

Finish: Satin


Features:

- Scratch and stain resistant commercial-grade premium satin brush finish guarantees durability and lasting shine.
- Sound deaden pad undercoated insulation prevents from condensation and reduces noise while sink is in use.

Installation:

Clips, instruction manual and cut out template included.

Items required for assembly:
screwdriver and silicone.



Strainer basket not included.

UNDERMOUNT SINGLE BOWL CS3018US

Model Numbers:

560234 CS3018US Undermount Single Bowl Sink

Specifications:

Material: 16 ga Stainless Steel

Dimensions: 31-1/2" x 18-1/4" x 9"

Drain Opening: 3-1/2"

Finish: Satin


Features:

- Scratch and stain resistant commercial-grade premium satin brush finish guarantees durability and lasting shine.
- Sound deaden pad undercoated insulation prevents from condensation and reduces noise while sink is in use.

Installation:

Clips, instruction manual and cut out template included.

Items required for assembly:
screwdriver and silicone.



Strainer basket not included.



EXCLUSIVELY BY KELLER SUPPLY

STAINLESS STEEL SINKS



Strainer basket not included.

UNDERMOUNT

DOUBLE BOWL CS3218UD

Model Numbers:

560201 CS3218UD Undermount Double Bowl Sink

Specifications:


Material: 16 ga Stainless Steel*Dimensions:* 32-3/8" x 18-1/8" x 9"*Drain Opening:* 3-1/2"*Finish:* Satin

Features:

- Scratch and stain resistant commercial-grade premium satin brush finish guarantees durability and lasting shine.
- Sound deaden pad undercoated insulation prevents from condensation and reduces noise while sink is in use.

Installation:

Clips, instruction manual and cut out template included.

Items required for assembly: screwdriver and silicone.

Strainer basket not included.

942068

TOP MOUNT

SINGLE BOWL BAR

Model Numbers:

942068 CS15151 Top Mount Single Bowl Bar Sink, 1-hole

942065 CS15152 Top Mount Single Bowl Bar Sink, 2-hole

Specifications:


Material: 20 ga Stainless Steel*Dimensions:* 15" x 15" x 6"*Drain Opening:* 2"*Finish:* Satin

Features:

- Scratch and stain resistant commercial-grade premium satin brush finish guarantees durability and lasting shine.
- Sound deaden pad undercoated insulation prevents from condensation and reduces noise while sink is in use.

Installation:

Clips, instruction manual and cut out template included.

Items required for assembly: screwdriver and silicone.

942068

TOP MOUNT SINGLE BOWL CS2522*

Model Numbers:

942071 CS25223 Top Mount Single Bowl Sink, 3-hole

942073 CS25224 Top Mount Single Bowl Sink, 4-hole

Specifications:

Material: 18 ga Stainless Steel

Dimensions: 25" x 22" x 8"

Drain Opening: 3-1/2"

Finish: Satin


Features:

- Scratch and stain resistant commercial-grade premium satin brush finish guarantees durability and lasting shine.
- Sound deaden pad undercoated insulation prevents from condensation and reduces noise while sink is in use.

Installation:

Clips, instruction manual and cut out template included.

Items required for assembly: screwdriver and silicone.



942073



Strainer basket not included.

942073

TOP MOUNT DOUBLE BOWL CS3322*

Model Numbers:

941667 CS33223 Top Mount Double Bowl Sink, 3-hole

941680 CS33224 Top Mount Double Bowl Sink, 4-hole

Specifications:

Material: 18 ga Stainless Steel

Dimensions: 33" x 22" x 8"

Drain Opening: 3-1/2"

Finish: Satin


Features:

- Scratch and stain resistant commercial-grade premium satin brush finish guarantees durability and lasting shine.
- Sound deaden pad undercoated insulation prevents from condensation and reduces noise while sink is in use.

Installation:

Clips, instruction manual and cut out template included.

Items required for assembly: screwdriver and silicone.



941680



Strainer basket not included.

941680



EXCLUSIVELY BY KELLER SUPPLY

STAINLESS STEEL SINKS



Strainer basket not included.

581271



Strainer basket not included.

581272

UNDERMOUNT

DOUBLE BOWL CS3221UDOSA*

Model Numbers:

581271 CS3221UDOSAL Undermount Double Bowl, Large Left

581272 CS3221UDOSAR Undermount Double Bowl, Large Right

Specifications:



Material: 16 ga Stainless Steel*Dimensions:* 31-1/2" x 20-1/2" x 9"/7"*Drain Opening:* 3-1/2"*Finish:* Satin

Features:



- Scratch and stain resistant commercial-grade premium satin brush finish guarantees durability and lasting shine.
- Sound deaden pad undercoated insulation prevents from condensation and reduces noise while sink is in use.

Installation:

Clips, instruction manual and cut out template included.

Items required for assembly: screwdriver and silicone.

581271



581272

UNDERMOUNT DOUBLE BOWL CS3221UDOSB*

Model Numbers:

560204 CS3221UDOSBL Undermount Double Bowl, Large Left
560213 CS3221UDOSBR Undermount Double Bowl, Large Right

Specifications:

Material: 16 ga Stainless Steel

Dimensions: 31-3/4" x 20-5/8" x 9" / 7"

Drain Opening: 3-1/2"

Finish: Satin

Features:

- Scratch and stain resistant commercial-grade premium satin brush finish guarantees durability and lasting shine.
- Sound deaden pad undercoated insulation prevents from condensation and reduces noise while sink is in use.

Installation:

Clips, instruction manual and cut out template included.

Items required for assembly: screwdriver and silicone.





Strainer basket not included.

560204




Strainer basket not included.

560213



560204



560213



EXCLUSIVELY BY KELLER SUPPLY

STAINLESS STEEL SINKS



Strainer basket not included.

UNDERMOUNT

DOUBLE BOWL LOW DIVIDE

Model Numbers:

1354215 CS3218UDLD Undermount Double Bowl Low Divide

Specifications:


Material: 18 ga Stainless Steel*Dimensions:* 32-3/8" x 18-1/8" x 9"*Drain Opening:* 3-1/2"*Finish:* Satin

Features:

- Scratch and stain resistant commercial-grade premium satin brush finish guarantees durability and lasting shine.
- Sound deaden pad undercoated insulation prevents from condensation and reduces noise while sink is in use.

Installation:

Clips, instruction manual and cut out template included.

Items required for assembly: screwdriver and silicone.

STAINLESS STEEL

SNAP & LOCK BASKET STRAINER

Model Numbers:

604596 AS-2112C Snap & Lock Basket Strainer for 3-1/2" Opening


Features:

- Fits 3-1/2" to 4" sink opening
- Stainless steel 304 body
- Stainless steel basket
- Metal post
- Die cast lock nut
- Ball lock style

A	B	C
4-2/5"	3-2/5"	3-3/4"

PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL
1	Post	Brass, Chrome Plated
2	Basket	SS304
3	Gasket	Rubber
4	SS Washer	SS430
5	Marble Post	Brass, Chrome Plated
6	Main Body Core	Brass, Chrome Plated
7	Gasket	SS430
8	Shank	SS430
9	Seal Ring	Rubber
10	Body	SS304
11	Gasket	Rubber
12	Friction Washer	Paper
13	Cup	Steel
14	Lock Nut	Zinc
15	Tailpiece Washer	LDPE
16	Slip Nut	Brass, Rough Brass



STAINLESS STEEL

KITCHEN SINK BASKET STRAINER

Model Numbers:

604597 AS-2100 Kitchen Sink Basket Strainer for 3-1/2" Opening


Features:

- Fits 3-1/2" to 4" sink opening
- Stainless steel body
- Stainless steel basket
- Plastic post
- Die cast lock nut

A	B	C
4-2/5"	3-1/3"	2-1/4"

PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL
1	Post	ABS, CP
2	Basket	SS430
3	Stopper	Rubber
4	Body	SS430
5	Gasket	Rubber
6	Washer	Paper
7	Lock Nut	Zinc
8	Tailpiece Washer	LDPE
9	Slip Nut	Zinc





BASKET STRAINERS

EXCLUSIVELY BY KELLER SUPPLY



STAINLESS STEEL DOUBLE CUP BASKET STRAINER

Model Numbers:

604599 AS-2112 Double Cup Basket Strainer for 3-1/2" Opening


Features:

- Fits 3-1/2" to 4" sink opening
- Stainless steel body
- Stainless steel basket
- Plastic post
- Die cast lock nut

A	B	C
4-2/5"	3-1/2"	3-3/4"

PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL
1	Post	ABS, Chrome Plated
2	Basket	SS430
3	Stopper	Rubber
4	Gasket	SS430
5	Seal Ring	Rubber
6	Body	SS430
7	Shank	SS430
8	Gasket	Rubber
9	Friction Washer	Paper
10	Cup	Steel
11	Lock Nut	Zinc
12	Tailpiece Washer	LDPE
13	Slip Nut	Zinc



STAINLESS STEEL SNAP-IN BASKET STRAINER

Model Numbers:

604601 AS-2112S Snap-In Basket Strainer for 3-1/2" Opening


Features:

- Fits 3-1/2" to 4" sink opening
- Stainless steel Body
- Stainless steel basket
- Metal post
- Die cast lock nut

A	B	C
4-2/5"	3-1/2"	3-3/4"

PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL
1	Post	Zinc, Chrome Plated
2	Basket	SS430
3	Gasket	Rubber
4	SS Washer	SS430
5	Clip	SS430
6	Gasket	SS430
7	Shank	SS430
8	Seal Ring	Rubber
9	Body	SS430
10	Gasket	Rubber
11	Friction Washer	Paper
12	Cup	Steel
13	Lock Nut	Zinc
14	Tailpiece Washer	LDPE
15	Slip Nut	Zinc



STAINLESS STEEL SPIN & SEAL BASKET STRAINER

Model Numbers:

604603 AS-2102 Spin & Seal Basket Strainer


Features:

- Fits 3-1/2" opening
- Stainless steel 304 body
- Stainless steel 304 basket
- Brass post
- Die cast lock nut
- Twist style

A	B	C
4-2/5"	3-3/8"	2-5/8"

PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL
1	Basket	SS304
2	Body	SS304
3	Gasket	Rubber
4	Friction Washer	Paper
5	Lock Nut	Brass, Rough Brass
6	Tailpiece Washer	LDPE
7	Slip Nut	Brass, Rough Brass



STAINLESS STEEL EASY CONNECT BASKET STRAINER

Model Numbers:

604604 AS-2600 Easy Connect Basket Strainer


Features:

- Fits 3-1/2" sink opening
- Stainless steel body
- Stainless steel basket
- Plastic post
- Die cast brass lock nut
- Triangular threaded flange with three thumbscrews for easy installation

A	B	C
4-2/5"	4-1/4"	2-1/2"

PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL
1	Post Cap	ABS, CP
2	Basket	SS430
3	Gasket	Rubber
4	Post	ABS, CP
5	Body	SS430
6	Gasket	Rubber
7	Washer	Galvanized Steel
8	Triangular Flange	Galvanized Steel
9	Screw	Steel, ZP
10	Tailpiece Washer	LDPE
11	Slip Nut	Brass, Rough Brass





EXCLUSIVELY BY KELLER SUPPLY

BASKET STRAINERS



STAINLESS STEEL BRASS BODY BASKET STRAINER

Model Numbers:

676577 AS-2003CP Brass Body Stainless Steel Basket Strainer


Features:

- Fits 3-1/2" to 4" sink opening
- Chrome plated brass body
- Stainless steel basket
- Metal post
- Die cast lock nut

A	B	C
4-2/5"	3-3/8"	2-13/20"

PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL
1	Post	Zinc, CP
2	Basket	SS430
3	Stopper	Rubber
4	Body	Brass, CP
5	Gasket	Rubber
6	Washer	Paper
7	Lock Nut	Zinc
8	Tailpiece Washer	LDPE
9	Slip Nut	Zinc



STAINLESS STEEL JUNIOR BASKET STRAINER

Model Numbers:

604602 AS-2004 2-1/2" Import Junior Basket Strainer


Features:

- Fits 2-1/2" opening
- Stainless steel body
- Stainless steel basket
- Metal post
- Die cast lock nut

A	B	C
2-4/5"	1-7/8"	1-5/7"

PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL
1	Post	ABS, CP
2	Basket	SS430
3	Stopper	Rubber
4	Body	SS430
5	Gasket	Rubber
6	Washer	Paper
7	Lock Nut	Zinc
8	Tailpiece Washer	LDPE
9	Slip Nut	Zinc



AIR GAP

Model Numbers:

1360756 CAG8127 Air Gap, Polish Chrome


Specifications:

Material: Plastic body w/ chrome plated plastic cap

Hose Connections: 5/8" ID inlet and 7/8" ID outlet

Capacity: At least 5 gpm; at inlet pressure of not over 5 psig and operating at temperature ranging from 40°F to 200°F (4°C to 93°C).

Dimensions	
A. Cap Width	1.7"
B. Cap Height	2.4"
C. Overall Height	8.4"
D. Inlet	1/2" Hose Barb
E. Outlet	3/4" Hose Barb



Complies to the following Standards:
Meets ASSE 1021 Standard



1360756

AIR GAP COVER


Model Numbers:

1360757 CJBX203 Air Gap Cover, Brushed Nickel

1360758 CJBX196FB Air Gap Cover, Black Matte

Features:

- Air gap cover only
- Plastic construction for durability
- Matte black and brushed nickel options
- Fits Caitlin air gap assemblies



1360757



1360758



EXCLUSIVELY BY KELLER SUPPLY

SINK HOLE COVERS

2" SINK HOLE COVER

Model Numbers:

1360759 CC1275 2" Top Sink Hole Cover, Stainless Steel

1360760 CC1275BN 2" Top Sink Hole Cover, PVD Brushed Nickel

Features:

- Bolt Style Fits All Standard Sinks
- Wing Nut Included
- Chrome Plated and Brushed Nickel Options



1360759



1360760

Plumbing Specialties

WATER SUPPLY CONNECTORS

ANGLE STOPS

ESCUTCHEONS

TUBULAR

STAINLESS STEEL CLEANOUT COVERS

SHOWER DRAINS

ACCESS DOORS

WATER HAMMER ARRESTORS

WATER HEATER ACCESSORIES

HANDI-PLUGS



Exclusively from
 **KELLER SUPPLY**



EXCLUSIVELY BY KELLER SUPPLY

WATER SUPPLY CONNECTORS

**BRAIDED
STAINLESS
STEEL**

**A VARIETY
OF LENGTHS
FROM 9" TO 120"**

Specifications:

Operating temperature: 25-150°F

Operating pressure: 200 PSI

Burst pressure: 2000 PSI at 70°F

Hose barbs: Low lead brass (long length)

Outer wire braid: 304 stainless steel wire

Ferrules: Low lead brass

Washers: Santoprene rubber

Nuts: Heavy duty nickel plated brass or plastic (acetal)

Inner hose: Heavy duty reinforced PVC (1300 psi burst pressure at 70°F)

Installation Instructions:

- For use with water in accessible location only
- Do not expose to corrosive chemicals
- Hand tighten plus 1/4 turn, do not over-tighten

Complies to the following Standards:

cUPC/IAPMO Listed

NSF/ANSI Std.61 Compliant

AB1953



586881

FAUCET SUPPLY

Model Numbers:

586899	1F09	9"	3/8" COMP x 1/2" FIP
586881	1F12	12"	3/8" COMP x 1/2" FIP
586871	1F16	16"	3/8" COMP x 1/2" FIP
586862	1F20	20"	3/8" COMP x 1/2" FIP
586879	1F30	30"	3/8" COMP x 1/2" FIP
586886	6F12	12"	3/8" x 3/8" COMP
586889	6F16	16"	3/8" x 3/8" COMP
586890	6F20	20"	3/8" x 3/8" COMP
586895	4F16	16"	1/2" FIP x 1/2" FIP
586892	4F20	20"	1/2" FIP x 1/2" FIP
586894	4F30	30"	1/2" FIP x 1/2" FIP
586900	4F12	12"	1/2" FIP x 1/2" FIP
586898	8F12	12"	3/8" COMP x 3/8" OD
586904	8F16	16"	3/8" COMP x 3/8" OD
586903	8F20	20"	3/8" COMP x 3/8" OD
586918	3F16	16"	1/2" COMP x 1/2" FIP
586905	3F20	20"	1/2" COMP x 1/2" FIP

WASHING MACHINE SUPPLY

Model Numbers:

586928	9WM48	48" 3/4" X 3/4" FGH
586926	9WM60	60" 3/4" x 3/4" FGH
586931	9WM72	72" 3/4" x 3/4" FGH



586928

WATER HEATER SUPPLY

Model Numbers:

586943	586943	18" 3/4" x 3/4" FIP
586942	586942	24" 3/4" x 3/4" FIP



586942

TOILET SUPPLY

Model Numbers:

586911	1T09	9" 3/8" COMP x 7/8" BC
586907	1T12	12" 3/8" COMP x 7/8" BC
586909	1T16	16" 3/8" COMP x 7/8" BC
586912	1T20	20" 3/8" COMP x 7/8" BC
586913	4T12	12" 1/2" FIP x 7/8" BC
586914	4T16	16" 1/2" FIP x 7/8" BC
586916	3T12	12" 1/2" COMP x 7/8" BC
586917	3T16	16" 1/2" COMP x 7/8" BC



586913

DISHWASHER SUPPLY

Model Numbers:

586932	1W60	60" 3/8" COMP x 1/2" FIP
586929	6W48	48" 3/8" x 3/8" COMP
586921	6W60	60" 3/8" x 3/8" COMP
586925	6W72	72" 3/8" x 3/8" COMP



586929

ICEMAKER SUPPLY

Model Numbers:

586935	12IM60	60" 1/4" x 1/4" COMP
586934	12IM72	72" 1/4" x 1/4" COMP
586940	12IM84	84" 1/4" x 1/4" COMP
586939	12IM96	96" 1/4" x 1/4" COMP
586936	12IM120	120" 1/4" x 1/4" COMP



586935



EXCLUSIVELY BY KELLER SUPPLY

ANGLE STOPS



839077



1153092



839072



1153095

1/4 TURN ANGLE/STRAIGHT BALL STOP

Model Numbers:

ANGLE

839062	ASQTBV17	1/2" FIP 3/8" OD LF
839077	ASQTBV19	5/8" OD X 3/8" OD LF
839085	ASQTLN19	5/8" OD x 3/8" OD
839107	ASCPVC19	1/2" NOM CPVC Inlet x 3/8" OD
839110	ASQTCPVC19	1/2" NOM CPVC x 3/8" OD
839121	ASQTPE19	1/2" NOM PEX F1807 x 3/8" OD
1153092	ASQT19P	1/2" PEX F1960 x 3/8" OD

STRAIGHT

839071	ASQTBV12	1/2" FIP X 3/8" OD COMP LF
839072	ASQTBV14	5/8" OD X 3/8" OD COMP LF
846203	ASQTPE14	1/2" NOM PEX F1807 x 3/8" OD Comp
1153095	ASQT14P	1/2" PEX F1960 x 3/8" OD

Features:

- Positive 1/4 turn shut off.
- Full-flow operation with no waterway obstructions.
- Corrosion-resistant handle is plated in an attractive chrome finish.
- Machined one-piece brass body provides strength, durability, and long-lasting performance.
- Easy-to-remove handle with screw attachment helps protect against accidental operation during rough-ins.
- 100% leak tested

Specifications:

No Lead



Operating pressure: 125psi maximum

Operating temperature: 40°F-160°F



PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL	QTY
1	Screw	SS304	1
2	Handle	Zinc	1
3	Body	Brass C46400	1
4	Stem	Brass C3604	1
5	O-ring	NBR	2
6	Washer	Teflon	2
7	Ball	Brass C6802	2
8	Compression	Brass C46400	1
9	Sleeve	Brass C37710	1
10	Nut	Brass C37710	1



MULTI-TURN ANGLE/STRAIGHT BALL STOP

Model Numbers:

ANGLE

839080	ASLK19	5/8" OD x 3/8" OD Loose Key
839132	ASMT19	1/2" PEX F1960 x 3/8" OD
846200	AS19C	5/8" OD x 3/8" OD
846209	AS17C	1/2" FIP x 3/8" OD

STRAIGHT

839129	ASMT14	1/2" PEX F1960 x 3/8" OD
846208	AS14C	5/8" OD x 3/8" OD

Features:


- Corrosion-resistant handle is plated in an attractive chrome finish.
- Machined one-piece brass body provides strength, durability, and long-lasting performance.
- Easy-to-remove handle with screw attachment helps protect against accidental operation during rough-ins.
- 100% leak tested

Specifications:

No Lead

Operating pressure: 125psi maximum

Operating temperature: 40°F-160°F



846200



839080



839129



ESCUTCHEONS

EXCLUSIVELY BY KELLER SUPPLY

Toilets &
Accessories

Urinals

Lavs

Faucets

Sinks &
Accessories

Plumbing
Specialties

Valves &
Accessories

Fire
Protection

HVAC
Accessories

Misc
Specialties

Appendix



CHROME PLATED STEEL BOX FLANGE

Model Numbers:

IPS

897541	CMBFE114I	1-1/4"	IPS, Box Flange
897542	CMBFE112I	1-1/2"	IPS Box Flange

TUBULAR

897543	CMBFE114T	1-1/4"	Tubular, Box Flange
97544	CMBFE112T	1-1/2"	Tubular, Box Flange



CHROME PLATED STEEL FLOOR & CEILING SPLIT PLATE HINGED

Model Numbers:

IPS

897284	CMHE12I	1/2"	IPS Floor and Ceiling Split Plate Hinged
897285	CMHE34I	3/4"	IPS Floor and Ceiling Split Plate Hinged
897286	CMHE1I	1"	IPS Floor and Ceiling Split Plate Hinged
897287	CMHE114I	1-1/4"	IPS Floor and Ceiling Split Plate Hinged
897517	CMHE112I	1-1/2"	IPS Floor and Ceiling Split Plate Hinged
897518	CMHE2I	2"	IPS Floor and Ceiling Split Plate Hinged

CTS

897520	CMHE12C	1/2"	CTS Floor and Ceiling Split Plate Hinged
897521	CMHE34C	3/4"	CTS Floor and Ceiling Split Plate Hinged
897522	CMHE1C	1"	CTS Floor and Ceiling Split Plate Hinged
897523	CMHE114C	1-1/4"	CTS Floor and Ceiling Split Plate Hinged
897524	CMHE112C	1-1/2"	CTS Floor and Ceiling Split Plate Hinged



CHROME PLATED STEEL SHALLOW FLANGE

Model Numbers:

IPS

897526	CCPE12I	1/2"	IPS Shallow Flange
897527	CCPE34I	3/4"	IPS Shallow Flange
897528	CCPE1I	1"	IPS Shallow Flange
897529	CCPE114I	1-1/4"	IPS Shallow Flange
897530	CCPE112I	1-1/2"	IPS Shallow Flange
897531	CCPE2I	2"	IPS Shallow Flange

CTS

897533	CCPE12C	1/2"	CTS Shallow Flange
897534	CCPE34C	3/4"	CTS Shallow Flange
897535	CCPE1C	1"	CTS Shallow Flange
897536	CCPE114C	1-1/4"	CTS Shallow Flange
897537	CCPE112C	1-1/2"	CTS Shallow Flange

TUBULAR

897539	CCPE112T	1-1/2"	Tubular Shallow Flange
897540	CCPE2T	2"	Tubular Shallow Flange

CHROME PLATED PLASTIC FLEXIBLE FLOOR & CEILING PLATE

Model Numbers:

897558	CPCPE38I	IPS 3/8"	CTS 1/2"	Flexible Plate
897559	CPCPE12I	IPS 1/2"	CTS 3/4"	Flexible Plate
897560	CPCPE34I	IPS 3/4"	CTS --	Flexible Plate
897561	CPCPE1I	IPS 1"	CTS --	Flexible Plate
897562	CPCPE114I	IPS 1-1/4"	CTS 1-1/2"	Flexible Plate
897563	CPCPE112I	IPS 1-1/2"	CTS --	Flexible Plate
897564	CPCPE2I	IPS 2"	CTS --	Flexible Plate
897568	CPCPE1C	IPS --	CTS 1"	Flexible Plate
897569	CPCPE114C	IPS --	CTS 1-1/4"	Flexible Plate
897570	CPCPE2C	IPS --	CTS 2"	Flexible Plate

Features:

- Non-corrosive / Non-breakable
- 100% Rustproof
- One piece ABS construction
- Split for pre-piped job
- Fits copper tube and iron pipe



WHITE PLASTIC FLEXIBLE FLOOR & CEILING PLATE

Model Numbers:

897573	CPWE38I	IPS 3/8"	CTS 1/2"	Flexible Plate
897574	CPWE12I	IPS 1/2"	CTS 3/4"	Flexible Plate
897575	CPWE34I	IPS 3/4"	CTS --	Flexible Plate
897576	CPWE1I	IPS 1"	CTS --	Flexible Plate
897577	CPWE114I	IPS 1-1/4"	CTS 1-1/2"	Flexible Plate
897578	CPWE112I	IPS 1-1/2"	CTS --	Flexible Plate
897579	CPWE2I	IPS 2"	CTS --	Flexible Plate
897583	CPWE1C	IPS --	CTS 1"	Flexible Plate
897584	CPWE114C	IPS --	CTS 1-1/4"	Flexible Plate
897585	CPWE2C	IPS --	CTS 2"	Flexible Plate

Features:

- Non-corrosive / Non-breakable
- 100% Rustproof
- One piece ABS construction
- Split for pre-piped job
- Fits copper tube and iron pipe





TUBULAR

EXCLUSIVELY BY KELLER SUPPLY




BRASS BRANCH TAILPIECE

Model Numbers:

902262 C814ET-1 1-1/2" x 8" Brass Tubular Branch Tailpiece with Split Joint Top, 7/8" Branch, 20 ga
See chart: A) 8-3/16" B) 1-7/16" C) 2-3/8"

Features:

- Material: brass and zinc
- All necessary parts included
- Polished chrome finish
- IAPMO listed



Complies to the following Standards:
cUPC/IAPMO Listed




BRASS EXTENSION TUBE

Model Numbers:

902244	C790A-1	Slip Joint	1-1/4" x 8"	A) 8-1/4"	22 Gauge
902250	C790-1	Slip Joint	1-1/4" x 6"	A) 6-1/4"	22 Gauge
902476	C793A-1	Slip Joint	1-1/2" x 12"	A) 12-1/4"	22 Gauge
902487	C791A-1	Slip Joint	1-1/4" x 12"	A) 12-1/4"	22 Gauge
902510	C793A-17	Slip Joint	1-1/2" x 12"	A) 12-1/4"	17 Gauge
902474	C793BD	D. E. Slip Joint	1-1/2" x 16"	A) 16-1/4"	22 Gauge
902221	C822A-1	Threaded Ends	1-1/4" x 12"	A) 12-1/4"	17 Gauge
902224	C822-1	Threaded Ends	1-1/4" x 12"	A) 12-1/4"	20 Gauge

Features:

- Material: brass and zinc
- All necessary parts included
- Polished chrome finish
- IAPMO listed




BRASS FLANGED TAILPIECE

Model Numbers:

- 902259 C799 1-1/2" x 4" Brass Flanged Strainer Tailpiece
See chart: A) 4" B) 1-3/4" C) 1-7/16" 22 Ga
- 902248 C803-1 1-1/2" x 12" Brass Flanged Strainer Tailpiece
See chart: A) 12" B) 1-3/4" C) 1-7/16" 22 Ga
- 902473 C801-1 1-1/2" x 8" Brass Flanged Strainer Tailpiece
See chart: A) 8" B) 1-3/4" C) 1-7/16" 22 Ga

Features:

- Material: brass
- Polished chrome finish
- IAPMO listed



902473

Complies to the following Standards:
CUPC/IAPMO Listed



COMMERCIAL OFFSET OPEN GRID PATENT OUTLET PLUG

Model Numbers:

- 967850 C760W-1 1-1/4" x 6", 17 Gauge, Chrome

Features:


- Heavy duty cast brass construction
- Open grid with 1-1/4" 17GA offset tailpiece
- Premium polished chrome finish
- Commercial grade
- ADA compliant

PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL
1	Body	Brass, CP
2	Gasket	Rubber
3	Friction Washer	Fiber
4	Lock Nut	Brass, CP
5	Elbow	Brass, CP
6	Tailpiece	Brass, CP

CROSS REFERENCE:

DB	760W-1
JSC	D70104
MCGUIRE	155WCECO
KOHLER	K-13885
AM.STD	7723.018
KEENEY	5700PC
ZURN	Z8746-PC
MATCO NORCA	FY159WC
ELJER	803-0530
PROFLO	PFGD101





Complies to the following Standards:
cUPC/IAPMO Listed



901952

Complies to the following Standards:
cUPC/IAPMO Listed



COMMERCIAL

OPEN GRID PATENT OVERFLOW PLUG

Model Numbers:

967848 C760-1 1-1/4" x 6", 17 Gauge, Chrome

Features:


- Heavy duty cast brass construction
- Open grid with 1-1/4" x 6", 17GA offset tailpiece
- Premium polished chrome finish
- Commercial grade
- IAPMO listed

PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL
1	Body	Brass, CP
2	Gasket	Rubber
3	Friction Washer	Fiber
4	Lock Nut	Brass, CP
5	Tailpiece	Brass, CP

CROSS REFERENCE:

DB	760-1
JSC	D70100
MCGUIRE	155AECO
KOHLER	K-7715
AM.STD	2411.015
KEENEY	5680PC
ZURN	Z8743-PC
MATCO NORCA	FY-156
ELJER	803-0552
PROFLO	PFGD100




BRASS TUBULAR P-TRAP

Model Numbers:

- 901950 C701-1 1-1/4" Tubular P-Trap without Cleanout, Brass Nut
See chart: A) 11" B) 5" C) 3-1/2" D) 7-1/2" 17 Ga
- 901952 C704-1 1-1/2" Tubular P-Trap without Cleanout, Brass Nut
See chart: A) 11" B) 5" C) 3-1/2" D) 7-1/2" 17 Ga
- 902486 C702-1 1-1/2" Tubular P-Trap without Cleanout, Zinc Nut
See chart: A) 11" B) 5" C) 3-1/2" D) 7-1/2" 20 Ga

Features:

- Material: brass and zinc
- Polished chrome finish
- All necessary parts included
- IAPMO listed




PLASTIC BRANCH TAILPIECE

Model Numbers:

902467	CAP9816	1-1/2" x 8", Slip Joint Top, 1/2" Branch See chart: A) 8" B) 1-1/2" C) 1-3/4" Black
902485	CPP9816	1-1/2" x 8", Slip Joint Top, 1/2" Branch See chart: A) 8" B) 1-1/3" C) 1-3/4" White
901964	CAP9817	1-1/2" x 8", Slip Joint Top, 3/4" Branch See chart: A) 8" B) 1-1/4" C) 1-3/4" Black
901951	CPP9817	1-1/2" x 8", Slip Joint Top, 3/4" Branch See chart: A) 8" B) 1-1/5" C) 1-3/4" White
902253	CAP9818	1-1/2" x 8", Hi-Line, 1/2" Branch See chart: A) 8" B) 1-1/6" C) 1-3/4" Black
902241	CPP9818	1-1/2" x 8", Hi-Line, 1/2" Branch See chart: A) 8" B) 1-1/7" C) 1-3/4" White
902246	CAP9819	1-1/2" x 8", Hi-Line, 3/4" Branch See chart: A) 8" B) 1-1/8" C) 1-3/4" Black
901957	CPP9819	1-1/2" x 8", Hi-Line, 3/4" Branch See chart: A) 8" B) 1-1/9" C) 1-3/4" White

Features:

- Material: polypropylene and PVC/ABS
- All necessary parts included
- Slip Joint and Hi-Line connections available
- 1/2" (5/8" OD) and 3/4" (7/8" OD) branches available



Complies to the following Standards:
cUPC/IAPMO Listed






TUBULAR

EXCLUSIVELY BY **KELLER SUPPLY**



901960



902222

DISPOSER KIT

Model Numbers:

STANDARD

901960 CA9100B 1-1/2" ABS Disposer Kit, for InSinkErator

See chart: K) 12" L) 13.8" Black

901968 CP9704AB

1-1/2" PVC Disposer Kit, Bagged

See chart: K) 12" L) 13.8" White

TELESCOPIC

902222 CA9100T

1-1/2" ABS Telescopic Disposer Kit, Black

See chart: K) 12.6" L) 13" max, Black


902238 CP9100TB

1-1/2" PVC Telescopic Disposer Kit, for InSinkErator


See chart: K) 12.6" L) 13" max, White

Features:

- 1-1/2"x13" Plastic End Outlet Waste Disposer Kit
- Less P-Trap
- Material: Polypropylene



901960



902222

Complies to the following Standards:

cUPC Listed




PLASTIC SLIP JOINT EXTENSION TUBE

Model Numbers:

902509	CA9792A	Slip Joint	1-1/2" x 8"	A) 8-1/4"	Black
902478	CP9792A	Slip Joint	1-1/2" x 8"	A) 8-1/4"	White
902493	CP9793A	Slip Joint	1-1/2" x 12"	A) 12-1/4"	White
901938	CA9793E	D. E. Slip Joint	1-1/2" x 16"	A) 16-1/2"	Black
901811	CP9793E	D. E. Slip Joint	1-1/2" x 16"	A) 16-1/2"	White
902215	CP9791E	D. E. Slip Joint	1-1/4" x 16"	A) 16-1/2"	White

Features:

- Material: Polypropylene and PVC/ABS
- All necessary parts included
- Single and Double Ended available
- IAPMO listed



Complies to the following Standards:

cUPC/IAPMO Listed




PLASTIC FLANGED TAILPIECE

Model Numbers:

902634	CA9800	1-1/2" x 6" Single Flanged Strainer Tailpiece	See chart: A) 6" B) 1-1/2" C) 1-3/4"	Black
902240	CP9801	1-1/2" x 8" Single Flanged Strainer Tailpiece	See chart: A) 6" B) 1-1/2" C) 1-3/4"	White
901940	CA9803E	1-1/2" x 16" Double Flanged Strainer Tailpiece	See chart: A) 16" B) 1-1/2" C) 1-3/4"	Black
901813	CP9803E	1-1/2" x 16" Double Flanged Strainer Tailpiece	See chart: A) 16" B) 1-1/2" C) 1-3/4"	White

Features:

- Material: Polypropylene and PVC/ABS
- Single and Double Ended available
- IAPMO listed



Complies to the following Standards:

cUPC/IAPMO Listed





Complies to the following Standards:
cUPC/IAPMO Listed




PLASTIC OUTLET WASTE

Model Numbers:

901948	CA9121A	Hi-Line/Slip Joint with Baffle Tee, 1-1/2" x 16"
		See chart: A) 16" B) 7-1/4" C) 5" D) -- Black
902218	CP9121ABG	Hi-Line/Slip Joint with Baffle Tee, 1-1/2" x 16"
		See chart: A) 16" B) 7-1/4" C) 5" D) -- White
902228	CP9123A	Waste Center Outlet with Baffle Tee, 1-1/2" x 16"
		See chart: A) 8" B) 7" C) 4-1/2" D) 16" White
902264	CA9108A	Slip Joint End with Baffle Tee, 1-1/2" x 16"
		See chart: A) 16" B) 6-3/4" C) 5" D) -- Black
902252	CP9121AT-12	Hi-Line/Slip Joint with Baffle Tee and Telescopic Arm, 1-1/2" x 11"-17"
		See chart: A) 11"-17" B) 7" C) 5-1/4" D) -- Black
902471	CP9108A	Slip Joint End w/ Baffle Tee, 1-1/2" x 16"
		See chart: A) 16" B) 6-3/4" C) 5" D) -- White

Features:

- Material: polypropylene and PVC/ABS
- All necessary parts included
- IAPMO Listed




PLASTIC SLIP JOINT TUBULAR P-TRAP

Model Numbers:

901806	CA9704B	1-1/2" x 1-1/4" Plastic P-Trap with Threaded Adapter, ABS, Black See chart: A) 12-1/4" B) 4-5/8" C) 3-1/2" D) 8-3/4"
901810	CP9704BG	1-1/2" x 1-1/4" Plastic P-Trap, PVC, White See chart: A) 12-1/4" B) 4-5/8" C) 3-1/2" D) 8-3/4"
901803	CP9704AB	1-1/2" x 1-1/4" Plastic P-Trap, ABS, White See chart: A) 12-1/4" B) 4-5/8" C) 3-1/2" D) 8-3/4"
901934	CP9703WBG	1-1/2" x 1-1/4" Plastic P-Trap w/Reversible J Bend, PVC, White See chart: A) 12-1/4" B) 4-5/8" C) 3-1/2" D) 8-3/4"
902223	CA9703WBG	1-1/2" x 1-1/4" P-Trap with Threaded ABS Adapter and Reversible J-Bend, Black, Bagged See chart: A) 12-1/4" B) 4-5/8" C) 3-1/2" D) 8-3/4"
902266	CA9701BG	1-1/4" Tubular P-Trap, Black See chart: A) 11-1/4" B) 4-5/8" C) 3-1/2" D) 7-3/4"
902491	CP9701BG	1-1/4" Plastic P-Trap, Black See chart: A) 11-1/4" B) 4-5/8" C) 3-1/2" D) 7-3/4"

Features:

- Material: polypropylene and PVC/ABS
- All necessary parts included
- IAPMO listed



Complies to the following Standards:
cUPC/IAPMO Listed





EXCLUSIVELY BY KELLER SUPPLY

STAINLESS STEEL CLEANOUT COVERS




STAINLESS STEEL CLEANOUT COVERS WITH BOLT

Model Numbers:

1360761	CCC1841	4" Cleanout Cover Plate with 1/4-20 x 4" Bolt See chart: A) 4.03" B) 0.27" C) 0.15"
1360762	CCC1843	6" Cleanout Cover Plate with 1/4-20 x 4" Bolt See chart: A) 6.00" B) 0.27" C) 0.15"
1360763	CCC1845	8" Cleanout Cover Plate with 1/4-20 x 4" Bolt See chart: A) 8.00" B) 0.27" C) 0.15"

Features:

- Stainless steel construction
- Includes: 1/4" x 4" metal screw
- 22 Gauge



BRASS


NO CAULK SHOWER DRAIN

Model Numbers:

1360768 CD8272B No Caulk Shower Drain with Stainless Steel Strainer
2" x 4-1/4" Round Stainless Steel Grid, Brass Drain

Features:

- Fits over 2" Schedule 40 DWV pipe
- Snap-in strainer
- 4-1/4"OD stainless steel grate
- No caulk connection (with gasket)
- Wrench included



BRASS


NO CAULK SHOWER DRAIN

Model Numbers:

1360769 CD8272J No Caulk Shower Drain with Stainless Steel Strainer
2" x 4-1/4" Round , Brass

Features:

- Fits over 2" Schedule 40 DWV pipe
- Snap-in strainer
- 4-1/4"OD stainless steel grate
- No caulk connection (with gasket)
- Wrench included



PLASTIC

NO CAULK SHOWER DRAIN

Model Numbers:

ABS DRAIN


1360767 CD8282A No Caulk Shower Drain with Stainless Steel Strainer
2" x 4-1/4" Round Stainless Steel Grid, ABS Drain

PVC DRAIN

1360766 CD8282P No Caulk Shower Drain with Stainless Steel Strainer
2" x 4-1/4" Round Stainless Steel Grid, PVC Drain

Features:

- Durable PVC white & ABS black available
- Designed for use with all preformed shower stall bases
- Fits over 2" Sch.40 DWV pipe
- Includes wrench
- Stainless steel snap-in strainer



1360766



684930

STEEL UNIVERSAL ACCESS DOOR

Model Numbers:

685656	CUAD88WHT	8" x 8" White	Universal Access Door
685657	CUAD88	8" x 8" S.S.	Universal Access Door
685658	CUAD1010WHT	10" x 10" White	Universal Access Door
685659	CUAD1010	10" x 10" S.S.	Universal Access Door
685660	CUAD1212WHT	12" x 12" White	Universal Access Door
685661	CUAD1212	12" x 12" S.S.	Universal Access Door
684931	CUAD1414WHT	14" x 14" White	Universal Access Door
685662	CUAD1616WHT	16" x 16" White	Universal Access Door
685663	CUAD1818WHT	18" x 18" White	Universal Access Door
684930	CUAD2424WHT	24" x 24" White	Universal Access Door



Features:

- 16 gauge stainless steel or prime coat finished steel
- One-piece construction
- Concealed hinge
- Not approved for fire rated applications

Warranty:

- This product carries a 1-year limited warranty.

MODEL	DESCRIPTION	FRAME SIZE		DOOR SIZE		WALL OPENING		WEIGHT PER DOOR	
		IN	MM	IN	MM	IN	MM	LBS	OZ
685656	8 X 8 - Wh	9.68 X 9.68	245.75 X 245.75	7.56 X 7.56	192.10 X 192.10	8.50 X 8.50	215.90 X 215.90	3.00	48
685657	8 X 8 - S.S.	9.68 X 9.68	245.75 X 245.75	7.56 X 7.56	192.10 X 192.10	8.50 X 8.50	215.90 X 215.90	3.00	48
685658	10 X 10 - Wh	11.68 X 11.68	296.55 X 296.55	9.56 X 9.56	242.90 X 242.90	10.50 X 10.50	266.70 X 266.70	4.00	64
685659	10 X 10 - S.S.	11.68 X 11.68	296.55 X 296.55	9.56 X 9.56	242.90 X 242.90	10.50 X 10.50	266.70 X 266.70	4.00	64
685660	12 X 12 - Wh	13.68 X 13.68	347.35 X 347.35	11.56 X 11.56	293.70 X 293.70	12.50 X 12.50	317.50 X 317.50	5.50	88
685661	12 X 12 - S.S.	13.68 X 13.68	347.35 X 347.35	11.56 X 11.56	293.70 X 293.70	12.50 X 12.50	317.50 X 317.50	5.50	88
684931	14 X 14 - Wh	15.68 X 15.68	398.15 X 398.15	13.56 X 13.56	344.50 X 344.50	14.50 X 14.50	368.30 X 368.30	6.00	96
685662	16 X 16 - Wh	17.68 X 17.68	448.95 X 448.95	15.56 X 15.56	395.30 X 395.30	16.50 X 16.50	419.10 X 419.10	7.50	120
685663	18 X 18 - Wh	19.68 X 19.68	499.75 X 499.75	17.56 X 17.56	446.10 X 446.10	18.50 X 18.50	469.90 X 469.90	9.00	144
684930	24 X 24 - Wh	25.68 X 25.68	652.15 X 652.15	23.56 X 23.56	598.50 X 598.50	24.50 X 24.50	622.30 X 622.30	15.00	240





PLASTIC ACCESS PANEL

Model Numbers:

- 688734 CPAD88 8" x 8" Plastic Access Panel,
See chart: Ax(B) 7.72" x 7.72" CxD) 10.98" x 10.98"
- 688735 CPAD1414 14" x 14" Plastic Access Panel
See chart: Ax(B) 13.82" x 13.82" CxD) 16.93" x 16.93"

Features:

- Durable ABS material
- Easily installs before or after wallboard installation
- No need for glue or adhesives
- Could be painted or wallpapered
- 8"x8", 14"x14" are available





EXCLUSIVELY BY KELLER SUPPLY

WATER HAMMER ARRESTORS

WATER HAMMER ARRESTOR

Model Numbers:

685664 CHA12SWT 1/2" Male Sweat Water Hammer Arrestor

685665 CLHA12 3/4" Male Hose Thread x 3/4" Female Hose Thread

Specifications:

Temperature Range: 33°F to 180°F

Maximum Pressure: 600 PSI

Features:

- For single fixture residential use.
- Helps to eliminate shock waves generated in piping systems by sudden on/off changes in flow.
- Plastic piston
- Low Lead


Warranty:

- This product carries a 1-year limited warranty.


685664



685665



685664



685665

Complies to the following Standards:

ASSE 1010-2004

IAMPO Listed (cUPC)



ALUMINUM WATER HEATER PAN

Model Numbers:

1" x 1-1/2" PVC Adapter:

896136	CWHPPA20	20" Water Heater Pan, I.D.) 20" O.D.) 21.75"
896139	CWHPPA22	22" Water Heater Pan, I.D.) 22" O.D.) 23.75"
896141	CWHPPA24	24" Water Heater Pan, I.D.) 24" O.D.) 25.75"
1036622	CWHPPA26	26" Water Heater Pan, I.D.) 26" O.D.) 27.75"
896145	CWHPPA30	30" Water Heater Pan, I.D.) 30" O.D.) 31.75"

1" CPVC Adapter:

896135	CWHPCA20	20" Water Heater Pan, I.D.) 20" O.D.) 21.75"
896138	CWHPCA22	22" Water Heater Pan, I.D.) 22" O.D.) 23.75"
896140	CWHPCA24	24" Water Heater Pan, I.D.) 24" O.D.) 25.75"
896144	CWHPCA30	30" Water Heater Pan, I.D.) 30" O.D.) 31.75"

Features:

- Manufactured from 22 GA aluminum sheet
- Comes with pre-drilled hole
- Includes adapter
- 2½" pan depth

Specifications:

Aluminum water heater pans can be installed under electric or gas water heaters to protect from water damage. All water heater pans come with 1" x 1-1/2" PVC or 1" CPVC drain fittings (adapter) to allow for connection to indirect drain.



PLASTIC WATER HEATER PAN

Model Numbers:

896142	CWHPCP24	24" Plastic Water Heater Pan, I.D.) 23.5" O.D.) 26"
--------	----------	---

Features:

- Manufactured from 0.05" plastic sheet
- Comes with pre-drilled hole
- Includes adapter
- 2½" pan depth

Specifications:

Plastic water heater pans can be installed under electric water heaters to protect from water damage. All water heater pans come with 1" x 1-1/2" PVC or 1" CPVC drain fittings (adapter) to allow for connection to indirect drain.



PVC MALE ADAPTER DRAIN KIT

Model Numbers:

896134	CPA112	Water Heater Drain Pan Male Adapter Drain Kit, 1" x 1-1/2" PVC
--------	--------	---





EXCLUSIVELY BY KELLER SUPPLY

WATER HEATER ACCESSORIES



18 HEAVY GAUGE GALVANIZED STEEL WATER HEATER STAND

Model Numbers:

896137 CWSH21 Water Heater Stand, 21" Square x 18"

Specifications:

Height: 18"

Platform dimensions: 21" x 21"


Load Rating: 650 lbs.

Cautions:

Do not place tanks over 50 gallon capacity on water heater stand. Read Cautions and Installation Instruction carefully before using this product. **KEEP OUT OF REACH OF CHILDREN.**

Applications:

Caitlin Water Heater Stand includes seismic clips for the State of California. Caitlin Water Heater Stand allows water heater tank 18" to place above floor level. Caitlin Water Heater Stand has two bracket to strengthen the stability of the stand.



1145323

WATER HEATER SEISMIC STRAPS

Model Numbers:

- | | | |
|---------|----------|--|
| 1145323 | CQS-50 | Quick Strap Water Heater Restraints, Up to 80 gal Length) 38" Package) 1PC/Color Box, 10PCS/CTN. |
| 1145321 | CQS-50P | Water Heater Seismic Strap, Up to 80 gal Length) 38" Package) 1PC/Printed Bag, 15PCS/CTN. |
| 1148010 | CQS-50-D | Water Heater Seismic Strap, Deluxe, Up to 80 gal Length) 38" Package) 1PC/Color Box, 10PCS/CTN. |
| 1145325 | CQS-120 | Quick Strap Water Heater Restraints, Up to 120 gal Length) 54" Package) 1PC/Color Box, |


Features:

- Water heater seismic straps to protect against natural
- disasters: earthquakes, tornadoes and hurricanes
- Self-drilling lag bolts
- Straps material: steel galvanized
- Fully adjustable from front of water heater
- The system includes:
 - 4- Straps
 - 4- J-Clips
 - 4- Lag bolts 1/4" x 2-1/2" self-drilling with 1/4" washers
 - 2- 3/8" carriage bolts, washers, nuts



Complies to the following Standards:

Meets plumbing codes
Meets real estate codes
State of California accepted
Meets the requirements of City of Los Angeles
IAPMO Listed




PLASTIC HANDI-PLUG


Model Numbers:

1044151 CAH54-050 1/2" MIP Handi-Plug, Original Blue
See chart: A) 5-1/4" B) 3/4" C) 1" D) 3/8"

Specifications:

Threads: 1/2" MIP





Valves & Accessories

WASHING MACHINE VALVES

BALL VALVES

YARD HYDRANTS

HOSE BIBBS



Exclusively from
 **KELLER SUPPLY**



EXCLUSIVELY BY KELLER SUPPLY

WASHING MACHINE VALVES



Complies to the following Standards:
Hose threads meet with ASME B1.20.7
cUPC Listed



WASHING MACHINE VALVE

Model Numbers:


685807 CWMV12CC 1/2" Compression Washing Machine Valve

Features:

- Leaded bronze body
- Metal handle
- 1/2" COMP x 3/4" MHT
- Chrome plated finish
- Max working pressure: 125 psi
- Working temperature: 40 -160°F

PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL
1	Screw	Stainless Steel
2	Handle	Zinc
3	Nut	Brass
4	Packing	NBR
5	Bonnet	Brass
6	Washer	Vulcanized
7	Stem	Brass
8	Seat	NBR
9	Screw	Stainless Steel
10	Body	Bronze
11	Ring	Brass
12	Nut	Brass



BRASS BALL VALVE

Model Numbers:

THREADED NPT ENDS:

687028	CBV12T-LF	1/2" IPS Full Port Ball Valve
687029	CBV34T-LF	3/4" IPS Full Port Ball Valve
687031	CBV1T-LF	1" IPS Full Port Ball Valve
687032	CBV114T-LF	1-1/4" IPS Full Port Ball Valve
687034	CBV112T-LF	1-1/2" IPS Full Port Ball Valve
687037	CBV2T-LF	2" IPS Full Port Ball Valve

SWEAT ENDS:

687482	CBV12S-LF	1/2" Full Port CXC Ball Valve
687484	CBV34S-LF	3/4" Full Port CXC Ball Valve
687486	CBV1S-LF	1" Full Port CXC Ball Valve
687488	CBV114S-LF	1-1/4" Full Port CXC Ball Valve
687489	CBV112S-LF	1-1/2" Full Port CXC Ball Valve
687490	CBV2S-LF	2" Full Port CXC Ball Valve

Features:


- 600 WOG
- 150 WSP
- Full port
- Blow-out proof stem
- Adjustable packing

PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL	QTY
1	Body	Low Lead Brass*	1
2	Ball	Low Lead Brass*	1
3	End Cap	Low Lead Brass*	1
4	Seat	PTFE	2
6	Stem	ASTM B16	1
7	Stem	PTFE	1 Set
8	Handle	ASTM A283-D	1
9	Sleeve	Plastic/Vinyl	1
11	Packing	ASTM B16	1
13	Handle Nut	AISI 1010	1

* Chemical content by percentage is:

Cu	Bi	Pb	Sn	Ni	Fe	AL	Zn
58 - 61	< 2.0	< 0.2	< 0.5	< 0.5	< 0.2	< 0.2	Remainder



687028



687482


Complies to the following Standards:

NSF 61 Annex G Approved
Meets MSS SP-110 Standards



DIMENSIONS:

MODEL	SIZE	ØD	E	H	L	L1
THREADED						
687028	1/2"	0.5"	2.95"	1.5"	2.13"	0.5"
687029	3/4"	0.75"	3.94"	1.85"	2.48"	0.75"
687031	1"	0.98"	3.94"	2.05"	2.99"	0.91"
687032	1-1/4"	1.26"	4.92"	2.36"	3.35"	0.97"
687034	1-1/2"	1.5"	4.92"	2.56"	3.62"	1.09"
687037	2"	1.97"	7.87"	3.11"	4.25"	1.34"
SWEAT						
687482	1/2"	0.5"	2.95"	1.5"	1.93"	0.5"
687484	3/4"	0.75"	3.94"	1.85"	2.72"	0.75"
687486	1"	0.98"	3.94"	2.05"	3.31"	0.91"
687488	1-1/4"	1.26"	4.92"	2.36"	3.78"	0.97"
687489	1-1/2"	1.5"	4.92"	2.56"	4.29"	1.09"
687490	2"	1.97"	7.87"	3.11"	5.35"	1.34"





BALL VALVES

EXCLUSIVELY BY KELLER SUPPLY



685810



BALL VALVE WITH GAS TEE HANDLE

Model Numbers:

685809	CGBV12T	Ball Valve with Gas Tee Handle, 1/2"
685810	CGBV34T	Ball Valve with Gas Tee Handle, 3/4"
685812	CGBV1T	Ball Valve with Gas Tee Handle, 1"

Features:

- 400 PSI CWP rated
- 1/2 PSI for indoor appliance connections per ANSI Z21.15 and CGA 9.1a
- 5 PSI for indoor shutoff per CGA 91-002 and ASME B16.44

Warranty:

This product carries a limited warranty for one year.

UL; CSA; ANSI Z21.15; CGA 9.1A; CGA 91-002; ASME B16.44


PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL	SPEC	QTY
1	Screw	AISI-1010		1
2	Handle	B86	ASTM	1
3	Stem	B16-C36000	ASTM	1
4	Stem Gland Screw	B16-C36000	ASTM	1
5	Gland Packing	PTFE	Teflon	1
6	Name Plate	B209-1100	ASTM	1
7	Body	B124-C37700	ASTM	1
8	Ball Disc Teflon	PTFE	Teflon	2
9	Ball Disc	B16-C36000	ASTM	1
10	End Plug	B124-C37700	ASTM	1

DIMENSIONS:

MODEL	SIZE	L	H	D	H1	L1**	L2
685809	1/2"	2.17"	1.30"	.39"	N/A	1.77"	N/A
685810	3/4"	2.44"	1.42"	.59"	N/A	1.77"	N/A
685812	1"	2.87"	1.57"	.73"	N/A	2.76"	N/A

** NOTE: L1 dimension on this series handle is from end to end.



FROST PROOF YARD HYDRANT

Model Numbers:



896147	CYH2-B	2 ft Bury, Frost Proof Yard Hydrant
896148	CYH3-B	3 ft Bury, Frost Proof Yard Hydrant
896149	CYH4-B	4 ft Bury, Frost Proof Yard Hydrant
896150	CYH5-B	5 ft Bury, Frost Proof Yard Hydrant
896151	CYH6-B	6 ft Bury, Frost Proof Yard Hydrant

Features:

- The Caitlin Yard Hydrant provides running water for lawn, garden and irrigation all year, even in sub-zero temperatures.
- 3/4" FPT inlet. 1" standard pre-galvanized pipe. 3/4" male hose thread outlet.
- All Caitlin Yard Hydrants have heavy duty cast iron head and handle with long lasting blue polyester powder coating finish.
- Handle can be locked by inserting a padlock into the holes in the head and handle to prevent unauthorized use.
- Maximum water pressure 80 psi.
- The Caitlin Yard Hydrant works on existing fresh water system, municipal water and private wells.

PARTS BREAKDOWN:


NO.	PART NAME	MATERIAL	QTY
1	Bolt	Steel	1
2	Lock Nut	Steel	1
3	Handle	Steel	1
4	Faucet Body	Steel	1
5	Connection Strap	Steel	2
6	Union Body	Brass	1
7	Square Head Screw	Steel	1
8	Lock Nut	Brass	1
9	O-Ring	Rubber	2
10	Pull Rod	Brass	1
11	Outlet Adapter	Brass	1
12	Pull Rod	Steel	1
13	Galvanized Iron Pipe	Steel	1
14	Bottom Valve	Brass	1
15	Plunger	Rubber	1
16	Plunger Insert	Brass	1
17	Conversion Adapter	Steel	1





HOSE BIBBS

EXCLUSIVELY BY KELLER SUPPLY



897251



897258



897264



ANTI-SIPHON MULTI-TURN FROST-FREE SILLCOCK VALVE

Model Numbers:

1/2" MIP x 1/2" SOLDER:

- 897248 CFP124MIP 4" Anti-Siphon Multi-Turn Frost-Free Sillcock Valve
See chart: A) 4" B) 3.11"
- 897250 CFP126MIP 6" Anti-Siphon Multi-Turn Frost-Free Sillcock Valve
See chart: A) 6" B) 3.11"
- 897251 CFP128MIP 8" Anti-Siphon Multi-Turn Frost-Free Sillcock Valve
See chart: A) 8" B) 3.11"

3/4" MIP x 1/2" FIP:

- 897256 CFP344MIP 4" Anti-Siphon Multi-Turn Frost-Free Sillcock Valve
See chart: A) 4" B) 3.11"
- 897257 CFP346MIP 6" Anti-Siphon Multi-Turn Frost-Free Sillcock Valve
See chart: A) 6" B) 3.11"
- 897258 CFP348MIP 8" Anti-Siphon Multi-Turn Frost-Free Sillcock Valve
See chart: A) 8" B) 3.11"

1/2" PEX:

- 897262 CFP124PEX 4" Anti-Siphon Multi-Turn Frost-Free Sillcock Valve
See chart: A) 4" B) 3.11"
- 897263 CFP126PEX 6" Anti-Siphon Multi-Turn Frost-Free Sillcock Valve
See chart: A) 6" B) 3.11"
- 897264 CFP128PEX 8" Anti-Siphon Multi-Turn Frost-Free Sillcock Valve
See chart: A) 8" B) 3.11"

PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL
1	Screw	Brass
2	Label	Aluminum
3	Handle	Aluminum
4	Body Assembly	Brass C.P.
5	Stem Holder	Brass
6	Washer	S.S. 304
7	Washer	S.S. 304
8	Packing	NBR
9	Stem	Brass
10	Set Screw	S.S. 304
11	Cartridge	Brass
12	O-Ring	Viton
13	VB Cover	ABS C.P.
14	VB Body	POM
15	VB Flot	POM
16	Seat	NBR
17	O-Ring	NBR
18	Adapter	Brass
19	Tube	Brass
20	Packing	NBR
21	Stem Washer	Brass
22	Washer	NBR
23	Screw	Brass

Features:

- Chrome plated finish


Specifications:

Working & maximum water pressure: 125 psi

Working water temperature:

32 F~140 F (0 C~60 C)

Maximum water temperature: 180 F (82 C)



HOSE BIBB

Model Numbers:

685666 CHB12 1/2" Hose Bibb, Bronze

684109 CHB34 3/4" Hose Bibb, Bronze

Features:

- Rough bronze construction
- Metal handle
- Stainless steel screws

Specifications:


Pressure rating: 100 psi

Working pressure: 25 - 125 psi

Working temperature: 40 -160°F

PARTS BREAKDOWN:

NO.	PART NAME	MATERIAL
1	Screw	Stainless Steel
2	Handle	Zinc
3	Nut	Brass
4	Packing	NBR
5	Bonnet	Brass
6	Washer	Vulcanized
7	Stem	Brass
8	Seat	NBR
9	Screw	Stainless Steel
10	Body	Bronze



685666


Complies to the following Standards:

Meets ASMEA112.18.1/ CSAB125.1

NPT threads meet with ASME B1.20.1

Hose threads meet with ASME B1.20.7





Fire Protection

FIRE PROTECTION



Exclusively from





EXCLUSIVELY BY KELLER SUPPLY

FIRE PROTECTION



981235

981240

ROUND EXTENSION NIPPLE

Model Numbers:

981235 CFPP08-570-00 1/2" NPT x 1/2" Round Extension Nipple, Brass


See chart: A) 1/2" B) 1/2" C) 1-1/8" D) 1/2"

981240 CFPP08-572-00 1/2" NPT x 1" Round Extension Nipple, Brass

See chart: A) 11/16" B) 1" C) 1-11/16" D) 11/16"

Features:

- Lead brass construction
- Rough brass finish
- 1/2" MIP x 1/2" FIP thread



981220

SPARE SPRINKLER HEAD STORAGE CABINET

Model Numbers:

981220 CFPP02-401-00 Spare Sprinkler Head Storage Cabinet, 6 Heads


See chart: L) 14-1/4" D) 5-1/8" H) 2-5/16"

981224 CFPP02-400-00 Spare Sprinkler Head Storage Cabinet, 12 Heads

See chart: L) 14-1/4" D) 5-5/16" H) 4"

Features:

- Steel material
- Red enamel
- 6 and 12 head options
- Designed for sprinkler head storage



982276

STANDARD CANOPIES SKIRT

Model Numbers:

982276 CFPP01-500-00 Standard Canopies Skirt, Chrome

982278 CFPP01-502-00 Standard Canopies Skirt, White

Features:

- Steel material
- Chrome and white finish options
- For use with Caitlin CFPP01-600 series Pendant Cup

TWO-PIECE RECESSED CANOPY

Model Numbers:

981335 CFPP01-400-00 1/2" Two-Piece Recessed Canopy, Chrome Plated

981336 CFPP01-402-00 1/2" Two-Piece Recessed Canopy, White

Features:

- Steel material
- Chrome and white finish options
- Fit for 1/2" size
- Two pieces recessed design



981335

PENDENT STEEL CUP


Model Numbers:

982274 CFPP01-602-00 1/2" Pendent Steel Cup, White

Features:

- Steel material
- White finish
- Fit for 1/2" size





HVAC Accessories

FLOOR REGISTERS & GRILLES




Exclusively from
 **KELLER SUPPLY**




EXCLUSIVELY BY KELLER SUPPLY

FLOOR REGISTERS & GRILLES



590322



590095

STAMPED STEEL FLOOR REGISTER

Model Numbers:

BROWN:


590323	590323	2" x 10" Stamped Steel Floor Register, Brown
590027	590027	4" x 10" Stamped Steel Floor Register, Brown
590123	590123	4" x 12" Stamped Steel Floor Register, Brown
590322	590322	6" x 12" Stamped Steel Floor Register, Brown

WHITE:

590344	590344	2" x 10" Stamped Steel Floor Register, White
590095	590095	4" x 10" Stamped Steel Floor Register, White
590343	590343	4" x 12" Stamped Steel Floor Register, White

Features:

- All steel welded construction
- Heavy gauge steel construction for floor Use
- Multi-angled fin setting
- Foot-operated, opposed blade damper
- Available finish: Brown or White



UNIT: INCH

STAMPED STEEL


RETURN AIR GRILLE, 1/2" FINS

Model Numbers:

590039	--	14" x 6" Return Air Grille, White
590328	--	14" x 8" Return Air Grille, White
934315	7111414WH	14" x 14" Return Air Grille, White
934317	7111420WH	14" x 20" Return Air Grille, White
590334	--	20" x 6" Return Air Grille, White
934318	7112014WH	20" x 14" Return Air Grille, White

Features:

- All steel construction
- 1/2" spaced fins at 40 degrees
- Screws included
- Finish: White



934315

STAMPED STEEL

RETURN AIR FILTER GRILLE, 1/2" FINS

Model Numbers:


934312	7221414WH	14" x 14" Return Air Filter Grille, White
934307	7221420WH	14" x 20" Return Air Filter Grille, White
934266	7221425WH	14" x 25" Return Air Filter Grille, White
934258	7221430WH	14" x 30" Return Air Filter Grille, White
934309	7221616WH	16" x 16" Return Air Filter Grille, White
934300	7221620WH	16" x 20" Return Air Filter Grille, White
934305	7222014WH	20" x 14" Return Air Filter Grille, White
934298	7222016WH	20" x 16" Return Air Filter Grille, White
590048	--	20" x 20" Return Air Filter Grille, White
934250	7222025WH	20" x 25" Return Air Filter Grille, White
934245	7222030WH	20" x 30" Return Air Filter Grille, White
934262	7222514WH	25" x 14" Return Air Filter Grille, White
934249	7222520WH	25" x 20" Return Air Filter Grille, White
934251	7223014WH	30" x 14" Return Air Filter Grille, White
934244	7223020WH	30" x 20" Return Air Filter Grille, White

Features:

- All steel construction
- 1/2" spaced fins at 40 degrees
- Removable face with concealed latches & hinges for easy installation and cleaning
- Finish: White



UNIT: INCH





EXCLUSIVELY BY KELLER SUPPLY

FLOOR REGISTERS & GRILLES



934220

STAMPED STEEL


ONE-WAY SIDEWALL/CEILING REGISTER, CURVED BLADE

Model Numbers:

934219	5011004WH	10" x 4" One-way Sidewall/Ceiling Register, White
934085	5011006WH	10" x 6" One-way Sidewall/Ceiling Register, White
934220	5011206WH	12" x 6" One-way Sidewall/Ceiling Register, White
934222	5011406WH	14" x 6" One-way Sidewall/Ceiling Register, White

Features:

- All steel construction
- Curved blade
- One-piece stamped face construction
- One-way air deflection
- Multi-shutter damper
- Double valves for listed height 10" and larger
- Dual-coating
- Finish: White



STAMPED STEEL


TWO-WAY SIDEWALL/CEILING REGISTER, 1/2" FINS

Model Numbers:

590052	590052	10" x 4" Two-Way Sidewall/Ceiling Register, White
590330	590330	12" x 4" Two-Way Sidewall/Ceiling Register, White
934177	5121206WH	12" x 6" Two-Way Sidewall/Ceiling Register, White
934183	5121406WH	14" x 6" Two-Way Sidewall/Ceiling Register, White

Features:

- All steel one piece stamped face construction.
- Two-way air deflection.
- 1/2" spaced fins.
- Interlocking valve louvers.
- Multi-shutter damper.
- Double valves for listed height 10" (or width 20") and larger.
- Dual-coating
- Finish: White



STAMPED STEEL


TWO-WAY SIDEWALL/CEILING REGISTER, 1/3" FINS

Model Numbers:

590081	590081	10 x 4" Two-Way Sidewall/Ceiling Register, White
590134	590134	12" x 4" Two-Way Sidewall/Ceiling Register, White

Features:

- Stamped steel construction
- 1/3" spaced fins
- Two-way Air Deflection
- Multi-shutter Damper
- Dual-coating
- Finish: White



590081



EXCLUSIVELY BY KELLER SUPPLY

FLOOR REGISTERS & GRILLES



STAMPED STEEL


THREE-WAY SIDEWALL/CEILING REGISTER, CURVED BLADE

Model Numbers:


934226	5031004WH	10" x 4" Three-way Sidewall/Ceiling Register, White
934089	5031006WH	10" x 6" Three-way Sidewall/Ceiling Register, White
934227	5031206WH	12" x 6" Three-way Sidewall/Ceiling Register, White
934229	5031406WH	14" x 6" Three-way Sidewall/Ceiling Register, White
934231	5031408WH	14" x 8" Three-way Sidewall/Ceiling Register, White

Features:

- All steel construction
- Curved blade
- One-piece stamped face construction
- Three-way air deflection
- Multi-shutter damper
- Double valves for listed height 10" and larger
- Dual-coating
- Finish: White



UNIT: INCH



STAMPED STEEL


THREE-WAY SIDEWALL/CEILING REGISTER, 1/2" FINS

Model Numbers:


934187	5131004WH	10" x 4" Three-Way Sidewall/Ceiling Register
934079	5131006WH	10" x 6" Three-Way Sidewall/Ceiling Register
934190	5131206WH	12" x 6" Three-Way Sidewall/Ceiling Register
934192	5131406WH	14" x 6" Three-Way Sidewall/Ceiling Register
934196	5131408WH	14" x 8" Three-Way Sidewall/Ceiling Register

Features:

- All steel one piece stamped face construction
- Three-way air deflection
- 1/2" spaced fins
- Interlocking valve louvers
- Multi-shutter damper
- Double valves for listed height 10" and larger
- Dual-coating
- Finish: White



UNIT: INCH



STAMPED STEEL FOUR-WAY SIDEWALL/CEILING REGISTER, CURVED BLADE

Model Numbers:

934092	5040808WH	8" x 8" Four-way Sidewall/Ceiling Register, White
934234	5041010WH	10" x 10" Four-way Sidewall/Ceiling Register, White
934238	5041212WH	12" x 12" Four-way Sidewall/Ceiling Register, White
934242	5041414WH	14" x 14" Four-way Sidewall/Ceiling Register, White

Features:

- All steel construction
- Curved blade
- One-piece stamped face construction
- Four-way air deflection
- Multi-shutter damper
- Double valves for listed height 10" and larger
- Dual-coating
- Finish: White



UNIT: INCH


STAMPED STEEL FOUR-WAY SIDEWALL/CEILING REGISTER, 1/2" FIN

Model Numbers:

934198	5140808WH	8" x 8" Four-Way Sidewall/Ceiling Register, 1/2" Fin
934083	5141010WH	10" x 10" Four-Way Sidewall/Ceiling Register, 1/2" Fin
934201	5141212WH	12" x 12" Four-Way Sidewall/Ceiling Register, 1/2" Fin
934206	5141414WH	14" x 14" Four-Way Sidewall/Ceiling Register, 1/2" Fin
934210	5141616WH	16" x 16" Four-Way Sidewall/Ceiling Register, 1/2" Fin

Features:

- All steel one piece stamped face construction
- Four-way air deflection
- 1/2" spaced fins
- Interlocking valve louvers
- Multi-shutter damper
- Double valves for listed height 10" and larger
- Dual-coating
- Finish: White



UNIT: INCH





EXCLUSIVELY BY KELLER SUPPLY

FLOOR REGISTERS & GRILLES

Toilets &
Accessories

Urinals

Lavs

Faucets

Sinks &
Accessories

Plumbing
Specialties

Valves &
Accessories

Fire
Protection

HVAC
Accessories

Misc
Specialties

Appendix



590164

STAMPED STEEL

TOE SPACE GRILLE, 1/2" FINS

Model Numbers:

BROWN:

590164 -- 10" x 2" Toe Space Grille, Brown

590319 -- 12" x 2" Toe Space Grille, Brown


WHITE:

934854 4200210WH 10" x 2" Toe Space Grille, White

934855 4200212WH 12" x 2" Toe Space Grille, White

Features:

- Steel construction
- Stamped faceplate
- Multi-angle rolled 1/2" fins
- Matching color screws included
- Dual-coating
- Available finish: Brown or White



Miscellaneous Specialties

HANGER STRAPS

2-HOLE PIPE STRAPS

PLASTIC CLAMPS

PIPE WRAP TAPE

HOSE CLAMPS

BOCA PLATES

STUD GUARDS

CABLE TIES



Exclusively from
 **KELLER SUPPLY**



1360730

GALVANIZED STEEL HANGER STRAP

Model Numbers:

1360730 CPT28 Hanger Strap, 3/4" x 10' Roll, 28 Gauge
 1360731 CPT28100 Hanger Strap, 3/4" x 100' Roll, 28 Gauge

Types of pipe to be supported:

- Water supply lines
- Drain pipe
- Vent pipe
- Waste pipe
- Fire sprinkler supply lines
- HVAC condensate lines

Uses:

Supports hanging pipes

Installation:

- Alternating bolt and nail holes allow pipe to be secured at any angle.
- Use barbed nails or screws to attach to framing.



GALVANIZED STEEL 2-HOLE PIPE STRAP

Model Numbers:

1360774 CPS1614 1/2" Galvanized Steel 2-Hole Pipe Strap
 1374756 CPS1615 3/4" Galvanized Steel 2-Hole Pipe Strap
 1360776 CPS1616 1" Galvanized Steel 2-Hole Pipe Strap
 1360775 CPS1617 1-1/4" Galvanized Steel 2-Hole Pipe Strap
 1360777 CPS1618 1-1/2" Galvanized Steel 2-Hole Pipe Strap
 1360778 CPS1619 2" Galvanized Steel 2-Hole Pipe Strap
 1360779 CPS1620 2-1/2" Galvanized Steel 2-Hole Pipe Strap
 1360780 CPS1621 3" Galvanized Steel 2-Hole Pipe Strap
 1360781 CPS1622 4" Galvanized Steel 2-Hole Pipe Strap

Specifications:

Material: Steel


Finish: Galvanized

Uses:

To be used where necessary to fasten or secure IPS tubing in residential or commercial applications.

DIMENSIONS:

MODEL	SIZE	A	B	C	E	F
1360774	1/2"	0.5"	1.85"	1.30"	0.645"	0.630"
1374756	3/4"	0.5"	2.24"	1.73"	0.920"	0.905"
1360776	1"	0.75"	2.76"	2.05"	0.142"	0.142"
1360775	1-1/4"	0.75"	3.31"	2.52"	1.417"	1.385"
1360777	1-1/2"	1"	4.51"	3.49"	1.902"	0.280"
1360778	2"	1"	5.04"	4.21"	2.382"	0.280"
1360779	2-1/2"	1"	6.31"	4.88"	2.88"	0.335"
1360780	3"	1"	7.01"	5.98"	3.50"	0.339"
1360781	4"	1"	8.35"	7.09"	4.50"	0.339"



COPPER PLATED 2-HOLE PIPE STRAP

Model Numbers:

1360782	CSW624D	1/2" Copper Plated 2-Hole Pipe Strap
1360783	CSW624E	3/4" Copper Plated 2-Hole Pipe Strap
1360784	CSW624F	1" Copper Plated 2-Hole Pipe Strap
1360785	CSW624G	1-1/4" Copper Plated 2-Hole Pipe Strap
1360786	CSW624H	1-1/2" Copper Plated 2-Hole Pipe Strap
1360787	CSW624I	2" Copper Plated 2-Hole Pipe Strap

Specifications:

Material: Steel

Finish: Copper Plated


Uses:

To be used where necessary to fasten or secure CTS tubing in residential or commercial applications.

Mount to wood or metal studs or joists using nail or screw in both the clamps provided holes.

DIMENSIONS:

MODEL	SIZE	A	B	C	E	F
1360782	1/2"	0.5"	1.9"	1.4"	0.6"	0.2"
1360783	3/4"	0.5"	2.7"	2.2"	0.8"	0.2"
1360784	1"	0.5"	2.7"	2.2"	1.1"	0.2"
1360785	1-1/4"	0.5"	3.1"	2.7"	1.3"	0.2"
1360786	1-1/2"	0.5"	3.6"	3.1"	1.5"	0.2"
1360787	2"	0.5"	3.9"	3.5"	2.1"	0.2"



PLASTIC STANDARD PIPE CLAMP

Model Numbers:

1360718	CPC5592	1/2" Nominal, Standard Pipe Clamp
1360719	CPC5593	3/4" Nominal, Standard Pipe Clamp
1360720	CPC5594	1" Nominal, Standard Pipe Clamp
1360721	CPC5595	1-1/4" Nominal, Standard Pipe Clamp
1360722	CPC5596	1-1/2" Nominal, Standard Pipe Clamp
1360723	CPC5597	2" Nominal, Standard Pipe Clamp

Features:

- Compatible with Copper, PEX, CPVC piping.
- Helps to minimize noise transfer and isolates against dissimilar metal.


Specifications:

Material: Gray Polypropylene

Standard Clamps are designed to support 1/2" through 2" tubing.
UPC listed

DIMENSIONS:

MODEL	SIZE	A	H	C	D	E	F
1360718	1/2"	0.626"	1.496"	0.106"	0.866"	0.094"	2.047"
1360719	3/4"	0.874"	1.551"	0.106"	1.161"	0.126"	2.362"
1360720	1"	1.126"	2.461"	0.118"	1.417"	0.138"	2.835"
1360721	1-1/4"	1.374"	2.394"	0.134"	1.709"	0.150"	2.835"
1360722	1-1/2"	1.626"	2.441"	0.134"	1.945"	0.169"	3.091"
1360723	2"	2.126"	3.161"	0.154"	2.441"	0.169"	3.583"





PLASTIC SUSPENSION PIPE CLAMP

Model Numbers:

1360724	CPC5572	1/2" Suspension Pipe Clamp
1360725	CPC5573	3/4" Suspension Pipe Clamp
1360726	CPC5574	1" Suspension Pipe Clamp
1360727	CPC5575	1-1/4" Suspension Pipe Clamp
1360728	CPC5576	1-1/2" Suspension Pipe Clamp
1360729	CPC5577	2" Suspension Pipe Clamp

Features:

- Compatible with Copper, PEX, CPVC piping.
- Provides fast and easy installation and support for all types of copper tube size piping.
- Can be used as an insulator when running water distribution lines through wooden framing.
- Can be used with hydronic heating systems.


Specifications:

Material: Gray Polypropylene

UPC listed

DIMENSIONS:

MODEL	SIZE	A	B	C	D	E	F
1360724	1/2"	0.626"	0.638"	1.972"	0.732"	0.138"	1.496"
1360725	3/4"	0.874"	0.638"	2.047"	0.732"	0.138"	1.693"
1360726	1"	1.126"	0.894"	2.520"	0.748"	0.134"	2.087"
1360727	1-1/4"	1.374"	0.886"	2.992"	0.858"	0.142"	2.362"
1360728	1-1/2"	1.626"	0.886"	2.992"	0.866"	0.177"	2.717"
1360729	2"	2.126"	0.886"	3.583"	0.992"	0.177"	3.228"



PLASTIC INSULATING SUSPENSION PIPE CLAMP

Model Numbers:

1360715	CPC5582	1/2" Insulating Suspension Pipe Clamp
1360716	CPC5583	3/4" Insulating Suspension Pipe Clamp
1360717	CPC5584	1" Insulating Suspension Pipe Clamp

Features:

- Provides fast and easy installation and support for all types of copper tube size piping.
- Insulates against sound.
- Eliminates contact between the pipe and framing surface.

Specifications:


Material: Gray low density polyethylene

Can be used with hydronic heating systems

UPC listed

DIMENSIONS:

MODEL	SIZE	A	B	C	D	d	E	F
1360715	1/2"	2.362"	1.260"	0.102"	0.626"	0.130"	1.457"	1.772"
1360716	3/4"	2.382"	1.260"	0.102"	0.874"	0.130"	1.457"	1.772"
1360717	1"	2.402"	1.280"	0.102"	1.126"	0.130"	1.457"	1.772"



PLASTIC HALF PIPE CLAMP WITH BARBED NAIL

Model Numbers:

1360708	CPC5552	1/2" Nominal, Half Pipe Clamp with Barbed Nail
1360710	CPC5553	3/4" Nominal, Half Pipe Clamp with Barbed Nail
1360711	CPC5554	1" Nominal, Half Pipe Clamp with Barbed Nail

Features:


- Compatible with Copper, PEX, CPVC piping.
- Provides fast and easy installation and support for all types of copper tube size piping.
- Insulates against sound.
- Eliminates contact between the pipe and framing surface.
- Can be used with hydronic heating systems.

Specifications:

- *Material:* Gray Polypropylene
- UPC listed

DIMENSIONS:

MODEL	SIZE	A	B	C	D	E
1360708	1/2"	1.043"	0.827"	0.374"	0.626"	0.118"
1360710	3/4"	1.339"	1.130"	0.374"	0.874"	0.118"
1360711	1"	1.614"	1.339"	0.461"	1.126"	0.118"



PLASTIC FULL CLAMP WITH BARBED NAIL

Model Numbers:

1360712	CPC5512	1/2" Nominal, Full Clamp With Barbed Nail
1360713	CPC5513	3/4" Nominal, Full Clamp With Barbed Nail
1360714	CPC5514	1" Nominal, Full Clamp With Barbed Nail

Features:


- Provides fast and easy installation and support for all types of copper tube size piping.
- Insulates against sound.
- Eliminates contact between the pipe and framing surface.
- Can be used with hydronic heating systems.

Specifications:

- *Material:* Black high density polyethylene for full clamp
- UPC listed

DIMENSIONS:

MODEL	SIZE	A	B	C	D	E
1360712	1/2"	1.016"	1.150"	0.374"	0.626"	0.118"
1360713	3/4"	1.358"	1.437"	0.433"	0.874"	0.118"
1360714	1"	1.654"	1.823"	0.492"	1.126"	0.118"





Complies to the following Standards:
IAMPO Certificated



PIPE WRAP TAPE

Model Numbers:

1360764 CT9051R Pipe Wrap Tape, 10 mil Thick, 1" x 100 ft, Black

1360765 CT9052R Pipe Wrap Tape, 10 mil Thick, 2" x 200 ft, Black

Features:

- Heavy duty plasticized Polyvinyl Chloride (PVC) film.
- Coated with an aggressive non-thermosetting rubber-resin good aging characteristics.
- Highly anti-corrosive and puncture resistance.
- Excellent insulating properties.
- Good ductility and flexibility.

Specifications:

Thickness: 10mil (0.25mm)


Adhesive to Steel(kgf/25mm): 0.56

Adhesive to Backing(kgf/25mm): 0.56

Tensile Strength(kgf/25mm): 9

Elongation(%): 200%

Dielectric Breakdown (volts): 7000



STAINLESS STEEL

HOSE CLAMP, 1/2" CLAMP SERIES

Model Numbers:

1360734	CHC6SS	SAE 6	A) 3/8 - 7/8"	Hose Clamp
1360735	CHC8SS	SAE 8	A) 7/16 - 1"	Hose Clamp
1360736	CHC10SS	SAE 10	A) 1/2 - 1-1/16"	Hose Clamp
1360737	CHC12SS	SAE 12	A) 1/2 - 1-1/4"	Hose Clamp
1360738	CHC16SS	SAE 16	A) 3/4 - 1-1/2"	Hose Clamp
1360739	CHC20SS	SAE 20	A) 3/4 - 1-3/4"	Hose Clamp
1360740	CHC24SS	SAE 24	A) 1 - 2"	Hose Clamp
1360741	CHC28SS	SAE 28	A) 1-5/16 - 2-1/4"	Hose Clamp
1360742	CHC32SS	SAE 32	A) 1-9/16 - 2-1/2"	Hose Clamp
1360743	CHC36SS	SAE 36	A) 7/8 - 2-3/4"	Hose Clamp
1360744	CHC40SS	SAE 40	A) 1-1/8 - 3"	Hose Clamp
1360745	CHC44SS	SAE 44	A) 1-5/16 - 3-1/4"	Hose Clamp
1360746	CHC48SS	SAE 48	A) 1-5/8 - 3-1/2"	Hose Clamp
1360747	CHC52SS	SAE 52	A) 1-7/8 - 3-3/4"	Hose Clamp
1360748	CHC56SS	SAE 56	A) 2-1/8 - 4"	Hose Clamp
1360749	CHC64SS	SAE 64	A) 2-5/8 - 4-1/2"	Hose Clamp
1360750	CHC72SS	SAE 72	A) 3 - 5"	Hose Clamp
1360752	CHC80SS	SAE 80	A) 3-5/8 - 5-1/2"	Hose Clamp

Features:

- Constructed for most home applications.
- 5/16" hex-head 300 stainless steel screw.
- Band and housing are 1/2" design 300 grade stainless steel.

Specifications:

Construction: Housing to be one piece, mechanically locked to band.

Suggested Installation Torque is 35 in.-lbs. (4.0 Nm) for most applications.
Maximum torque 60 in. lbs.

Meets requirements of SAE J1508 Type F.

GALVANIZED STEEL SELF-NAILING BOCA PLATE

Model Numbers:

1360773 CPS5816SNBOCA Self-Nailing BOCA Plate, 5" x 8"

Features:

- Designed to provide protection for pipes and wiring from nails or screws.

Specifications:

Material: 16 Gauge Galvanized Steel

Size: 5" X 8"



1360773

GALVANIZED STEEL SELF-NAILING STUD GUARD

Model Numbers:

1360770 CSP316 1-1/2" x 3" Self-Nailing Stud Guard

1360771 CSP516 1-1/2" x 5" Self-Nailing Stud Guard

1360772 CSP616 1-1/2" x 6" Self-Nailing Stud Guard

Features:

- Self-Nailing Stud Guards are designed to provide protection for pipes and wiring from nails or screws.

Specifications:

Material: 16 Gauge Galvanized Steel



1360772



NYLON

CABLE TIE

Model Numbers:

900094	CN-7-50-9-C	7" Cable Tie, Natural, 100/pack
900091	C6263CX	11" Cable Tie, Natural, 100/pack
900092	C7-711-B	7" & 11" Cable Tie, Black, 150/pack
900090	CN-36-175-9-L	36" Cable Tie, Natural, 50/pack
900093	CN-36-175-0-L	36" Cable Tie, Black, 50/pack

Features:

- Non-Metallic material


Specifications:

Min operating temperature: -40°F.

Max operating temperature: 185°F.

Min installing temperature: 14°F.

UL181B listed on 36" cable ties for HVAC industry.



MODEL	SIZE	COLOR	PACKAGING	LENGTH	WIDTH	TENSILE STRENGTH	BUNDLE RANGE		UV LIGHT RESISTANCE
							MIN	MAX	
900094	7"	Natural	100pcs/bag	7"	0.19"	50 lbs.	0.12"	1.69"	No
900091	11"	Natural	100pcs/bag	11"	0.19"	50 lbs.	0.12"	2.94"	No
900092	7" & 11"	Black	150pcs/bag: 7" - 75pcs + 11" - 75pcs	7"	0.19"	50 lbs.	0.12"	1.69"	Yes
				11"	0.19"	50 lbs.	0.12"	2.94"	
900090	36"	Black	50pcs/bag	36"	0.35"	175 lbs.	0.35"	11.00	Yes
900093	36"	Natural	50pcs/bag	36"	0.35"	175 lbs.	0.35"	11.00	No

Appendix

INDEX
BRANCHES



Exclusively from
 **KELLER SUPPLY**

Symbols

1/4 Turn Angle/Straight Ball Stop	52
2-Hole Pipe Strap, Copper Plated	95
2-Hole Pipe Strap, Galvanized Steel....	94
2" Sink Hole Cover	48

A

Access Doors	66, 67
Access Panel, Plastic	67
Universal Access Door, Steel	66
Access Panel, Plastic	67
Air Gap	47
Air Gap Cover	47
Air Gaps	47
Air Gap	47
Air Gap Cover	47
Angle Stops	52, 53
1/4 Turn Angle/Straight Ball Stop	52
Multi-Turn Angle/Straight Ball Stop	53
Anti-Siphon Multi-Turn Frost-Free Sillcock Valve	78

B

Ball Valves	75, 76
Ball Valve with Gas Tee Handle	76
Brass Ball Valve	75
Ball Valve with Gas Tee Handle	76
Basket Strainers	43, 44, 45, 46
Body Basket Strainer, Brass	46
Double Cup Basket Strainer	44
Easy Connect Basket Strainer	45
Junior Basket Strainer	46
Kitchen Sink Basket Strainer	43
Snap-In Basket Strainer	44
Snap & Lock Basket Strainer	43
Spin & Seal Basket Strainer	45
Body Basket Strainer, Brass	46
Box Flange, Steel	54
Branch Tailpiece, Brass	56
Branch Tailpiece, Plastic	59
Brass Ball Valve	75

C

Cable Tie	100
Cleanout Covers with Bolt	64
Closet Bolt Set	14
Commercial Elongated, Plastic	12
Commercial Heavy Duty Elongated, Plastic	12

D

Deluxe Elongated with EZ Clean Hinges, Wood	9
Deluxe Elongated with Slow-Close Hinges, Plastic	11
Deluxe Elongated with Soft-Close Hinges, Wood	9
Deluxe Elongated, Wood	8
Deluxe Round with EZ Clean Hinges, Wood	7
Deluxe Round with Slow-Close Hinges, Plastic	10
Deluxe Round with Soft-Close Hinges, Wood	8
Deluxe Round, Wood	7
Dishwasher Supply	51
Disposer Kit	60
Double Bowl CS3218UD	38
Double Bowl CS3221UDOSA*	40
Double Bowl CS3221UDOSB*	41
Double Bowl CS3322*	39
Double Bowl Low Divide	42
Double Cup Basket Strainer	44

E

Easy Connect Basket Strainer	45
Elongated/Ada Flush Valve Toilet, 1.1 gpf	6
Escutcheons	54, 55
Box Flange, Steel	54
Flexible Floor & Ceiling Plate, Plastic	55
Floor & Ceiling Split Plate Hinged, Steel	54
Shallow Flange, Steel	54
Extension Tube, Brass	56

F

Faucets	28, 29, 30, 31, 32, 33, 34
Kitchen Faucet RFB-100	31
Laundry Faucet	34
Lavatory Faucet RFB-500	30
Lavatory Faucet RFC-550	28
Lavatory Faucet RFH500	29
Pull-Down Kitchen Faucet	32
Pull-Down Pre-Rinse Kitchen Faucet	33
Faucet Supply	50
Fire Protection	82, 83
Pendent Steel Cup	83
Round Extension Nipple	82
Spare Sprinkler Head Storage Cabinet	82
Standard Canopies Skirt	82
Two-Piece Recessed Canopy	83
Flanged Tailpiece, Brass	57
Flanged Tailpiece, Plastic	61
Flexible Floor & Ceiling Plate, Plastic ..	55
Floor & Ceiling Split Plate Hinged, Steel	54
Floor Register	86
Floor Registers & Grilles	86, 87, 88, 89, 90, 91, 92
Floor Register	86
Four-Way Sidewall/Ceiling Register, 1/2" Fins	91
Four-Way Sidewall/Ceiling Register, Curved Blade	91
One-Way Sidewall/Ceiling Register, Curved Blade	88
Return Air Filter Grille, 1/2" Fins	87
Return Air Grille, 1/2" Fins	87
Three-Way Sidewall/Ceiling Register, 1/2" Fins	90
Three-Way Sidewall/Ceiling Register, Curved Blade	90
Toe Space Grille, 1/2" Fins	92
Two-Way Sidewall/Ceiling Register, 1/2" Fins	89
Two-Way Sidewall/Ceiling Register, 1/3" Fins	89
Four-Way Sidewall/Ceiling Register, 1/2" Fins	91
Four-Way Sidewall/Ceiling Register, Curved Blade	91
Frost Proof Yard Hydrant	77
Full Clamp with Barbed Nail, Plastic ...	97

H

Half Pipe Clamp with Barbed Nail, Plastic	97
Handi-Plug	71
Hanger Strap, Galvanized Steel	94
Heavy Duty Wax Bowl Ring	13
Heavy Duty Wax Bowl Ring with Horn	13
Het Water Closet, 1.28 gpf	4
Hose Bibbs	78, 79
Anti-Siphon Multi-Turn Frost-Free Sillcock Valve	78
Hose Bibb	79
Hose Clamp, 1/2" Clamp Series	98

I

Icemaker Supply	51
Insulating Suspension Pipe Clamp, Plastic	96

J

Junior Basket Strainer	46
------------------------------	----

K

Kitchen Faucet RFB-100	31
Kitchen Sink Basket Strainer	43

L

Laundry Faucet	34
Lavatory Faucet RFB-500	30
Lavatory Faucet RFC-550	28
Lavatory Faucet RFH500	29
Lavs	20, 21, 22, 23, 24, 25
Oval Drop-In L1290	20
Oval Undermount L1560	23
Rectangular Undermount L1506	22
Round Drop-In L1390	21
Wall Hung Lavatory L1917	24
Wall Hung Lavatory L2018	25
Low Consumption Water Closet, 1.60 gpf	5

M

Male Adapter Drain Kit, PVC	69
Misc Specialties 94, 95, 96, 97, 98, 99, 100	
2-Hole Pipe Strap, Copper Plated	95
2-Hole Pipe Strap, Galvanized Steel	94
Cable Tie	100
Full Clamp with Barbed Nail, Plastic	97
Half Pipe Clamp with Barbed Nail, Plastic	97
Hanger Strap, Galvanized Steel	94
Hose Clamp, 1/2" Clamp Series	98
Insulating Suspension Pipe Clamp, Plastic	96
Pipe Wrap Tape	98
Self-Nailing Boca Plate	99
Self-Nailing Stud Guard	99
Standard Pipe Clamp, Plastic	95
Suspension Pipe Clamp, Plastic	96
Multi-Turn Angle/Straight Ball Stop	53

N

No Caulk Shower Drain, Brass	65
No Caulk Shower Drain, Plastic	65

O

Offset Open Grid Patent Outlet Plug ..	57
One-Way Sidewall/Ceiling Register, Curved Blade	88
Open Grid Patent Overflow Plug	58
Outlet Waste, Plastic	62
Oval Drop-In L1290	20
Oval Undermount L1560	23

P

Pendent Steel Cup	83
Pipe Wrap Tape	98
Pull-Down Kitchen Faucet	32
Pull-Down Pre-Rinse Kitchen Faucet ..	33

R

Rectangular Undermount L1506	22
------------------------------------	----

Return Air Filter Grille, 1/2" Fins	87
Return Air Grille, 1/2" Fins	87
Round Drop-In L1390	21
Round Extension Nipple	82

S

Self-Nailing Boca Plate	99
Self-Nailing Stud Guard	99
Shallow Flange, Steel	54
Shower Drains	65
No Caulk Shower Drain CD8272B, Brass	65
No Caulk Shower Drain CD8272J, Brass	65
No Caulk Shower Drain CD8282*, Plastic	65
Single Bowl Bar	38
Single Bowl CS1815US	36
Single Bowl CS2318US	36
Single Bowl CS2321US	37
Single Bowl CS2522*	39
Single Bowl CS3018US	37
Sink Hole Covers	48
Siphon Jet Quarter Stall Urinal	16
Slip Joint Extension Tube, Plastic	61
Slip Joint Tubular P-Trap, Plastic	63
Snap-In Basket Strainer	44
Snap & Lock Basket Strainer	43
Spare Sprinkler Head Storage Cabinet	82
Spin & Seal Basket Strainer	45
Stainless Steel Cleanout Covers	64
Stainless Steel Sinks	36, 37, 38, 39, 40, 41, 42
Double Bowl CS3218UD	38
Double Bowl CS3221UDOSA*	40
Double Bowl CS3221UDOSB*	41
Double Bowl CS3322*	39
Double Bowl Low Divide	42
Single Bowl Bar	38
Single Bowl CS1815US	36
Single Bowl CS2318US	36
Single Bowl CS2321US	37
Single Bowl CS2522*	39
Single Bowl CS3018US	37

Standard Canopies Skirt	82
Standard Elongated, Plastic	11
Standard Pipe Clamp, Plastic	95
Standard Round, Plastic	10
Suspension Pipe Clamp, Plastic	96

T

Three-Way Sidewall/Ceiling Register, 1/2" Fins	90
Three-Way Sidewall/Ceiling Register, Curved Blade	90
Toe Space Grille, 1/2" Fins	92
Toilets	4, 5, 6
Elongated/Ada Flush Valve Toilet, 1.1 gpf	6
Het Water Closet, 1.28 gpf	4
Low Consumption Water Closet, 1.60 gpf	5

Toilet Seats	7, 8, 9, 10, 11, 12
Commercial Elongated, Plastic	12
Commercial Heavy Duty Elongated, Plastic	12
Deluxe Elongated with EZ Clean Hinges, Wood	9
Deluxe Elongated with Slow-Close Hinges, Plastic	11
Deluxe Elongated with Soft-Close Hinges, Wood	9
Deluxe Elongated, Wood	8
Deluxe Round with EZ Clean Hinges, Wood	7
Deluxe Round with Soft-Close Hinges, Wood	8
Deluxe Round, Wood	7
Standard Elongated, Plastic	11
Standard Round, Plastic	10

Toilet Supply	51
Tubular	56, 57, 58, 59, 60, 61, 62, 63
Branch Tailpiece, Brass	56
Branch Tailpiece, Plastic	59
Disposer Kit	60
Extension Tube, Brass	56
Flanged Tailpiece, Brass	57
Flanged Tailpiece, Plastic	61
Offset Open Grid Patent Outlet Plug	57
Open Grid Patent Overflow Plug	58
Outlet Waste, Plastic	62
Slip Joint Extension Tube, Plastic	61
Slip Joint Tubular P-Trap, Plastic	63

Tubular P-Trap, Brass	58
Tubular P-Trap, Brass	58
Two-Piece Recessed Canopy	83
Two-Way Sidewall/Ceiling Register, 1/2" Fins	89
Two-Way Sidewall/Ceiling Register, 1/3" Fins	89

U

Universal Access Door, Steel	66
Urinals	16, 17
Siphon Jet Quarter Stall Urinal	16
Washout Half Stall Urinal	17

W

Wall Hung Lavatory L1917	24
Wall Hung Lavatory L2018	25
Washing Machine Supply	51
Washing Machine Valves	74
Washout Half Stall Urinal	17
Water Hammer Arrestors	68
Water Heater Accessories	69, 70
Male Adapter Drain Kit, PVC	69
Water Heater Pan, Aluminum	69
Water Heater Pan, Plastic	69
Water Heater Seismic Straps	70
Water Heater Stand	70
Water Heater Pan, Aluminum	69
Water Heater Pan, Plastic	69
Water Heater Seismic Straps	70
Water Heater Stand	70
Water Heater Supply	51
Water Supply Connectors	50, 51
Dishwasher Supply	51
Faucet Supply	50
Icemaker Supply	51
Toilet Supply	51
Washing Machine Supply	51
Water Heater Supply	51
Wax Rings	13
Heavy Duty Wax Bowl Ring	13
Heavy Duty Wax Bowl Ring with Horn ..	13

Y

Yard Hydrants	77
Frost Proof Yard Hydrant	77



Family Owned and Operated Since 1945

The Keller Supply Company has over 100 branch locations in Alaska, California, Idaho, Montana, Nevada, North Dakota, Oregon, Utah, and Washington. Keller Supply's continued growth is a result of commitment to superior customer service and outstanding teamwork.

Efficiency, effectiveness and an unrelenting commitment to customer service give Keller Supply its competitive edge. Keller Supply balances business opportunities with new products and foresight. The company's focus continues both with an emphasis on diversification and on modernization: Diversification reduces any over dependency on any one business trend, and modernization increases our ability to accomplish our goal to "do it right the first time."

Headquartered in Seattle, Keller Supply is proud to be the Pacific Northwest's leading plumbing supply wholesaler. The company represents many of the world's top plumbing lines. Many of these lines are on display at our Showrooms located at select branches. Other branches specialize in or stock commercial plumbing supplies and industrial pipe, valves and fittings.

Keller Supply is a leader in the plumbing, leisure, HVAC, hydronics & fire protection industries.

RESIDENTIAL Keller Supply was recently ranked the nation's 20th largest plumbing supply wholesaler including residential.

COMMERCIAL This division specializes in commercial and mechanical products, plus industrial pipe, valves, and fittings.

LEISURE The Leisure Division of Keller Supply serves the growing pool and spa markets in the Western United States.

HVAC Keller Air, available at 26 branches, features excellent product lines, great customer service and competitive pricing.

HYDRONICS Keller's hydronics/heating offers an energy-efficient, low-environmental-impact alternative to forced air systems.

FIRE PROTECTION Keller Supply is a full line fire protection distributor, offering both commercial and residential fire protection.

*Branch #93
Ridgefield, WA*



KELLER SUPPLY

* Includes K&B Showcase

1 RENTON

925 Houser Way
Renton, WA 98057
425-226-6881

2 EVERETT *

2924 Chestnut St.
Everett, WA 98201
425-259-0181

3 LACEY *

1210 Carpenter Rd.
Lacey, WA 98503
360-491-0550

5 SPOKANE *

601 N. Freya
Spokane, WA 99202
509-534-1541

6 VANCOUVER *

5408-C N.E. 88th St., Ste A
Vancouver, WA 98665
360-696-4377

7 SALEM

1590 Sunnyview Rd. N.E.
Salem, OR 97301
503-581-0465

8 TACOMA *

3620 S. Cedar St.
Tacoma, WA 98409
253-473-1390

9 BELLINGHAM *

1401 Stonegate Way
Ferndale, WA 98248
360-392-8254

10 BEAVERTON *

5580 S.W. 107th Ave.
Beaverton, OR 97005
503-646-3922

11 YAKIMA

1810 S. 13th St.
Union Gap, WA 98901
509-248-8800

12 REDMOND *

18317 N.E. 76th St.
Redmond, WA 98052
425-885-9508

14 MISSOULA *

1151 Mount St.
Missoula, MT 59801
406-721-4411

15 CLACKAMAS *

9760 S.E. Lawnfield Rd.
Clackamas, OR 97015
503-653-1700

18 AUBURN *

1428 15th St. N.W.
Auburn, WA 98002
253-939-9000

19 COMMERCIAL-SEA

737 S. Stacy St.
Seattle, WA 98134
206-340-0800

20 SEATTLE *

3209 17th Ave. W.
Seattle, WA 98119
206-285-3800

21 LYNNWOOD

18503 Hwy 99, Unit A
Lynnwood, WA 98036
425-776-0181

22 BREMERTON *

3701 W. Loxie Eagans Blvd.
Bremerton, WA 98312
360-373-7700

23 BEND *

200 S.E. Bridgeford, Bldg. #2
Bend, OR 97702
541-385-9119

24 KENNEWICK *

6509 W. Deschutes Ave.
Kennewick, WA 99336
509-736-1000

25 EUGENE *

170 Garfield St.
Eugene, OR 97402
541-342-7000

26 MONROE

17331 Tye St. S.E., Ste B
Monroe, WA 98272
360-794-0125

27 BURLINGTON *

755 Bennett Rd.
Burlington, WA 98233
360-757-6100

28 COMMERCIAL-POR

2881 N.E. Argyle St.
Portland, OR 97211
503-232-2800

29 WENATCHEE

2717 Euclid Ave.
Wenatchee, WA 98801
509-664-7000

31 MEDFORD

2087 Lars Way
Medford, OR 97501
541-773-4300

33 ANCHORAGE *

8020 Schoon St.
Anchorage, AK 99518
907-349-0033

34 PUYALLUP *

16106 - 57th Ave. E.
Puyallup, WA 98373
253-531-3200

35 COEUR D'ALENE

680 W. Dalton Ave.
Coeur d'Alene, ID 83815
208-665-7070

36 BOISE *

11857 W. Executive Dr.
Boise, ID 83713
208-323-2200

38 BOZEMAN *

75 Rawhide Ridge
Bozeman, MT 59715
406-587-4443

39 BILLINGS *

4211 1st Ave. S.
Billings, MT 59101
406-245-3191

44 ALBANY

2550 S.E. Three Lakes Rd.
Albany, OR 97322
541-926-4700

45 REDDING *

2965 Innsbruck Drive
Redding, CA 96003
530-226-6100

48 IDAHO FALLS

230 E. Stanley St.
Idaho Falls, ID 83401
208-523-8182

50 CHICO *

2648 Hegan Lane
Chico, CA 95928
530-343-7100

52 FAIRBANKS

3330 Lathrop St.
Fairbanks, AK 99701
907-452-8888

56 WASILLA *

2120 E. Bogard Rd.
Wasilla, AK 99654
907-373-0033

58 SANDPOINT

119 McGhee Rd.
Sandpoint, ID 83664
208-263-6750

60 SEQUIM

23 Dorothea Way
Sequim, WA 98382
360-681-8900

62 ELLENSBURG

2060 Vantage Hwy,
Ste 26
Ellensburg, WA 98926
509-925-2400

63 SOLDOTNA

35437 K-B Drive
Soldotna, AK 99669
907-262-7752

69 WILLISTON

5056 141st Ave NW,
Ste 100
Williston, ND 58801
701-774-1800

72 MANTECA

2024 Crestwood Ave
Manteca, CA 95336
209-275-1564

76 KALISPELL *

2560 US Hwy 2 E
Kalispell, MT 59901
406-300-4634

86 OAKLAND

575 Independent Rd.
Oakland, CA 94621
510-832-3324

87 SAN MATEO

2030 South Delaware St
San Mateo, CA 94403
650-350-1960

92 PULLMAN

1360 SE Johnson Ave.
Pullman, WA 99163
509-592-4513

93 RIDGEFIELD

1200 N. 65th Ave, Ste A
Ridgefield, WA 98642
360-846-1086

105 SAN JOSE

2228 Junction Avenue
San Jose, CA 95131
408-786-5935

107 CONCORD

205 Mason Circle
Concord, CA 94520
925-239-2472

108 SAN FRANCISCO

1575 Burke Ave
San Francisco, CA 94124
415-675-8819

K&B SHOWCASE

2 EVERETT

3105 Pacific ave.
Everett, WA 98201
425-303-1825

3 LACEY

1210 Carpenter Rd.
Lacey, WA 98503
360-491-9767

5 SPOKANE

601 N. Freya
Spokane, WA 99202
509-534-1541

6 VANCOUVER

5408-C N.E. 88th St., Ste A
Vancouver, WA 98665
360-546-0358

8 TACOMA

3620 S. Cedar St.
Tacoma, WA 98409
253-473-1756

9 BELLINGHAM

1401 Stonegate Way
Ferndale, WA 98248
360-746-3827

10 BEAVERTON

5580 S.W. 107th Ave.
Beaverton, OR 97005
503-646-7658

12 REDMOND

18317 N.E. 76th St.
Redmond, WA 98052
425-885-4736

14 MISSOULA

2327 South Ave. W.
Missoula, MT 59801
406-721-5208

15 CLACKAMAS

9760 S.E. Lawnfield Rd.
Clackamas, OR 97015
503-653-7764

18 AUBURN

1428 15th St. N.W.
Auburn, WA 98002
253-872-8890

20 SEATTLE

3209 17th Ave. W.
Seattle, WA 98119
206-270-4724

22 BREMERTON

3701 W. Loxie Eagans Blvd.
Bremerton, WA 98312
360-373-8868

23 BEND

200 S.E. Bridgeford,
Bldg. #2
Bend, OR 97702
541-385-0837

24 KENNEWICK

6509 W. Deschutes Ave.
Kennewick, WA 99336
509-735-3565

25 EUGENE

1640 W 7th Ave.
Eugene, OR 97402
541-342-3088

27 BURLINGTON

717 Bennett Rd.
Burlington, WA 98233
360-757-7909

33 ANCHORAGE

8020 Schoon St.
Anchorage, AK 99518
907-349-0033

34 PUYALLUP

16106 - 57th Ave. E.
Puyallup, WA 98373
253-536-1033

36 BOISE

11857 W. Executive Dr.
Boise, ID 83713
208-323-7904

38 BOZEMAN

145 Rawhide Ridge
Bozeman, MT 59715
406-582-7619

39 BILLINGS

4211 1st Ave. S.
Billings, MT 59101
406-256-2296

45 REDDING

2965 Innsbruck Drive
Redding, CA 96003
530-226-6071

50 CHICO

2648 Hegan Lane, Ste B
Chico, CA 95928
530-433-5705

56 WASILLA

2120 E. Bogard Rd.
Wasilla, AK 99654
907-373-0064

76 KALISPELL

2560 US Hwy 2 E.
Kalispell, MT 59901
406-300-4635

103 LAKE OSWEGO

5740 Jean Rd., Ste 100
Lake Oswego, OR 97035
503-343-4110

KOHLER STORE

70 BELLEVUE

1018 116TH Ave NE, #170
Bellevue, WA 98004
425-748-8090

74 PORTLAND

1100 NW Glisan St.,
Ste 1A
Portland, OR 97209
503-821-7239

83 SAN FRANCISCO

111 Rhode Island St.,
Ste C
San Francisco, CA 94103
415-934-8626

JACK LONDON

88 OAKLAND

2500 Embarcadero Ste F
Oakland, CA 94606
510-832-2284

89 SAN RAFAEL

3070 Kerner Blvd, Ste B
San Rafael, CA 94901
415-870-9196

90 WALNUT CREEK

1800 North Broadway
Walnut Creek, CA 94596
925-627-3300

101 REDWOOD CITY

1620 Industrial Way
Redwood City, CA 94063
650-363-7333

102 DUBLIN

6694 Amador Plaza Rd
Dublin, CA 94568
925-829-1234

109 LEISURE

MODESTO
1101 Oates Court,
Ste 200
Modesto, CA 95358
209-458-5269

LEISURE SUPPLY

4 LEISURE SPOKANE

E. 3404 Springfield
Spokane, WA 99202
509-534-8181

13 LEISURE KENT

21017 77th Ave. S.
Kent, WA 98032
253-872-7575

17 LEISURE

BEAVERTON
5600 S.W. 107th Ave.
Beaverton, OR 97005
503-643-6900

42 LEISURE BOISE

11857 W. Executive Dr.
Boise, ID 83713
208-672-0800

43 LEISURE MIDVALE

6938 S. 300 W.
Midvale, UT 84047
801-255-1847

55 LEISURE RENO

4965 Energy Way
Reno, NV 89502
775-856-4300

57 LEISURE

SACRAMENTO
4660 Pell Drive, Ste A
Sacramento, CA 95838
916-614-9500

65 LEISURE FRESNO

5169 E. Dakota Ave.
Fresno, CA 93727
559-438-6600

66 LEISURE

NORTH BAY
210 Classic Court, Ste 50
Rohnert Park, CA 94928
707-585-7500

67 LEISURE DUBLIN

6800 Sierra Court, Ste N
Dublin, CA 94568
925-263-4367

68 LEISURE

SANTA CLARA
3520 Thomas Rd, Ste A
Santa Clara, CA 95054
408-727-8100

75 LEISURE MEDFORD

621 Brian Way
Medford, OR 97501
541-734-2400

78 LEISURE CHICO

2648 Hegan Lane, Ste C
Chico, CA 95928
530-576-5324

79 LEISURE

KENNEWICK
6509 W. Deschutes Ave.,
Unit 120
Kennewick, WA 99336
509-396-2267

85 LEISURE

PASO ROBLES
1650 Ramada Dr.,
Ste. 150
Paso Robles, CA 93446
805-835-4264

106 LEISURE

ST. GEORGE
1826 W. 1020 N.
St. George, UT 84770
435-513-8270

109 LEISURE

MODESTO
1101 Oates Court,
Ste 200
Modesto, CA 95358
209-458-5269

111 LEISURE

ROSEVILLE
8801 Washington Blvd.
Suites 104 & 105
Roseville, CA 95678
Coming Soon!

D.C.


16 SUMNER - DC

2601 142nd Ave. E., Ste B
Sumner, WA 98390
253-826-5400

46 SPOKANE - DC

16212 E. Marietta Lane
Spokane, WA 99216
509-536-8200

###



Caring People Distributing Excellence

WHOLESALE PLUMBING, LEISURE, HVAC,
HYDRONICS & FIRE PROTECTION PRODUCTS

ALASKA CALIFORNIA IDAHO MONTANA NEVADA
NORTH DAKOTA OREGON UTAH WASHINGTON



MAP VERSION
SEPT 2024



A series of horizontal blue lines spanning the width of the page, providing a template for text entry.



Exclusively from  **KELLER SUPPLY**



3209 17th Avenue West. • Seattle, WA 98119 • 800-285-3302
www.kellersupply.com