


Packet
Catalog

AB&I
15"



AB&I
15"



Index to No-Hub Pipe & Fittings

Adapters

Hub Adapter .	17
Tapped Adapter .	17

Bends

1/4 Bend .	5
1/4 Bend w/low heel inlet	5
1/4 Bend Tapped .	5
1/4 Bend Extended .	7
1/4 Bend w/extended low heel inlet .	6
Double Quarter Bend .	6
1/4 Bend Short Sweep .	6
1/4 Bend Long Sweep .	7
1/5 Bend .	7
1/6 Bend .	8
1/8 Bend .	8
1/8 Bend Extended .	9
1/16 Bend .	9
Closet Bends .	22
Closet Bends Reducing .	23

Cleanouts

Blind Plug Cleanout .	20
Iron Body Cleanout .	25
Two-Way Cleanout (Kelly)	25
Twin Cleanout (E. Bay Code)	25
Texas Twin Cleanout .	26

Closet Rings

No-Hub Closet Rings .	23
Best Set™ Closet Rings	24
Closet Rings .	24

Combinations

Combi Wye & 1/8 Bend .	15
Double Combi Wye & 1/8 Bend	16

Couplings

Standard No-Hub Coupling	30
Husky™ Heavy Duty Coupling	30
Husky SD 2000 Coupling	31

Crosses

Sanitary Cross .	16
Sanitary Tap Cross .	17

Figure Fittings

Figure 1 .	26
Figure 5 .	26
Figure 5 Extended .	27
Figure 6 Right Left .	27
Figure 6 Extended Right/Left	27
Figure 6 Double .	28
Figure 6 Double Extended	28
Figure 8 Double Extended	29
Figure 8 Right Left .	28
Figure 8 Double .	29
Figure 8 Extended Right Left	29

Pipe

No-Hub Pipe .	4
---------------	---

Prison Fittings

Starter Fitting .	12
-------------------	----

Reducers

Reducer (Short) .	18
-------------------	----

Tees

Sanitary Tee .	10
Sanitary Tap Tee .	11
Sanitary Tee w/2" side opening	11
Sanitary Tee w/2" 45° opening	11
Test Tee less plug .	12

Traps

Side Inlet "P" Trap	19
Running Trap w/single vent	21
"P" Trap .	20
"P" Trap w/tapped inlet	21
Deep Seal "P" Trap .	21
"P" Trap w/1/2" tapped primer	22
"P" Trap Reducing .	22

Vent Bypass

Bypass Vent Fitting .	19
-----------------------	----

Wye

Wye .	13
Double Wye .	14
Upright Wye .	14
Tub Wye .	18

Index to SV

Adapters

Hub Adapter .	17
Tapped Adapter .	17
Double Hub Fitting SV .	50
Hub Adapter SV .	56
Spigot Adapter (SV or No-Hub)	56

Bends

1/4 Bend SV .	34
1/4 Bend w/low heel inlet SV	36
1/4 Bend Reducing SV .	37
1/6 Bend SV .	35
1/8 Bend SV .	35
1/16 Bend .	36
Long 1/4 Bend SV .	37
Long 1/8 Bend SV .	38
Long Sweep Bend SV .	38
Long Sweep Bend, Reducing SV	39
Single Hub Return Bend SV	37
Short Sweep Bend SV	40
Closet Bends Series 2-256	59
Closet Bends Series 2-257	59

Cleanouts

Two-Way Cleanout SV	49
Twin Cleanout (Memphis) SV	48
Extension Cleanout (SV or No-Hub)	54

Closet Fittings

Closet Flange (caulk joint app)	24
---------------------------------	----

Combinations

Combination SV .	43
Double Combination SV	46

Crosses

San Cross (no baffle) SV	44
Tapped San Cross SV .	47
Straight Tapped Cross SV	49

Ferrules

Standard Ferrule SV .	55
Standard Ferrule w/Type "A" Plug	55

Gaskets

Ty-Seal SV.	60
EZ-TITE .	60

Pipe

Hub & Spigot Pipe SV .	32-34
------------------------	-------

Plugs

Pipe Plug SV .	51
Wing Nut Test Plug .	58

Reducers

Reducer SV .	50
--------------	----

Drop Lids

2-107 Drop Lid SV .	58
---------------------	----

Tees

Sanitary Tee SV .	41
Tapped San Tee SV .	46
Straight Tapped Tee SV	47
Test Tee SV (Type "A" / less plug)	57
Test Tee SV (Type A with plug)	57

Ty Tools and Lubricant

Ty-Tools .	61
Lubricant .	61

Traps

Running Trap SV	52
Running Trap w/Single Vent SV	53
Running Trap w/2 Hub Vents SV	54
"P" Trap SV .	53
"P" Trap with 1/2" Heel Tap SV	52
Deep Seal "P" Trap SV .	52

Wye

Wye SV .	42
Double Wye SV .	45

Warranty Information .	62
------------------------	----

Quality Silverspun™ No-Hub



SILVERSPUN™ NO-HUB PIPE


The Finest No-Hub Pipe Available!

PART NO	SIZE	UNIT WT.	PCS/PKG	TOTAL FT.	PKG. WT.
0156	1-1/2"x10'	30	54	540	1620
0158	2 x 10	36	64	640	2340
0160	3 x 10	54	48	480	2592
0162	4 x 10	74	30	300	2220
0164	5 x 10	85	24	240	2040
0168	6 x 10	115	21	210	2415
0170	8 x 10	174	10	100	1740
0172	10 x 10	285	8	80	2280
0182	12 x 10	330	6	60	2130
0185	15 x 10	470	3	30	1425

Two Locations to Serve You:
Headquarters and Foundry
7825 San Leandro Street
Oakland, CA 94621
800-GOT-IRON


Los Angeles Service Center
15006 Nelson Avenue
City of Industry, CA 91744
800-356-IRON

No-Hub Fittings




1/4 BEND (90° Elbow)

PART NO.	SIZE	D	E	WT
0188	1-1/2"	4-1/4		3
0190	2	4-1/2		4
0192	3	5		7
0194	4	5-1/2		10
0196	5	6-1/2		14
0198	6	7		31
0200	8	8-1/2		



1/4 BEND with low heel inlet


PART NO.	SIZE	D	E	WT
0280	3 x 2"	5	2-7/8	7
0282	4 x 2	5-1/2	3-1/4	



1/4 BEND TAPPED


PART NO.	SIZE	D	E	WT
0326	1-1/2x1-1/2"	3	2	2
0335	2x1-1/4	3-1/4	2-1/4	2
0330	2x1-1/2	3-1/4	2-1/4	2
0332	2x2	3-1/4	2-5/8	2

No-Hub Fittings




1/4 BEND EXTENDED LOW HEEL INLET

Part No.	Size	A	D	E	Wt.
8172	3x2"	15-1/2	5	10-1/2	8



DOUBLE QUARTER BEND

Part No.	Size	D	Wt.
402	2"	4-1/2	4
404	3	5	6
406	4	5-1/2	10




1/4 BEND SHORT SWEEP (90° Long Elbow)

Part No.	Size	D	Wt.
0462	2"	6-1/2	4
0464	3	7	6
0468	4	7-1/2	9
0470	5	8-1/2	12
0472	6	9	17
0474	8	10-1/2	32
0476	10	12	68
0482	12	13-1/4	78
0485	15	14-3/4	142


Oakland 1-800-GOT-IRON

No-Hub Fittings




1/4 BEND EXTENDED

Part No.	Size	D	Wt.
0425	2x18	18	2



1/4 BEND LONG SWEEP (90° Extra Long Elbow)

Part No.	Size	D	Wt.
0492	1-1/2	9-1/4	4
0494	2	9-1/2	5
0496	3	10	8
0498	4	10-1/2	11
0500	5	11-1/2	17
0502	6	12	19




1/5 BEND (72° Elbow)

Part No.	Size	D	Wt.
0536	2"	3-11/16	2
0538	3	4-1/16	4
0540	4	4-7/16	5


Oakland 1-800-GOT-IRON

No-Hub Fittings



1/6 BEND


Part No.	Size	D	E	Wt.
0570	2"	3-1/4		2
0572	3	3-1/2		4
0574	4	3-13/16		6



1/8 BEND


Part No.	Size	D	E	Wt.
0604	1-1/2"	2-5/8		1
0606	2	2-3/4		2
0608	3	3		3
0610	4	3-1/8		5
0612	5	3-7/8		7
0614	6	4-1/16		9
0616	8	5		20
0617	10	5-15/16		33
0622	12	6-9/16		39
0625	15	7-3/16		79

No-Hub Fittings



1/8 BEND EXTENDED


Part No.	Size	D	E	Wt.
0636	2x6"	6	3	2
0638	2x12	12	2-3/4	6
0643	2x18	18	2-3/4	6



1/16 BEND (22-1/2° elbow)

Part No.	Size	D	Wt.
0676	1-1/2"	2-1/8	1
0678	2	2-1/8	1
0680	3	2-1/4	2
0682	4	2-5/16	3
0684	5	2-7/8	6
0686	6	3	6
0688	8	3-3/4	13


No-Hub Fittings



SANITARY TEE


Part No.	Size	D	E	F	Wt
0806	1-1/2"	4-1/4	4-1/4	6-1/2	2
0808	2x1-1/2	4-1/4	4-1/2	6-5/8	3
0810	2	4-1/2	4-1/2	6-7/8	4
0812	3x1-1/2	4-1/4	5	6-1/2	4
0814	3x2	4-1/2	5	6-7/8	4
0816	3	5	5	8	4
0818	4x2	4-1/2	5-1/2	6-7/8	7
0820	4x3	5	5-1/2	8	7
0822	4	5-1/2	5-1/2	9-1/8	8
0824	5x2	5	6-1/2	8-1/2	9
0826	5x3	5-1/2	6	9-5/16	10
0828	5x4	6	6	10-7/16	12
0830	5	6-1/2	6-1/2	11-7/16	16
0832	6x2	5	6-1/2	8-3/8	10
0834	6x4	6	6-1/2	10-1/16	14
0835	6x5	6-1/2	7	11-1/2	14
0836	6	7	7	12-1/2	15
0838	6x3	5-1/2	6-1/2	9-1/8	10
0842	8x6	7-1/2	8	13-1/2	24
0843	8x4	6-1/2	7-1/2	11-1/2	18
0844	8x3	6	7-1/2	10-3/8	18
0848	8x5	7	8	11-9/16	22
0850	8	8-1/2	8-1/2	14-9/16	28

No-Hub Fittings




SANITARY TEE with 2" 45° Side Openings Above Center

Part No.	Size	D	E	F	Wt
0975	3" LH	6	5	8-1/2	6
0985	3RH	6	5	8-1/2	6



SANITARY TEE with 2" Side Opening on Center


Part No.	Size	D	E	F	Wt
0986	3" LH	5	4-7/16	8	6
0976	3RH	5	4-7/16	8	6
0982	4LH	5-1/2	4-15/16	9-1/8	9
0992	4RH	5-1/2	4-15/16	9-1/8	9



SANITARY TAP TEE


Part No.	Size	D	E	F	Wt.
1210	1-1/2x1-1/2"	3-1/4	2-9/16	5-11/16	2
1212	2x1-1/4	3-1/4	2-13/16	5-11/16	3
1214	2x1-1/2	3-1/4	2-13/16	5-11/16	3
1216	2x2	3-3/4	3-1/16	6-3/8	3
1220	3x1-1/2	3-1/4	3-5/16	5-11/16	4
1222	3x2	3-3/4	3-9/16	6-3/8	4
1223	3x3	4-7/8	4-3/16	8	8
1226	4x1-1/2	3-1/4	3-13/16	5-11/16	5
1228	4x2	3-3/4	4-1/16	6-3/8	5

No-Hub Fittings



TEST TEE Less Plug


Part No.	Size	E	F	D	IPS Tap	Wt
2046	2"	2	6-3/8	3-3/16	2"	2
2048	3	2-11/16	7-3/4	3-7/8	3	5
8278	4	3	8-7/8	4-7/16	3-1/2	8
2050	4	3	8-7/8	4-7/16	4	8
2052	5	4-1/2	11-1/2	5-3/4	5	19
2054	6	5	12-1/2	6-1/4	6	24
2056	8	6	15-1/4	7-5/8	8	36



PRISON FITTING with Top Vent and 2" Opt. Tap "A"

Part No.	Size	Description	Wt.						
9112	4"	Standard starter for prisons and correctional construction. Double 90° with single 2" top	30						
		<table><tr><td>C</td><td>G</td><td>F</td></tr><tr><td>5-1/4</td><td>7-3/4</td><td>11-3/4</td></tr></table>	C	G	F	5-1/4	7-3/4	11-3/4	
C	G	F							
5-1/4	7-3/4	11-3/4							


No-Hub Fittings



**WYE
(45°)**


Part No.	Size	D	F	G	Wt.
1312	1-1/2"	4	6	2	2
1314	2	4-5/8	6-5/8	2	2
1316	3x2	5-5/16	6-5/8	1-1/2	4
1318	3	5-3/4	8	2-1/4	5
1320	4x2	6	6-5/8	1	6
1322	4x3	6-1/2	8	1-11/16	7
1324	4	7-1/16	9-1/2	2-7/16	11
1326	5x2	7-1/2	8-1/16	15/16	7
1328	5x3	8	9-11/16	1-11/16	10
1330	5x4	8-1/2	11-3/16	2-7/16	12
1332	5	9-1/2	12-5/8	3-1/8	15
1334	6x2	8-1/4	8-5/16	1/2	10
1336	6x3	8-3/4	9-3/4	1-1/4	12
1338	6x4	9-1/4	11-3/16	1-15/16	16
1340	6x5	10-1/4	12-1/2	2-9/16	16
1342	6	10-3/4	14-1/16	3-5/16	21
1344	8x2	9-3/8	8-1/2	9/16	13
1346	8x3	9-13/16	9-5/16	1/8	18
1348	8x4	10-3/8	11-7/16	15/16	21
1350	8x5	11-3/8	12-13/16	1-5/8	26
1352	8x6	11-13/16	14-3/16	2-5/16	34
1354	8	13-3/8	17-1/8	3-3/4	40
1362	10x4	11-11/16	12-5/8	3/4	37
1364	10x6	13-1/8	15-7/16	2-3/16	48
1365	10x8	14-11/16	18-3/8	3-5/8	57
1366	10	16-1/2	21-1/2	5-1/16	76
1372	12	19-3/4	25-1/2	5-3/4	99
1375	15	23-1/4	30	6-3/4	183

No-Hub Fittings



**DOUBLE WYE
(45°)**


Part No.	Size	D	F	G	Wt
1538	2"	4-5/8	6-5/8	2	4
1540	3x2	5-5/16	6-5/8	1-1/2	4
1542	3	5-3/4	8	2-1/4	6
1544	4x2	6	6-5/8	1	6
1546	4x3	6-1/2	8	1-11/16	8
1548	4	7-1/16	9-1/2	2-7/16	11
1552	6x4	9-1/4	11-3/16	1-15/16	16
1554	6	10-3/4	14-1/6	3-5/16	23
1556	8	13-3/8	17-1/8	3-3/4	50



**UPRIGHT WYE
(45°)**

Part No.	Size	E	H	G	F	Wt.
1646	2"	5-1/2	8-1/4	2	7	5
1648	3x2	5-1/2	8-3/16	1-1/2	7	6
1650	3	5-1/2	8-7/16	2-3/16	8-3/8	7
1652	4x2	5-1/2	8-1/4	1	7	7
1654	4x3	5-1/2	8-7/16	1-11/16	8-3/8	9
1656	4	6	9-1/8	2-7/16	9-3/4	12


No-Hub Fittings



COMBINATION WYE AND 1/8 BEND (60°)


Part No.	Size	D	E	F	G	Wt.
1694	1-1/2"	4-3/4	5-3/8	6	2	2
1696	2x1-1/2	5	5-7/8	6	2	3
1698	2	5-3/8	6-1/8	6-5/8	2	4
1700	3x2	5-1/2	6-3/4	6-5/8	1-1/2	6
1702	3	7-5/16	8	8	2-1/4	7
1704	4x2	5-1/2	7-1/4	6-5/8	1	7
1706	4x3	7-1/4	8-1/2	8	1-11/16	8
1708	4	9-1/4	10	9-1/2	2-7/16	15
1710	5x2	5-15/16	7-3/4	8-1/16	15/16	9
1712	5x3	7-3/4	9	9-11/16	1-11/16	11
1714	5x4	9-3/4	10-1/2	11-3/16	2-7/16	17
1716	5	11-3/4	12-1/2	12-5/8	3-1/8	23
1718	6x2	6	8-1/4	8-5/16	1/2	9
1720	6x3	7-13/16	9-1/2	9-3/4	1-1/4	12
1722	6x4	9-3/4	11	11-3/16	1-15/16	17
1724	6x5	11-11/16	13	12-1/2	2-9/16	23
1726	6	13-5/8	14-3/8	14-1/16	3-5/16	33
1728	8x4	9-7/16	11-	11-3/16	7/8	26
1732	8x6	12	5/16	13-15/16	2-1/4	38
1734	8	14-3/4	13-3/8	16-15/16	3-3/4	54

No-Hub Fittings



DOUBLE COMBINATION WYE AND 1/8 BEND


Part No.	Size	D	E	F	G	Wt.
1802	2"	5-3/8	6-1/8	6-5/8	2	6
1804	3x2	5-1/2	6-3/4	6-5/8	1-1/2	6
1806	3	7-5/16	8	8	2-1/4	12
1808	4x2	5-1/2	7-1/4	6-5/8	1	8
1810	4x3	7-1/4	8-1/2	8	1-11/16	12
1812	4	9-1/4	10	9-1/2	2-7/16	20



SANITARY CROSS


Part No.	Size	D	E	F	Wt.
1850	1-1/2"	4-1/4	4-1/4	6-1/2	3
1852	2	4-1/2	4-1/2	6-7/8	4
1854	3x2	4-1/2	5	6-7/8	5
1856	3	5	5	8	7
1858	4x2	4-1/2	5-1/2	6-7/8	7
1860	4x3	5	5-1/2	8	8
1862	4	5-1/2	5-1/2	9-1/8	10
1864	6x4	6	6-1/2	10-	13

No-Hub Fittings




SANITARY TAP CROSS

Part No.	Size	D	E	F	Wt.
2016	2x1-1/2"	3-1/4	2-13/16	5-11/16	4
2018	2x2	3-3/4	3-1/16	6-3/8	4
2024	3x2	3-3/4	3-9/16	6-3/8	5
2030	4x2	3-3/4	4-1/16	6-3/8	7



HUB ADAPTER


Part No.	Size	X	Wt.
2222	2"	4-1/2	2
2224	3	4-3/4	3
2226	4	5-1/4	5



TAPPED ADAPTER


Part No.	Size	F	IPS	Wt.
2238	1-1/2"	2-5/8	1-1/2	1
2242	2x1-1/2	2-3/16	1-1/2	1
2244	2	2-5/8	2	2

No-Hub Fittings



REDUCER (Short)


Part No.	Size	F	Wt.
2138	2x1-1/2"	3-5/8	1
2140	3x2	3-5/8	1
2142	4x2	3-5/8	2
2144	4x3	3-5/8	2
2148	5x3	4	4
2150	5x4	4	4
2152	6x2	4	4
2154	6x3	4	4
2156	6x4	4	4
2158	6x5	4-1/2	5
2160	8x2	4-1/2	8
2162	8x3	4-1/2	8
2164	8x4	4-1/2	7
2166	8x5	5	8
2168	8x6	5	8
2172	10x4	5-1/2	14
2174	10x6	6	15
2175	10x8	6	14
2184	12x4	6-1/2	20
2186	12x6	6-1/2	20
2188	12x8	7	21
2190	12x10	7-1/2	25
2204	15x4	7	32
2206	15x6	7	35
2208	15x8	7	34
2210	15x10	7-1/2	39
2212	15x12	7-3/4	36



TUB WYE


Part No.	Size	Wt.
1412	2" (9-474)	8
1414	2" (9-484)	7

No-Hub Fittings



2" VENT BYPASS Right or Left Hand Inlet


Part No.	Descript.	A	Wt.
9500	9-473	-	10
9502	9-473-A	-	11
9522	9-473-B	-	11
9524	9-473-A/B	-	11



Side Inlet "P" Trap


Part No.	Size	Wt.
2602	2" x 1-1/2" LH	6
2604	2 x 1-1/2 RH	6

No-Hub Fittings



BLIND PLUG CLEANOUT FITTING

Part No.	Size	F	Wt.
2480	1-1/2"	1-3/4	1
2482	2	1-3/4	1
2484	3	1-3/4	1
2486	4	1-3/4	2
2488	5	1-3/4	2
2490	6	1-3/4	3
2492	8	2-1/4	6
2494	10	3	12
2496	12	3-1/2	18
2498	15	3-1/2	33




"P" TRAP

Part No.	Size	D	J	Wt.
2506	1-1/2"	6-3/4	3-1/2	3
2508	2	7-1/2	4	3
2510	3	9	5-1/2	8
2512	4	10-1/2	6-1/2	12
2514	6	14	7-1/2	33

Visit Us On The Web at
www.abifoundry.com


Oakland 1-800-GOT-IRON

No-Hub Fittings




RUNNING TRAP" (with 4" single vent)

Part No.	Size	D	E	F	G	Wt.
2570	4x4"	6-1/2	4-1/2	15	10-1/2	20



P" TRAP (with tapped inlet)


Part No.	Size	D	J	Wt.
2582	1-1/2"	6-3/4	3-1/2	3
2586	2 x 1-1/2	7-1/2	4	4
2588	2"	7-1/2	4	5



DEEP SEAL "P" TRAP


Part No.	Size	D	J	Wt.
2600	2"	7-1/2	7	13
2610	3	9	8	17
2567	4	10-1/2	6	

No-Hub Fittings




"P" TRAP (with 1/2" Tap Primer)

Part No.	Size	D	J	M	Tap	Wt.
8530	2"	7-1/2	4	2	1/2	5
8532	3	9	5-1/2	2	1/2	10
8534	4	10-1/2	6-1/2	2	1/2	14



"P" TRAP (Reducing)

Part No.	Size	D	J	Wt.
8548	3x2"	9	5-1/2	10




CLOSET BENDS

Part No.	Size	Wt.
2904	4x6x12"	11
2908	4x6x15	14
2912	4x6x18	16
2924	4x10x12	16
2932	4x10x15	18
2936	4x10x18	19
2946	4x12x18	24
2950	4x16x16	23


Oakland 1-800-GOT-IRON

No-Hub Fittings



CLOSET BENDS (Reducing)

Part No.	Size	Wt.
2832	3x4x6x12"	8
2840	3x4x6x15	10
2844	3x4x6x18	13
2852	3x4x10x12	14
2860	3x4x10x15	15
2864	3x4x10x18	16
2870	3x4x16x16	19




CLOSET RINGS (No-Hub)

Part No.	Size	A	B	F	Wt.
2966	4x3"	4	3	3-1/2	4
2970	4x4	4	4	4	5

Used with no-hub coupling

Closet Flanges



2-252 CLOSET FLANGE (Caulk Joint Application)

Part No.	Size x Height	A	B	C	D	E	Wt.
022848	4x1"	6-1/4	7-1/4		1		2
022855	4x1-1/2	6-1/4	7-1/4		1-1/2		2
8003	4x2	6-1/4	7-1/4		2		2
008013	*4x2	6-1/8	7-1/4		2		2
022879	4x2-1/2	6-1/4	7-1/4		2-1/2		3
022886	4x3	6-1/4	7-1/4		3		4
8005	4x4	6-1/4	7-1/4		4		5
022930	*4x4	6-1/8	7-1/4		4		5
022909	4x5	6-1/4	7-1/4		5		6
8017	4x6	6-1/4	7-1/4		6		6
8015	4x2, 1" Offset	6	7	5/8	2	1	2
8018	4x4, 2" Offset	6-1/4	7-1/4	2	4	2	4
022947	4x3, 3" Reducing	6-1/4	7-1/4		3		3

*Portland Code, two 1/4" taps on top.

IAPMO No. 3209




BEST-SET™ CLOSET RING

Part No.	Size	Box Qty	Wt.
8020	4x2" (with test cap)	12	5
8021	4x2	12	5
8022	4x4	8	6
8023	4x4 (with test cap)	8	6
8024	4x3 Red. (with test cap)	12	5


Oakland 1-800-GOT-IRON

Cleanouts




IRONBODY CLEANOUT (Tapped)

Part No.	Size	Tap	A	B	C	Wt.
8564	3"	2-1/2	2-3/16	3-3/8	3/4	1
8566	4	3-1/2	2-3/16	4-7/16	3/4	2
8568	5	4	4-1/2	5-5/16	1	5
8570	6	5	4-1/2	5-5/16	1	6
8572	8	6	3-1/4	8-3/8	1	8



TWO WAY CLEANOUT FITTING (Kelly)


Part No.	Size	E	D	F	Wt.
8442	3x3x4"	7-1/2	9	15	15
8444	4x3x4	9-3/16	9-1/2	19-1/2	24
8446	4x4x4	9-3/16	9-1/2	18-3/8	22



TWIN CLEANOUT (East Bay Code)

Part No.	Size	F	E	Wt.
2990	4x4x4"	7-1/2	7-1/2	15

Cleanouts/Figure Fittings



TEXAS TWIN CLEANOUT

Part No.	Size	D	E	F	G	Wt.
3004	4x4x4"	8-1/4	2-3/4	12	6-1/2	22




FIGURE 1

Part No.	Size	D	E	F	G	Wt.
8002	2x2x1-1/2x1-1/2"	4-7/8	3-3/16	7	1-1/2	4




FIGURE 5

Part No.	Size	D	E	F	G	Wt.
8052	2"	6-1/2	5	8	1-13/16	7
8054	3x2x3	8-7/8	6-9/16	9-1/4	2	11
8056	3	8-7/8	6-9/16	10-1/8	2	11
8058	4x2x4	10-1/4	7-3/4	11-1/2	1-15/16	17
8062	4	10-1/4	7-3/4	12	1-15/16	17

Figure Fittings




FIGURE 5 EXTENDED

Part No.	Size	D	E	F	Wt.
8088	3x2x3"	8-7/8	6-9/16	16-7/8	14




FIGURE 6 RIGHT / LEFT

Part No.	Size	D	E	F	Wt.
8100	3x2" - right	7-9/16	5-1/16	11	12
8102	3x2 - left	7-9/16	5-1/16	11	10
8104	4x2 - left	9	6-1/2	13	18
8106	4x2 - right	9	6-1/2	13	18




FIGURE 6 EXT. RIGHT / LEFT

Part No.	Size	A	D	E	F	X	Wt.
8120	3x2" - left		7-9/16	5-1/16	17		18
8122	3x2 - right		7-9/16	5-1/16	17		17
8124	4x2 - left		9	6-1/2	17		20
8126	4x2 - right		9	6-1/2	17		26

Figure Fittings




FIGURE 6 DOUBLE with FULL BAFFLE

Part No.	Size	D	E	F	Wt.
8127	3x2"	7-9/16	5-1/16	11	13
8112	4x2	9	6-1/2	13	23




FIGURE 6 DOUBLE EXTENDED with FULL BAFFLE

Part No.	Size	C	D	E	F	Wt.
8129	4x2"	4-1/2	9	6-1/2	17	27




FIGURE 8 RIGHT / LEFT

Part No.	Size	C	D	E	F	H	Wt.
8136	3x2" - right	4-1/8	7-9/16	5-1/16	11	3-7/16	12
8138	3x2 - left	4-1/8	7-9/16	5-1/16	11	3-7/16	12
8140	4x2 - right	4-1/2	9	6-1/2	13	4	21
8142	4x2 - left	4-1/2	9	6-1/2	13	4	21

Figure Fittings




FIGURE 8 DOUBLE WITH FULL BAF-

Part No.	Size	D	E	F	C	H	Wt.
8159	3x2"	7-9/16	5-1/16	11	4-1/8	3-7/16	13




FIGURE 8 EXTENDED RIGHT / LEFT

Part No.	Size	H	D	E	F	C	Wt.
8160	4x2" - right	8	9	6-1/2	13	4-1/2	21
8162	4x2" - left	8	9	6-1/2	13	4-1/2	21




FIGURE 8 DOUBLE EXTENDED WITH FULL BAFFLE

Part No.	Size	H	D	E	F	C	Wt.
8163	4x2"	8	9	6-1/2	13	4-1/2	23

All double figure fittings are made with full baffle

Couplings

anaco



NO-HUB COUPLING

Part No.	Size	Wt.	Qty/box
6206	1-1/2"	.23	100
6213	2x1-1/2"	.34	100
6220	2"	.25	100
6237	3"	.38	100
6244	3x2"	.64	60
6251	4"	.44	100
6259	4x2"	.80	60
6268	4x3"	.86	60
6275	5"	.75	20
6282	6"	1.0	25
6299	8"	1.5	10
6305	10"	2.3	10
6318	12"	6.6	2
6320	15"	8.4	2

HUSKY
SD 4000



HEAVY-DUTY NO-HUB COUPLINGS

Part No.	Size	Wt.	Qty/box
6077	1-1/2"	.40	100
6084	2"	.45	100
6091	3"	.60	100
6107	4"	.70	100
6114	5"	1.25	20
6121	6"	1.34	20
6138	8"	1.75	10
6145	10"	2.00	10

Oakland 1-800-GOT-IRON

Couplings

HUSKY
SD 2000




HEAVY-DUTY NO-HUB COUPLINGS

Part No.	Size	Wt.	Qty/box
42002	1-1/2"	.48	60
42006	2"	.54	75
42008	3"	.67	48
42010	4"	.81	48
42012	5"	1.5	15
42014	6"	1.7	15
42016	8"	2.1	15
42017	10"	2.5	12

**All AB&I Products
are
Made in America
and
Backed by
One Of The
Best Warranties
in the
Industry**

Oakland 1-800-GOT-IRON

Quality SV Pipe



SV SINGLE HUB PIPE


3-1/2 Ft.	Part No.	Size	Pcs/ Pkg	Unit
	244059	2"	102	15
	244066	3	60	23
	244073	4	46	30
	244080	5	32	39
	244097	6	24	45
	000273	8	15	72
	000280	10	8	106
	000297	12	6	135
	000303	15	4	184

5 Ft.	Part No.	Size	Pcs/ Pkg	Unit
	000006	2"	102	20
	000013	3	60	31
	000020	4	46	42
	000037	5	32	55
	000044	6	24	62
	000051	8	15	100
	000068	10	8	150
	000075	12	6	190
	000082	15	4	260

10 Ft.	Part No.	Size	Pcs/ Pkg	Unit
	000181	2"	36	38
	000198	3	36	52
	000204	4	27	76
	000211	5	24	97
	000228	6	18	128
	000235	8	15	190
	000242	10	8	270
	000259	12	6	325
	000266	15	4	497

Oakland 1-800-GOT-IRON


Quality SV Pipe



SV SINGLE HUB PIPE


Size	Telescoping Length	Hub		Hub		Barrel		Barrel		Nominal Thickness		Minimum Thickness	
		I.D.	A	O.D.	C	I.D.	J	O.D.	B	Thickness	T	Thickness	T
2"	2.50	2.94		3.62		1.96	2.30			0.17		0.14	
3	2.75	3.94		4.68		2.96	3.30			0.17		0.14	
4	3.00	4.94		5.68		3.94	4.30			0.18		0.15	
5	3.00	5.94		6.68		4.94	5.30			0.18		0.15	
6	3.00	6.94		7.68		5.94	6.30			0.18		0.15	
8	3.50	9.25		10.13		7.94	8.40			0.23		0.17	
10	3.50	11.38		12.44		9.94	10.50			0.28		0.22	
12	4.25	13.50		14.56		11.94	12.50			0.28		0.22	
15	4.25	16.95		18.11		15.16	15.88			0.36		0.30	

Quality SV Pipe



DOUBLE HUB, 30" LENGTHS


Part No.	Size	L	Pcs/Pkg	Wt.
000310	2"	25	140	12
000327	3	24-1/2	80	17
000334	4	24	50	26



QUARTER BEND


Part No.	Size	X	D	Wt.
000341	2"	3-1/4	6	5
000358	3	4	7	8
000365	4	4-1/2	8	13
000372	5	5	8-1/2	17
000389	6	5-1/2	9	23
000396	8	6-5/8	11-1/2	41
000402	10	7-5/8	12-1/2	59
000419	12	8-3/4	15	79
000426	15	10-1/4	16-1/2	218

SV Fittings



SIXTH BEND


Part No.	Size	X	D	Wt.
000464	2"	2	4-3/4	4
000471	3	2-1/2	5-1/2	6
000488	4	2-13/26	6-5/16	10
000501	10	4-11/16	9-9/16	44



EIGHTH BEND


Part No.	Size	X	D	Wt.
000518	2"	1-1/2	4-1/4	4
000525	3	1-15/16	4-15/16	7
000532	4	2-3/16	5-11/16	10
000549	5	2-3/8	5-7/8	11
000556	6	2-9/16	6-1/16	18
000563	8	3-1/8	8	34
000570	10	3-1/2	8-3/8	50
000587	12	4-1/16	10-5/16	69
000594	15	4-11/16	10-15/16	144

SV Fittings



SIXTEENTH BEND

Part No.	Size	X	D	Wt.
000600	2"	7/8	3-5/8	3
000617	3	1-3/16	4-3/16	6
000624	4	1-5/16	4-13/16	9
000631	5	1-3/8	4-7/8	9
000648	6	1-1/2	5	12
000655	8	1-13/16	6-11/16	25
000679	12	2-3/8	8-5/8	56
000686	15	2-5/8	8-7/8	78




QUARTER BEND

w/ Low Heel Inlet


Part No.	Size	X	X'	D	Wt.
000716	3-2	4	9	7	9
000723	4-2	4-1/2	10-1/2	8	13

SV Fittings




LONG QUARTER BEND

Part No.	Size	X	D	Wt.
000808	2-18	3-1/4	18	8
000839	4-12	4-1/2	12	13
000860	4-18	4-1/2	18	17



SINGLE HUB RETURN BEND


Part No.	Size	X	D	J	Wt.
001027	3"	6	7	7	9
001034	4	6-3/4	8	7-1/2	13



QUARTER BEND, REDUCING


Part No.	Size	X	D	Wt.
000747	4x2"	3-1/4	7	7

SV Fittings



LONG EIGHTH BEND


Part No.	Size	X	D	Wt.
000976	2-18	1-1/2	18	8
000990	3-18	1-15/16	18	12
001010	4-18	2-3/16	18	19



LONG SWEEP BEND

Part No.	Size	X	D	Wt.
001041	2"	8-1/4	11	8
001058	3	9	12	11
001065	4	9-1/2	13	20
001072	5	10	13-1/2	20
001089	6	10-1/2	14	30
001096	8	11-5/8	16-1/2	54

SV Fittings




LONG SWEEP BEND, REDUCING

Part No.	Size	X	D	Wt.
001188	3x2"	9	12	11
001195	4x3	9-1/2	13	13

**Need A
Larger Size Catalog?
Just Ask Your
AB&I Field Sales
Representative for
Your Free Copy of the
AB&I Standard Catalog.**

SV Fittings




SHORT SWEEP BEND

Part No.	Size	X	D	Wt.
001102	2"	5-1/4	8	6
001119	3	6	9	10
001126	4	6-1/2	10	14
001133	5	7	10-1/2	16
001140	6	7-1/2	11	25
001157	8	8-5/8	13-1/2	38
001164	10	9-5/8	14-1/2	78

**ALL AB&I Cast Iron
DWV Products Are
100% Made In Amer-**


SV Fittings



SAN TEE

Part No.	Size	X	E	G	Wt.
001287	2"	8	2-3/4	6-1/4	7
001294	3x2	9	4	7	11
001300	3	10	4	7-1/2	11
001317	4x2	9	4-1/2	7	13
001324	4x3	10	4-1/2	7-1/2	15
001331	4	11	4-1/2	8	17
001348	5x4	11	5	8	18
001355	5	12	5	8-1/2	19
001362	6x2	9	5-1/2	7	17
001379	6x3	10	5-1/2	7-1/2	19
001386	6x4	11	5-1/2	8	24
001393	6	13	5-1/2	9	29
001409	8x4	13	6-1/2	9-3/4	38
001416	8x6	15	6-1/2	10-3/4	40
001423	8	17	6-5/8	11-3/4	49
001430	10x4	13	7-1/2	9-3/4	50
001447	10x6	15	7-1/2	10-3/4	55
001454	10x8	17	7-5/8	11-3/4	68
001461	10	19	7-5/8	12-3/4	78
001478	12x6	16-1/2	8-1/2	12	80
001485	12x8	18-1/2	8-5/8	13	111
001492	12x10	20-1/2	8-5/8	14	115
001508	12	22-1/2	8-3/4	15	113
001553	15	25-1/2	10-1/4	16-1/2	245


SV Fittings



WYE

Part No.	Size	X	X'	G	Wt.
001560	2"	8	4	4	8
001577	3x2	9	5	4-3/16	12
001584	3	10-1/2	5-1/2	5	14
001591	4x2	9	5-3/4	3-5/8	13
001607	4x3	10-1/2	6-1/4	4-7/16	17
001614	4	12	6-3/4	5-1/4	18
001621	5x2	9	6-1/2	3-1/8	14
001638	5x3	10-1/2	7	3-7/8	17
001645	5x4	12	7-1/2	4-11/16	19
001652	5	13-1/2	8	5-1/2	26
001669	6x2	9	7-1/4	2-9/16	20
001676	6x3	10-1/2	7-3/4	3-3/8	19
001683	6x4	12	8-1/4	4-3/16	27
001690	6x5	13-1/4	8-3/4	4-15/16	31
001706	6	15	9-1/4	5-3/4	36
001713	8x4	13-1/2	9-1/2	4-3/4	45
001720	8x5	15	10	5-1/2	39
001737	8x6	16-1/2	10-1/2	6-5/16	53
001744	8	19-1/2	11-13/16	7-11/16	65
001751	10x3	12	11	2-1/2	56
001768	10x4	13-1/2	11-1/8	3-9/16	64
001775	10x5	15	11-5/8	4-5/16	65
001782	10x6	16-1/2	12-1/8	5-1/8	76
001799	10x8	19-1/2	13-7/16	6-1/2	85
001805	10	22-1/2	14-1/2	8	107
001812	12x4	15	12-7/16	4-1/8	76
001829	12x5	16-1/2	12-15/16	4-7/8	75
001836	12x6	18	13-7/16	5-11/16	84
001843	12x8	21	14-3/4	7-1/16	110
001850	12x10	24	15-13/16	8-9/16	159
001867	12	27	16-7/8	10-1/8	194
001874	15x4	15	14	3-1/4	138
001881	15x6	18	15-3/4	4	171
001898	15x8	21	17-1/16	5-3/8	207
001904	15x10	24	18-1/8	6-7/8	213
001911	15x12	27	19-3/16	8-7/16	242
001928	15	31-1/2	20-3/4	10-3/4	297

SV Fittings




COMBINATION

Part No.	Size	X	B	E	G	Wt.
001966	2"	8	4	4-7/8	7-3/8	8
001973	3x2	9	4-3/16	5-3/4	8-3/16	12
001980	3	10-1/2	5	7	10-1/16	14
001997	4x2	9	3-11/16	6-1/4	8-3/16	15
002000	4x3	10-1/2	4-1/2	7-1/2	10-1/16	18
002017	4	12	5-1/4	9	12-1/16	24
002024	5x2	9	3-3/8	6-3/4	8-3/8	15
002031	5x4	12	4-1/4	9-1/2	11-9/16	24
002048	5	13-1/2	5-1/2	11	14-1/8	26
002055	6x2	9	2-11/16	7-1/4	8-3/16	17
002062	6x3	10-1/4	3-1/8	8-1/2	9-11/16	21
002079	6x4	12	4-1/4	10	12-1/16	32
002086	6	15	5-3/4	12-7/8	16-1/16	45
002093	8x4	13-1/2	4-3/4	11	13-9/16	44
002109	8x6	16-1/2	6-5/16	13-7/8	17-5/8	60
002116	8	19-1/2	7-11/16	17	21-9/16	85

**To Subscribe to the
AB&I Newsletter, ITEMS,
Just Call Customer
Service at
800-GOT-IRON.**

SV Fittings




**SAN CROSS
(No Baffle)**

Part No.	Size	X	E	G	Wt.
002512	2"	8	3-1/4	6-1/4	9
002529	3x2	9	4	7	13
002536	3	10	4	7-1/2	15
002543	4x2	9	4-1/2	7	15
002550	4x3	10	4-1/2	7-1/2	18
002567	4	11	4-1/2	8	19
002574	5x4	14	5	8	26
002581	8x4	13	6-1/2	9-3/4	40

**For The Stocking
Distributor Nearest You,
Contact AB&I at
800-GOT-IRON**


**All Products
Are Backed by the
AB&I Guarantee of
Quality**



DOUBLE WYE


Part No.	Size	X	X'	G	Wt.
002598	2"	8	4	4	9
002604	3x2	9	5	4-3/16	13
002611	3	10-1/2	5-1/2	5	16
002628	4x2	9	5-3/4	3-5/8	15
002635	4x3	10-1/2	6-1/4	4-7/16	19
002642	4	12	6-3/4	5-1/4	23
002659	6x4	12	8-1/4	4-3/16	28
002666	6	15	9-1/4	5-3/4	45
002673	8x4	13-1/2	9-1/2	4-3/4	50
002680	8x6	16-1/2	10-1/2	6-5/16	64
002697	8	19-1/2	11-13/16	7-11/16	90
002703	10x8	19-1/2	13-7/16	6-1/2	114
002710	10	22-1/2	14-1/2	8	120
002727	12x8	21	14-3/4	7-1/16	136
002734	12	27	16-7/8	10-1/8	175
002741	15	31-1/2	20-3/4	10-3/4	354

SV Fittings



DOUBLE COMBINATION


Part No.	Size	X	E'	E	G	Wt.
002758	2"	8	4-7/8	7-3/8	4	12
002765	3x2	9	5-3/4	8-3/16	4-3/16	14
002772	3	10-1/2	7	10-1/16	5	20
002789	4x2	9	6-1/4	8-3/16	3-11/16	17
002796	4x3	10-1/2	7-1/2	10-1/16	4-1/2	23
002802	4	12	9	12-1/16	5-1/4	34
002819	6x4	12	10	12-1/16	4-1/4	52
002826	6	15	12-7/8	16-1/16	5-3/4	80



TAPPED SAN TEE


Part No.	Size	X	E	G	Wt.
003137	2x1-1/2"	8	2-13/16	6-1/4	7
003144	2x2	8	3-1/6	6-1/4	7
003175	3x2	9	3-5/16	7	9
003182	3x3	10	3-5/8	7-1/4	10
003212	4x2	9	4-1/16	7	11

SV Fittings



STRAIGHT TAPPED TEE


Part No.	Size	X	E	G	Wt.
024507	2x2"	8	2	6-1/4	6
003007	3x2	9	2-1/2	7	8
003045	4x2	9	3	7	11



TAPPED SAN CROSS

Part No,	Size x Tap	X	E	G	Wt.
003359	2x1-1/2"	8	3-1/16	6-1/4	8
003366	2x2	8	3-1/16	6-1/4	8
003380	3x1-1/2	9	3-9/16	7	10
003397	3x2	9	3-9/16	7	10
003410	4x1-1/2	9	4-1/16	7	12
003427	4x2	9	4-1/16	7	12


Did You Know...
AB&I has won awards
for its environmental
program that helps keep
the air, land and water
clean and safe?



TWO-WAY CLEANOUT
Memphis Code


Part No.	Size	X	E	G	Wt.
003465	4"	22-1/8	9-3/8	12-3/4	34.5

SV Fittings



STRAIGHT TAPPED CROSS

Part No.	Size	X	E	G	Wt.
003311	3x2"	9	2-1/2	7	9
003328	4x2	9	3	7	12




TWO-WAY CLEANOUT


Part No.	Size	X	E	G	J	Wt.
003519	4"	13-5/8	7-1/2	6-1/2	6-7/16	29
003526	5x5x4x4	13-5/8	8	6-1/2	6-7/16	31
003533	6x6x4x4	13-5/8	8-1/2	6-1/2	6-7/16	35

SV Fittings

REDUCER




PART NO.	Size	X	Wt.
003588	3x2"	4-3/4	5
003595	4x2	5	5
003601	4x3	5	7
003618	5x4	5	8
003625	6x2	5	7
003632	6x3	5	8
003649	6x4	5	9
003656	6x5	5	9
003663	8x4	6	13
003670	8x5	6	14
003687	8x6	6	15
003694	10x4	6	17
003700	10x6	6	19
003717	10x8	6	24
003724	12x4	6-1/2	22
003731	12x6	6-1/2	24
003748	12x8	6-1/2	31
003755	12x10	6-1/2	37
003762	15x6	6-1/2	60
003779	15x8	6-1/2	65
003786	15x10	6-1/2	70
003793	15x12	6-1/2	80



DOUBLE HUB FITTING

PART NO.	Size	X	Wt.
003960	2"	1	4
003977	3	1	6
003984	4	1	8
003991	6	1	11
004011	15	1-1/2	87

SV Fittings




PIPE PLUG

Part No.	Size	F	Wt.
004035	2"	3-1/2	1
004042	3	3-3/4	2
004059	4	4	3
004073	6	4	6
004080	8	4-1/2	11
004097	10	4-1/2	17
004103	12	5-1/4	25
004110	15	5-1/4	35


**AB&I Has Two Locations
To Serve All Your Cast
Iron DWV Needs.**

SV Fittings




"P" TRAP w/1/2" HEEL TAP

Part No.	Size	X	J	A	Wt.
004813	2"	9-1/2	4	3	7
004820	3	12	5-1/2	3-1/2	13
004837	4	14	6-1/2	3-1/2	18



DEEP SEAL "P" TRAP


Part No.	Size	X	J	Wt.
004844	2"	9-1/2	6	7
004851	3	12	7	14
004868	4	14	8	20



RUNNING TRAP


Part No.	Size	X	C	J	Wt.
004578	4"	17-1/2	6	6-1/2	19
004585	6	21-1/2	8	8-1/2	65

SV Fittings



"P" TRAP


Part No.	Size	X	J
004486	2"	9-1/2	4
004493	3	12	5-1/2
004509	4	14	6-1/2
004516	5	15-1/2	7-1/2
004523	6	17	8-1/2
004530	8	22	11
004547	10	25	14-3/8



RUNNING TRAP w/HUB VENT


Part No.	Size	(Vent)	X	X'	E	J	Wt.
004615	3"	(3)	15	2-1/2	12	5-1/2	16
004622	4	(4)	17-1/2	3	14	6-1/2	23
004639	5	(4)	19-1/2	3-1/2	15-1/2	7-1/2	28
004646	6	(4)	21-1/2	4	17	8-1/2	73
004653	6	(6)	21-1/2	4	17	8-1/2	80
004660	8	(6)	27-1/2	3-1/4	22	11	105
004677	10	(8)	31-1/2	6-1/4	25	13	201
004684	12	(10)	38-3/4	7-1/4	31-1/2	15	295
004691	15	(12)	45-3/4	8-3/4	35-3/4	18-1/2	560

SV Fittings



RUNNING TRAP w/TWO HUB VENTS

Part No.	Size (Vent)	X	X'	C	E	J	Wt.
004707	3" (3-3)	15	2-1/2	5	7	5-1/2	19
004714	4 (4-4)	17-1/2	3	6	8	6-1/2	28
004721	5x4 (4-4)	19-1/2	3-1/2	7	8-1/2	7-1/2	44
004738	5 (4-4)	19-1/2	3-1/2	7	8-1/2	7-1/2	46
004745	6 (4-4)	21-1/2	4	8	9	8-1/2	81
004752	6 (6-6)	21-1/2	4	8	9	8-1/2	95
004769	8 (6-6)	27-1/2	5-1/4	10	12	11	155
004776	10 (8-8)	31-1/2	6-1/4	12	13	13	210
004783	12 (10-10)	38-3/4	7-1/4	15	16-1/2	15	325
004790	15 (12-12)	45-3/4	8-3/4	18-1/2	17-1/4	18-1/2	575




2-20 EXTENSION CLEANOUT (less plug) (SV or No-Hub)

Part No.	Size-Length	IPS	A	Wt.
024118	4-8	3-1/2	8	8
024125	4-12	3-1/2	12	10


Oakland 1-800-GOT-IRON

SV Fittings



2-11 STANDARD FERRULE (Less Plug)


Part No.	Pipe Size	Tap Size	A	
023210	2"	1-1/2	2-3/4	1
023234	3	2-1/2	3	2
023258	4	3	3-1/4	2
023272	4	3-1/2	3-1/4	3
023296	5	4	4-3/8	4
023319	6	5	4-1/2	5
023333	8	6	4-5/8	10
023357	10	6	4-1/2	18
023388	12	6	5-5/8	24
023364	15	6	5-5/8	45



2-11 STANDARD FERRULE W/ TYPE A PLUG


Part No.	Pipe Size	Tap Size	A	Wt.
023395	2"	1-1/2	2-3/4	1
023425	3	2-1/2	3	2
023456	4	3	3-1/4	3
023487	4	3-1/2	3-1/4	4
023517	5	4	4-3/8	5
023548	6	5	4-1/2	6
023586	8	6	4-5/8	13
023609	10	6	4-1/2	20
023630	12	6	5-5/8	26
023616	15	6	5-5/8	47

SV Fittings



2-40 HUB ADAPTOR Not Suitable for Ty-Seal

Part No.	Hub - IPS	B	Wt.
022121	2-2	4-5/8	3
022138	3-3	4-5/8	5
022145	4-4	4-5/8	6




2-41 SPIGOT ADAPTOR (SV or No-Hub)

Part No.	Hub - IPS	B	Wt.
024446	2-2	5-1/2	3
024453	3-3	5-1/2	4
024460	4-4	5-1/2	5

**BUY THE BEST
BUY
AMERICAN**

Oakland 1-800-GOT-IRON

SV Fittings



2-70 TEST TEE (SV Less PLUG)

Part No.	Pipe Size	Tap Size	B	C	Wt.
024507	2"	2	10-3/8	4-1/4	6
024521	3	3	12-3/4	5-1/2	10
024545	4	3-1/2	13-7/8	6	14
024569	*4	3-1/2	11-3/4	5-3/4	10
024583	4	4	13-7/8	6	14
024576	*4	4	11-3/4	5-3/4	10
024606	5	5	15	7-1/8	22
024613	6	6	16	7-1/8	26
024644	8	6	16	7	52
024637	8	8	20-1/2	9-1/2	50
024668	10	10	20-1/2	9-7/8	73

2-70 TEST TEE W/ TYPE A PLUG

Part No.	Pipe Size	Tap Size	B	C	Wt.
024675	2"	2	10-3/8	4-1/4	6
024699	3	3	12-3/4	5-1/2	11
024750	4	3-1/2	13-7/8	6	15
024712	*4	3-1/2	11-3/4	5-3/4	11
024774	4	4	13-7/8	6	15
024736	*4	4	11-3/4	5-3/4	11
024798	5	5	15	7-1/8	23
024811	6	6	16	7-1/8	28
024828	8	6	16	7	54
024835	8	8	20-1/2	9-1/2	54
025436	**10	10	20-1/2	9-7/8	80


*Short Laying Length

** Type "O" Plug Furnished

Oakland 1-800-GOT-IRON


SV Fittings

**All AB&I Products
are Made in the USA**



2-90 WING NUT TEST PLUG


Part No.	Item	Size	A	B	C	Wt.
022503	2-91	1-1/2"	1-3/8	1	10-3/4	1
022510	2-92	2	1-7/8	1	10-3/4	1
022527	2-93	3	2-7/8	1-1/2	11-1/2	2
022534	2-94	4	3-5/8	2-1/8	12-1/2	4
022541	2-95	5	4-1/2	2-3/8	17-1/2	5
022558	2-96	6	5-1/2	2-3/8	17-1/2	6
022565	2-98	8	7-5/8	2-7/8	17-1/2	11
022572	2-90-0	10	8-5/8	3-3/8	18	20
022589	2-90-2	12	11-3/4	3-1/2	15	36
022596	2-90-5	15	14-3/4	3-1/2	15	45



2-107 DROP LID


Fits 6" Spigot

Part No.	Wt.
022831	3




Oakland 1-800-GOT-IRON

SV Fittings



SERIES 2-256 CLOSET BENDS SV Only

Part No.	Size	A	B	Wt.
026136	4"	5-3/4	12	12
026143	4	5-3/4	14	14
026150	4	5-3/4	16	16
026167	4	5-3/4	18	18



SERIES 2-257 CLOSET BENDS SV Only

Part No.	Size	A	B	Wt.
026174	4x3"	5-3/4	16	15

**To Subscribe to
the AB&I Newsletter,
ITEMS, Contact
Your Field Sales
Representative or
the AB&I Customer
Service Department at
800/GOT-IRON**

Gaskets




TY-SEAL

Part No.	Size	Wt. Ea. Lbs.	Quantity	Carton Wt.	Quantity	Pallet Wt.
004875	2"	0.3	60	18	2880	900
004882	3	0.4	40	16	1600	675
004899	4	0.6	40	24	1280	805
004905	5	1.2	30	35	600	735
004912	6	1.4	30	40	600	835
004929	8	1.6	20	30	320	151
004936	10	2.0	10	18	270	520
004943	12	2.5	10	22	270	630
014959	15	3.8	10	38	120	490

EZ-TITE

Part No.	Size	Wt. Ea. Lbs.	Carton Quantity	Wt.	Pallet Quantity	Wt.
004950	2"	0.3	60	18	2880	900
004967	3	0.4	40	16	1600	675
004974	4	0.6	40	24	1280	805
004981	5	1.2	30	35	600	735
004998	6	1.4	30	40	600	835



TY-TOOLS

Part No.	Description	Joins Pipe Size	Approximate Weight
005223	4" w/4x2 & 4x3 adapter	2", 3", 4"	21
005438	6" w/6x4 adapter	6", 4"	29
005580	8" w/8x6 adapter	8", 6"	40



TY-SEAL LUBRICANT

Part No.	Size
005117	Quart
005124	Gallon
005131	25-Lb.

- An excellent water-soluble joint compound, TY-SEAL LUBRICANT has demonstrated its efficiency in millions of joints.
- Quick and easy to use under all conditions...even under water!
- Available in quarts, gallons and 25-lb. pails.

NOTE: Adhesive lubricants are recommended for TY-SEAL and EZ-TITE gaskets in sizes 5-inch and larger diameters. Suitable formulations such as Block Swan adhesive lubricants are available through established plumbing distribution channels.

Notices / Warranty

AB&I will not be held accountable for any delays caused by work stoppage, trucking delays, raw material availability, acts of God or other unnatural causes beyond our immediate control.

We certify that the no-hub cast iron soil pipe and fittings bearing our mark, "AB&I," and the "CI" markings are of American manufacture and conform to the following specifications and reference standards:

ASTM-A-888
ASTM-A-74, *SV Hub & Spigot Reference Standard*
IAPMO File No. 3270
CISPI 301
CISPI 310
WWP-401/E74
UN-38C
DOD 4270, 21
DE-300 and C-564-182
Best Set™ Closet Ring IAPMO File No. 3209

WARRANTY

AB&I products are guaranteed to be free from defects in material and workmanship, and to conform to applicable standards and requirements. AB&I's liability is limited to the replacement of defective material acknowledged by AB&I to be defective, and presented for claim within reasonable time limits. Material found defective will only be replaced; no labor charges or damages will be allowed.

Manufacturers Recommendation for the Installation of Cast Iron Soil Pipe and Fittings

Hubless Coupling Installation

There are various designs of hubless couplings and each should be installed in accordance with the individual manufacturer's installation instructions. Typically, however, hubless couplings are installed in the following manner:

1. Clean the external surface of the ends of the pipe and/or fitting to be joined so they are reasonably free from dirt, mud, gravel or other foreign material;
2. Lubricate as follows: Use a thick coat of REGULAR OR ADHESIVE lubricant applied on the inside of the gasket and the pipe and/or fitting to be joined;
3. Place the gasket on the end of one pipe or fitting and the stainless steel clamp assembly on the end of the other pipe or fitting;
4. Firmly seat the pipe or fitting ends against the integrally molded shoulder inside the rubber gasket;
5. Slide the clamp assembly into position over the gasket and tighten the bands as described below;
6. Torquing bands. Use a properly-calibrated torque wrench, set at the torque recommended by the coupling manufacturer.





**American-Made
Quality from
Recycled Materials!**



***The Foundry of the Future
Since 1906***

7825 San Leandro Street
Oakland, CA 94621
1-800-GOT-IRON
510/632-3467
Fax 510/632-8035

15006 Nelson Avenue
City of Industry, CA 91744
800-356-4766 • 626/333-4882

