

W6636SMIN – EVERYDAY BATHS

66 x 36 x 18 inches

SOAKER MODEL #W6636SMIN

WHIRLPOOL MODEL #W6636SMINWP



FEATURES

- Flat-front integral skirt
- Deep, minimalist bathing well
- Toiletry storage deck
- Slip resistant textured bottom
- Left or right drain
- Applied AcrylX™ surface
- Lifetime warranty

AVAILABLE SYSTEMS

WHIRLPOOL

- Pneumatic on/off control
- 6 hydrotherapy jets (directional, adjustable)
- Whirlpool pump
- Removable access panels
- Safety suction system




PRICE LIST/ORDER FORM — PURCHASE ORDER REQUIRED



W6636SMIN

66 x 36 x 18 inches

BASE MODEL	PKG. WT. LBS.	JETS	DRAIN	MODEL #	MSLP
☐ Soaker	78	0	LH or RH	W6636SMIN	\$1,346
☐ Whirlpool	118	6	LH or RH	W6636SMINWP	\$2,385



EVERYDAY PREMIUM

PRODUCT FEATURES

- Flat-front integral skirt
- Toiletry storage deck

OPTIONS (X = INSERT DESIRED OPTION CODE)	ENTER DESIRED OPTION CODE	MSLP
AcrylX™ stock color (COLxx): White (WH)	_____	No charge
AcrylX™ color upgrade (COLxx): Biscuit (BI)	_____	\$35
Drain location (DLXX): Right Hand (RH) Left Hand (LH)	_____	No charge
Cable drive waste & overflow, color-matched (CDxxxx): Biscuit (BICD) White (WHCD)	_____	\$201
Cable drive waste & overflow (CDxxxx): Chrome (CHCD) Oil Rubbed Bronze (OBCD) Polished Brass (BRCD) Brushed Nickel (SNCD)	_____	\$201

*For program terms and conditions, see page iii.

BASE PRICE (insert MSLP of base model selected in upper table)	+ \$ _____
OPTIONS SUB TOTAL	\$ _____
ORDER TOTAL	= \$ _____

For series features see section page.

ILLUSTRATION KEY

P = Pump Location

ORDERING KEY

In the part number, "xx" means an option code must be inserted.

Cast Acrylic stock color (COLxx) ← **part number**

option code → White (WH)


Example: COLxx + WH = COLWH
Cast Acrylic stock color in White

Customer Name: _____ Date: _____
Additional Information: _____

Manufacturer reserves the right to discontinue models, colors, options and trim finishes without notice.

W6636SMIN

66 x 36 x 18 inches



FEATURES lbs Dimensional Tolerance $\pm \frac{3}{16}$ ". Dimensions needed for site preparation should be measured from the unit. Aquatic assumes no responsibility for preparatory work.


Model #	Material	Jets	Motor	Controls	Drain	Net Wt.	Pkg. Wt.
Soaker #W6636SMIN	AcrylX™	0	—	—	LH or RH	63	68
Whirlpool #W6636SMINWP	AcrylX™	6	63 GPM	Pneumatic	LH or RH	103	108

DIMENSIONS

Specifications	inches
Width: Overall / Net	66
Depth: Overall / Net	37 1/4 / 36
Height: Overall / Net	19 1/4 / 18
Enclosure Opening	—
Skirt Height	18
Drain Rough-In (from Back Wall)	18 1/4
Drain Rough-In (from Side Wall)	3
Drain: Diameter / Clearance	2 / 7/8

FRAMING DIMENSIONS inches

Type	D Depth	W Width	H Height	A	B	C
Alcove	37 1/4	66 1/8	19 1/4	Box Out	3	18 1/4



SUMP DATA

Top of Drain to Bottom of Overflow	Capacity to Overflow gal	Min. Operating Capacity gal	WIDTH @ centerline		DEPTH @ centerline	
			Top	Bottom	Top	Bottom
12 1/2	52	45	53 3/4	46 3/4	28 3/8	24 3/4