



aquor
water systems

Teak Mounting Block

**Elevate your outdoor faucet
installation with premium durability.**



Built to Last

Crafted from durable teak for unmatched weather resistance and natural beauty.



Designed for Aquor

Designed for Aquor House Hydrants, with pre-drilled holes for easy, secure installs.



Low-Profile

Low-profile aesthetic blends effortlessly for a professional finish.

**Learn More
About Aquor**



Aquor® Teak Mounting Block


07/2025
MB-TK-SERIES
Tech Specs and Installation



MB-TK-1



MB-TK-2



Genuine, naturally weatherproofed, rot-resistant teak hardwood. Can be oiled, painted, or left unfinished. Recommended to ensure a flat install surface. 1" depth.

- Ensures a flat install surface
- Naturally weatherproof and rot-resistant
- 1" depth

What's Included	Teak Block
Models Available	V1+ and V2+
Compatibility Model V1+	House Hydrant V1+, Universal Hydrant, Marine Deckwash, RV City Water Inlet
Compatibility Model V2+	House Hydrant V2+
Material	Teak hardwood
Dimensions	6-1/2" x 5-3/8" x 1"
Warranty	5-year limited warranty

Installation

- Before securing, take note of the hole location to ensure you have the block in the right position
- Secure block to wall with fasteners or adhesive, then fasten Hydrant using the Hydrant's mounting screws
- On new construction, consider adding head flashing for additional protection
- Can be oiled, painted, or left unfinished

Aquor® Teak Mounting Block

07/2025
MB-TK-SERIES
Mounting Solution Comparison

Model	Use Case	Depths Available	Siding Rough-In Dimensions	Models Available	Finishes Available
Current Product	 Level mounting surface (lap siding, etc.) for hydrant install	1"	N/A	V1+ and V2+	Teak
	  Level mounting surface (masonry, brick, etc.) for hydrant install	N/A	N/A	V1+ and V2+	Stainless Steel and Matte Black
	  Level mounting surface (stucco, stone, brick, etc.) for hydrant install	V1+: 1-1/2", 3", 5-1/2" V2+: 1-1/2", 3", 5-1/2" Hot+Cold: 1-1/2" and 3"	V1+: 4" x 5" V2+: 4-1/2" x 6" Hot+Cold: 6" x 6"	V1+, V2+, and Hot+Cold	Stainless Steel and Matte Black
	 Level mounting surface (stucco, stone, etc.) for hydrant install	7/8", 3", 5-1/2"	4" x 2-7/8"	V2+ only	N/A
	 Simplify install (stucco, etc.) and provide easy front serviceability	2", 4"	1-3/4" Diameter Hole	V1+ only	N/A