

ARTIS METALS COMPANY, INC.

OVER 75 YEARS
OF QUALITY

HEAVIER GAUGE

FRIENDLY SERVICE


AMERICAN MADE

Artis Metals Company, Inc.
3323 Chinden Blvd., Boise, ID 83714
Website: www.artiscaps.com
E-mail: info@artiscaps.com
Phone: 208-336-1560
Toll Free: 800-892-2277
Fax: 208-343-9679



PRODUCT CATALOG
(Pricing Book Separate)

WHY CHOOSE ARTIS?





PHONE: (208) 336-1560 - OUTSIDE IDAHO: (800) 892-2277 • FACSIMILE: (208) 343-9679

Website: www.artiscaps.com • E-mail: info@artiscaps.com

GUARANTEE

All products are guaranteed to be free of defective material and workmanship for the period of one year from date of invoice. During that period, if any parts prove defective, they will be repaired or replaced free of charge at factory option; if upon receipt of a return authorization, they are returned delivered prepaid to the factory. This guarantee does not however, cover any damage caused by neglect of lubrication, accident or overload, improper installation, modification of original design or repairs made or attempted outside of the factory without written authorization from Artis Metals Company, Inc.

Correction of any verified defects by repair, replacement F.O.B. the Artis Metals Company, Inc. factory or credit to customer's account shall constitute fulfillment of the guarantee. No cash or check refunds will be issued.



CUSTOMIZATIONS & SPECIAL PACKAGING

If you need a custom product or modification to one of our existing products, please feel free to contact us. We will be happy to look at your specifications and offer a quote. Some restrictions may apply.

There are several new custom powder coating colors available to choose from. Please see our website for pricing and colors available. We also offer color matching. Supply us with the brand of color and powder color code, or send us a sample of the color you wish to match, and we will find the closest match.

We offer special packaging to our customer's specifications by request as well. This may incur an additional charge. Please contact us for more information.

TABLE OF CONTENTS



WALL VENTS	Page
Wall Cap — Intake or Exhaust	6-7
Aluminum, Galvanized	6
Copper, Stainless Steel	7
Wall Cap — Reversible Damper for Intake or Exhaust	8
Wall Cap — Powder Coated	8
Wall Cap — Wide Mouth, Rectangular	9-10
Aluminum, Galvanized, Powder Coated	9
Copper, Stainless Steel	10
ROOF VENTS	
J-Vent — Standard	11
Galvanized, Copper, Stainless Steel	11
J-Vent — Powder Coated Standard	12
J-Vent — With Extension	12
J-Vent — 6"-12" Clearance	12
J-Vent — Galvanized with Dead Soft Aluminum Flange	12
Roof Mount Exhaust Vent	13
Galvanized, Aluminum, Black, Copper,	13
Roof Cap — Plastic	13
Triangle Turbine Ventilator — Internally Braced	14
Triangle Turbine Ventilator — Externally Braced	14
Aero-Foil Gravity Vent	15
Master Gravity Vent	15
Wind Directional Cap	16
Globe Vent	16
CHIMNEY CAPS & ADAPTORS	
Cone Top Cap	17
Galvanized, Stainless Steel, Copper, Adjustable	17
Vacuum Cap	18
Vacuum Tile Cap	18
Chimney Cap Adaptor	19
Adjustable Tile Adaptor	19








TABLE OF CONTENTS



VENT BASES & FLASHINGS	Page
Roof Base	20
Flat, Pitched, Saddle, Adjustable	20
Pipe Flashing	21
Standard Pitch, Steep Pitch, Flat Pitch, Flat with Tall Cone	21
Aluminum with D.S.A Flange	22
Storm Collar	22
Stand-Off Bracket	22
DAMPERS	
Backdraft Damper — Butterfly	23
Backdraft Damper — Offset Pin	23
Dryer Damper	23
Automatic Damper for 12" Ventilator	24
Round Volume Damper (Slide In)	24
Spool Damper (A.K.A. Dampered Start Collar)	24
FITTINGS	
End Cap, Plug, Plug Style Pipe Reducer,	25
Flat Style Increaser Reducer	26
Tapered Reducer (Three Piece)	26
Start Collar — Standard, Extended 6"	27
Pipe Coupler	27
FOUNDATION/SOFFIT & EAVE VENTS	
Foundation/Soffit Vent	28
Eave Vent — Galvanized	28
Eave Vent — Copper	28
OTHER AVAILABLE PRODUCTS	
Shur-Vent (Natural Gas & LP), Peak Vent	29
Plumber's Vent, Cricket Flashing	29
ORDERING AND SALES INFORMATION	
Ordering Information, Delivery Terms	30
Terms of Sale, Free Freight Allowances	31

Additional Product Offerings
available on our website www.artiscaps.com



WALL CAP — INTAKE OR EXHAUST

WALL CAP — ALUMINUM

WALL CAP — GALVANIZED




PRODUCT CATALOG

WALL CAP — ALUMINUM

The Artis Wall Cap is ideal for use with dryer venting, kitchen fan exhaust, bath fan exhaust, furnace air intake, whole house ventilation, and HRVs. Vents with dampers come standard with a spring closure damper and weather seal for increased energy efficiency and noise reduction.

DAMPER ONLY		SCREEN ONLY		DAMPER & SCREEN	
SIZE	ITEM#	SIZE	ITEM#	SIZE	ITEM#
3"	DWVA 3	3"	SWVA 3	3"	SDWVA 3
4"	DWVA 4	4"	SWVA 4	4"	SDWVA 4
5"	DWVA 5	5"	SWVA 5	5"	SDWVA 5
6"	DWVA 6	6"	SWVA 6	6"	SDWVA 6
7"	DWVA 7	7"	SWVA 7	7"	SDWVA 7
8"	DWVA 8	8"	SWVA 8	8"	SDWVA 8
10"	DWVA 10	10"	SWVA 10	10"	SDWVA 10
12"	DWVA 12	12"	SWVA 12	12"	SDWVA 12
14"	DWVA 14	14"	SWVA 14	14"	SDWVA 14




Screen is 1/4" standard. 1/8" screen is available upon request.

WALL CAP — GALVANIZED

The Artis Wall Cap is ideal for use with dryer venting, kitchen fan exhaust, bath fan exhaust, furnace air intake, whole house ventilation, and HRVs. Vents with dampers come standard with a spring closure damper and weather seal for increased energy efficiency and noise reduction.

DAMPER ONLY		SCREEN ONLY		DAMPER & SCREEN	
SIZE	ITEM#	SIZE	ITEM#	SIZE	ITEM#
3"	DWVG 3	3"	SWVG 3	3"	SDWVG 3
4"	DWVG 4	4"	SWVG 4	4"	SDWVG 4
5"	DWVG 5	5"	SWVG 5	5"	SDWVG 5
6"	DWVG 6	6"	SWVG 6	6"	SDWVG 6
7"	DWVG 7	7"	SWVG 7	7"	SDWVG 7
8"	DWVG 8	8"	SWVG 8	8"	SDWVG 8
10"	DWVG 10	10"	SWVG 10	10"	SDWVG 10
12"	DWVG 12	12"	SWVG 12	12"	SDWVG 12
14"	DWVG 14	14"	SWVG 14	14"	SDWVG 14



Screen is 1/4" standard. 1/8" screen is available upon request.

See www.artiscaps.com or call us for specialty powder coating options and other customizations available.

WALL CAP — INTAKE OR EXHAUST

WALL CAP — COPPER

WALL CAP — STAINLESS STEEL




PRODUCT CATALOG

WALL CAP — COPPER

The Artis Wall Cap is ideal for use with dryer venting, kitchen fan exhaust, bath fan exhaust, furnace air intake, whole house ventilation, and HRVs. Vents with dampers come standard with a spring closure damper and weather seal for increased energy efficiency and noise reduction. All with the aesthetically pleasing look of copper.

DAMPER ONLY		SCREEN ONLY		DAMPER & SCREEN	
SIZE	ITEM#	SIZE	ITEM#	SIZE	ITEM#
3"	DWVC 3	3"	SWVC 3	3"	SDWVC 3
4"	DWVC 4	4"	SWVC 4	4"	SDWVC 4
5"	DWVC 5	5"	SWVC 5	5"	SDWVC 5
6"	DWVC 6	6"	SWVC 6	6"	SDWVC 6
7"	DWVC 7	7"	SWVC 7	7"	SDWVC 7
8"	DWVC 8	8"	SWVC 8	8"	SDWVC 8
10"	DWVC 10	10"	SWVC 10	10"	SDWVC 10



Screen is 1/4" standard. 1/8" screen is available upon request.

*All screened copper wall caps are manufactured with copper screen installed.

**Stainless steel collars are available for copper wall caps. Call or email for price.

WALL CAP — STAINLESS STEEL

The Artis Wall Cap is ideal for use with dryer venting, kitchen fan exhaust, bath fan exhaust, furnace air intake, whole house ventilation, and HRVs. Vents with dampers come standard with a spring closure damper and weather seal for increased energy efficiency and noise reduction. All with the added durability of stainless steel construction.

DAMPER ONLY		SCREEN ONLY		DAMPER & SCREEN	
SIZE	ITEM#	SIZE	ITEM#	SIZE	ITEM#
3"	DWVSS 3	3"	SWVSS 3	3"	SDWVSS 3
4"	DWVSS 4	4"	SWVSS 4	4"	SDWVSS 4
5"	DWVSS 5	5"	SWVSS 5	5"	SDWVSS 5
6"	DWVSS 6	6"	SWVSS 6	6"	SDWVSS 6
8"	DWVSS 8	8"	SWVSS 8	8"	SDWVSS 8
10"	DWVSS 10	10"	SWVSS 10	10"	SDWVSS 10



Screen is 1/4" standard. 1/8" screen is available upon request.

*Stainless steel wall caps are manufactured from all 304-2B stainless steel material.

**All screened stainless wall caps are manufactured with stainless steel screen installed.

See www.artiscaps.com or call us for specialty powder coating options and other customizations available.

WALL CAP — REVERSIBLE DAMPER

WALL CAP — POWDER COATED




PRODUCT CATALOG

WALL CAP — REVERSIBLE DAMPER FOR INTAKE OR EXHAUST

GALVANIZED		ALUMINUM	
SIZE	ITEM#	SIZE	ITEM#
4"	RDWVG 4	4"	RDWVA 4
5"	RDWVG 5	5"	RDWVA 5
6"	RDWVG 6	6"	RDWVA 6
7"	RDWVG 7	7"	RDWVA 7
8"	RDWVG 8	8"	RDWVA 8
10"	RDWVG 10	10"	RDWVA 10
12"	RDWVG 12	12"	RDWVA 12

The Artis Reversible Damper Wall Cap is ideal for use as fresh air intake, kitchen fan exhaust, whole house ventilation and HRVs.



All screened wall vents come with 1/4" screen standard. 1/8" screen is available upon request.

*Two piece throat has reversible butterfly damper attached.

WALL CAP — POWDER COATED

(BL—Black BR—Brown WH—White)*

The Artis Wall Cap is ideal for use as fresh air intake, kitchen fan exhaust, whole house ventilation and HRVs.


Powdercoated* (Hood, Flange, Damper & Screen Only)

DAMPER ONLY		SCREEN ONLY		DAMPER & SCREEN	
SIZE	ITEM#	SIZE	ITEM#	SIZE	ITEM#
4"	PDWV 4	4"	PSWV 4	4"	PSDWV 4
5"	PDWV 5	5"	PSWV 5	5"	PSDWV 5
6"	PDWV 6	6"	PSWV 6	6"	PSDWV 6
7"	PDWV 7	7"	PSWV 7	7"	PSDWV 7
8"	PDWV 8	8"	PSWV 8	8"	PSDWV 8
10"	PDWV 8	10"	PSWV 8	10"	PSDWV 8

Specify color when ordering by placing color code at end of part number.

Screen is 1/4" galvanized standard. 1/8" galvanized screen is available upon request.

Hood, flange and damper are powdercoated. Tubes will be galvanized.



See www.artiscaps.com or call us for specialty powder coating options and other customizations available.

WALL CAP — Intake or Exhaust

WALL CAP — WIDE MOUTH

WALL CAP — RECTANGULAR



PRODUCT CATALOG

WALL CAP — WIDE MOUTH

WITH SCREEN	
ALUMINUM	
SIZE	ITEM#
4"	WMSDWVA 4



The Artis Wide Mouth Dryer Vent is designed for use with clothes dryers requiring less restrictive air flow found with traditional wall mount dryer venting caps. The damper is foam lined to reduce noise and offers spring return closure. Screen is removable and is not recommended for dryer venting.



WALL CAP — RECTANGULAR

The Artis Rectangular Wall Cap is ideal for use as kitchen fan exhaust. Heavy duty construction with spring closure damper and weather seal for increased energy efficiency and noise reduction.

WITH SCREEN					
GALVANIZED		ALUMINUM		PAINTED**	
SIZE	ITEM#	SIZE	ITEM#	SIZE	ITEM#
3-1/4"X10"	R 310S	3-1/4"X10	RA 310S	3-1/4"X10	RP 310S
3-1/4"X12"	R 312S	3-1/4"X12	RA 312S	3-1/4"X12	RP 312S
3-1/4"X14"	R 314S	3-1/4"X14	RA 314S	3-1/4"X14	RP 314S



WITHOUT SCREEN					
GALVANIZED		ALUMINUM		PAINTED**	
SIZE	ITEM#	SIZE	ITEM#	SIZE	ITEM#
3-1/4"X10"	R 310	3-1/4"X10	RA 310	3-1/4"X10	RP 310
3-1/4"X12"	R 312	3-1/4"X12	RA 312	3-1/4"X12	RP 312
3-1/4"X14"	R 314	3-1/4"X14	RA 314	3-1/4"X14	RP 314

All screened wall caps come with 1/4" screen standard. 1/8" screen is available upon request.
**Powder coated, please specify white (W), black (BL) or brown (BR) at the end of the item#.

See www.artiscaps.com or call us for specialty powder coating options and other customizations available.

WALL CAP — Intake or Exhaust



WALL CAP — RECTANGULAR COPPER

PRODUCT CATALOG

WALL CAP — RECTANGULAR STAINLESS STEEL

WALL CAP — RECTANGULAR COPPER

The Rectangular Wall Cap is ideal for use as kitchen fan exhaust with the aesthetically pleasing look of copper. Comes standard with spring closure damper and weather seal for increased energy efficiency and noise reduction.

DAMPER ONLY	
COPPER	
SIZE	ITEM#
3-1/4"X10"	RC 310

DAMPER & SCREEN	
COPPER	
SIZE	ITEM#
3-1/4"X10"	RC 310S



All copper wall caps are manufactured with copper screen installed.

WALL CAP — RECTANGULAR STAINLESS STEEL

The Rectangular Wall Cap is ideal for use as kitchen fan exhaust with the added durability of stainless steel construction. Heavy duty construction with spring closure damper and weather seal for increased energy efficiency and noise reduction.

DAMPER ONLY	
STAINLESS STEEL	
SIZE	ITEM#
3-1/4"X10"	RS 310

DAMPER & SCREEN	
STAINLESS STEEL	
SIZE	ITEM#
3-1/4"X10"	RS 310S



Stainless steel wall caps are manufactured from all 304-2B stainless steel material.

**All screened stainless wall caps are manufactured with stainless screen installed.

See www.artiscaps.com or call us for specialty powder coating options and other customizations available.

J-VENT — GALVANIZED STANDARD

J-VENT — COPPER STANDARD

J-VENT — STAINLESS STEEL STANDARD




PRODUCT CATALOG


The Artis J-Vent is used primarily as a gravity attic ventilator. It can also be used as an indoor ventilation exhaust for bathrooms, range hoods and clothes dryers. Can be used on any roof pitch.

J-VENT — GALVANIZED STANDARD


SIZE	ITEM#
3"	JV 328
4"	JV 428
6"	JV 626
7"	JV 726
8"	JV 826
10"	JV 1026
12"	JV 1226
14"	JV 1424




NEW HOOD STYLE
SIZES: 3" and 4"



NEW HOOD STYLE
SIZES: 6"



HOOD STYLE
SIZES: 7", 8", 10", and 12"




HOOD STYLE
SIZES: 14"

*All galvanized J-vents are manufactured with galvanized screen.
 **Extended clearances available.
 ***Hard connect extensions available.


J-VENT — COPPER STANDARD

SIZE	ITEM#
4"	CJV 412
6"	CJV 612
8"	CJV 812
10"	CJV 1016

Comes with the aesthetically pleasing look of copper.



HOOD STYLE
SIZES: 4"




HOOD STYLE
SIZES: 6", 8", and 10"

*All copper J-vents are manufactured with copper screen.
 **Extended clearances available.
 ***Hard connect extensions available.


J-VENT — STAINLESS STEEL STANDARD

SIZE	ITEM#
4"	SSJV 426
6"	SSJV 626
8"	SSJV 826
10"	SSJV 1026

Comes with the added durability of stainless steel.




HOOD STYLE
SIZES: 4"



HOOD STYLE
SIZES: 6", 8", and 10"

All stainless J-vents manufactured with 1/8" stainless screen.
 **Extended clearances available.
 ***Hard connect extensions available.

	3"	4"	5"	6"	7"	8"	9"	10"	12"	14"
A	8.0	9.0	11.0	12.0	12.0	15.0	15.0	15.0	20.0	22.0
B	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	12.0	14.0
C	2.5	2.5	3.0	3.0	2.5	3.5	3.0	2.5	4.0	4.0
D	8.0	9.0	22.0	15.0	15.0	15.0	18.0	20.0	24.0	22.0
E	5.0	6.0	8.25	10.0	11.0	12.0	14.0	16.0	19.0	18.5
F	3.0	3.25	4.25	5.0	5.25	5.5	5.5	6.5	7.25	7.25
G	2.0	1.75	2.25	3.25	3.75	3.75	3.75	4.25	4.75	4.5
H	1.0	1.5	2.0	1.75	1.5	1.75	1.75	2.25	2.5	2.75
I	2.0	2.5	2.75	3.25	3.25	3.25	3.25	3.5	4.0	3.5
FA	7.0	12.0	20.0	28.0	38.0	50.0	63.0	78.0	113.0	153.0



J-VENT — POWDER COATED STANDARD

J-VENT — WITH EXTENSION

J-VENT — 6"-12" CLEARANCE

J-VENT — GALVANIZED

(WITH DEAD SOFT ALUMINUM FLANGE)




® *Artis Metals Company*

PRODUCT CATALOG

The Artis J-Vent is used primarily as a gravity attic ventilator. It can also be used as an indoor ventilation exhaust for bathrooms, range hoods and clothes dryers. Can be used on any roof pitch.

J-VENT — POWDER COATED STANDARD

SIZE	ITEM#
3"	PJV 328
4"	PJV 428
6"	PJV 626
7"	PJV 726
8"	PJV 826
10"	PJV 1026
12"	PJV 1226
14"	PJV 1424



* Specify color by placing color code at end of part number.
BL=Black, BR=Brown, WH=White

J-VENT — WITH EXTENSION

GALVANIZED	
SIZE	ITEM#
3"	JV 328 HC
4"	JV 428 HC
6"	JV 626 HC
7"	JV 726 HC
8"	JV 826 HC

Hard connect extension for ease of attachment to rigid or flex pipe below the roof sheeting.



HOOD STYLES ARE THE SAME AS THOSE SHOWN FOR THE GALVANIZED STANDARD J-VENTS ON PAGE 11.

J-VENT — 6"-12" CLEARANCE OR "H" DIMENSION

GALVANIZED	
SIZE	ITEM#
3"	JV 328 CL
4"	JV 428 CL
6"	JV 626 CL
7"	JV 726 CL
8"	JV 826 CL
10"	JV 1026 CL
12"	JV 1226 CL
14"	JV 1424 CL

The taller throat offers more clearance from the flange to the bottom of the hood.




Specify clearance when ordering by adding the "H" dimension (6-12) prior to the "CL" in the above part number.

J-VENT — GALVANIZED (WITH DEAD SOFT ALUMINUM FLANGE)

SIZE	ITEM#
4"	JV 428 DSA
6"	JV 626 DSA
8"	JV 826 DSA

The DSA flange is ideal for metal and tile roof installation. Can be used on any roof pitch.



See www.artiscaps.com or call us for specialty powder coating options and other customizations available.

ROOF MOUNT EXHAUST VENT

ROOF MOUNT EXHAUST VENT — COPPER

ROOF CAP — PLASTIC



PRODUCT CATALOG

ROOF MOUNT EXHAUST VENT

GALVANIZED		ALUMINUM	
SIZE	ITEM#	SIZE	ITEM#
4"	RDVG 4	4"	RDVA 4
5"	RDVG 5	5"	RDVA 5
6"	RDVG 6	6"	RDVA 6
7"	RDVG 7	7"	RDVA 7
8"	RDVG 8	8"	RDVA 8

The Artis Roof Mount Exhaust Vent is ideal for use as dryer ventilation. It can also be used as a ventilation exhaust for bathrooms and range hoods. Not recommended for use on flat roofs.



Built in damper. Built in pipe hard connect.

BLACK ONLY	
SIZE	ITEM#
6"X10"	RDVG 610
10"X10"	RDVG 1010

For use on pitched roofs only.
24ga. Galvanized steel construction **powder coated black**
.020 Aluminum Damper and 1/4" Mesh Bird Screen
Without hard connect.




AVAILABLE IN
POWDERCOATED BLACK ONLY

ROOF MOUNT EXHAUST VENT — COPPER

SIZE	ITEM#
4"	RDVC 4
6"	RDVC 6
8"	RDVC 8


Aesthetically pleasing copper design.
Includes copper screen.
Not recommended for use on flat roofs.



ROOF CAP—PLASTIC

BLACK PLASTIC WITH STEM		BLACK PLASTIC NO STEM	
SIZE	ITEM#	SIZE	ITEM#
4"	RVS 4BK	4"	RCV 4BK
6"	RVS 6BK	6"	RCV 6BK

Heavy duty black plastic roof exhaust cap.
Fits 4" and 6" bath exhaust vent systems.



This item is available in other colors.
Please call for price and availability.

TRIANGLE TURBINE VENTILATOR

— INTERNALLY BRACED

— EXTERNALLY BRACED



PRODUCT CATALOG

We proudly manufacture Triangle Turbine Ventilators at our factory in Boise, ID.
This design with its unique jewel bearing system is quiet, durable and efficient.

TRIANGLE TURBINE VENTILATOR — INTERNALLY BRACED

GALVANIZED		ALUMINUM	
SIZE	ITEM#	SIZE	ITEM#
4"	JB 4G	4"	JB 4A
6"	JB 6G	6"	JB 6A
8"	JB 8G	8"	JB 8A
10"	JB 10G	10"	JB 10A
12"	JB 12G	12"	JB 12A
14"	JB 14G	14"	JB 14A
16"	JB 16G	16"	JB 16A
18"	JB 18G	18"	JB 18A
20"	JB 20G	20"	JB 20A
24"	JB 24G	24"	JB 24A
30"	JB 30G	30"	JB 30A
36"	JB 36G	36"	JB 36A
42"	JB 42G	42"	JB 42A
48"	JB 48G	48"	JB 48A



* All sizes 24" and above require crating when shipping, at additional charge.

TRIANGLE TURBINE VENTILATOR — EXTERNALLY BRACED

GALVANIZED		ALUMINUM	
SIZE	ITEM#	SIZE	ITEM#
8"	WW 8G	8"	WW 8A
10"	WW 10G	10"	WW 10A
12"	WW 12G	12"	WW 12A
14"	WW 14G	14"	WW 14A
16"	WW 16G	16"	WW 16A
18"	WW 18G	18"	WW 18A
20"	WW 20G	20"	WW 20A
24"	WW 24G	24"	WW 24A



*Externally Braced Triangle Turbine Ventilators in sizes 4" through 16" and Internally Braced Triangle Turbine Ventilators in sizes 8" through 16" qualify as part of our standard Free Freight Allowance as outlined at the back of this catalog. All sizes 18" and above do not qualify for the Free Freight Allowance. We will happily provide you with a freight quote for shipping these items. All sizes 24" and above require crating when shipping, at additional charge.

See Ventilator Roof Bases on page 20 of this catalog.
Automatic Damper available for 12" models. See page 24.

AERO-FOIL GRAVITY VENTILATOR

MASTER GRAVITY VENTILATOR



PRODUCT CATALOG

AERO-FOIL GRAVITY VENTILATOR

GALVANIZED		ALUMINUM	
SIZE	ITEM#	SIZE	ITEM#
3"	AFL 3G	3"	AFL 3A
4"	AFL 4G	4"	AFL 4A
5"	AFL 5G	5"	AFL 5A
6"	AFL 6G	6"	AFL 6A
7"	AFL 7G	7"	AFL 7A
8"	AFL 8G	8"	AFL 8A
9"	AFL 9G	9"	AFL 9A
10"	AFL 10G	10"	AFL 10A
12"	AFL 12G	12"	AFL 12A
14"	AFL 14G	14"	AFL 14A
16"	AFL 16G	16"	AFL 16A
18"	AFL 18G	18"	AFL 18A
20"	AFL 20G	20"	AFL 20A
24"	AFL 24G	24"	AFL 24A
30"	AFL 30G	30"	AFL 30A
36"	AFL 36G	36"	AFL 36A
42"	AFL 42G	42"	AFL 42A
48"	AFL 48G	48"	AFL 48A

The Aero-Foil Gravity ventilator is an all purpose ventilator that protects vent pipe from high winds and exterior intrusion. Also available in stainless steel upon request.

- Positive exhaust regardless of wind direction
- Eliminates backdraft
- No moving parts
- Unobstructed air passage
- Weather protected




* All sizes 24" and above require crating when shipping, at additional charge.

MASTER GRAVITY VENTILATOR

GALVANIZED		ALUMINUM	
SIZE	ITEM#	SIZE	ITEM#
4"	MVR 4G	4"	MVR 4A
6"	MVR 6G	6"	MVR 6A
8"	MVR 8G	8"	MVR 8A
10"	MVR 10G	10"	MVR 10A
12"	MVR 12G	12"	MVR 12A
14"	MVR 14G	14"	MVR 14A
16"	MVR 16G	16"	MVR 16A
18"	MVR 18G	18"	MVR 18A
20"	MVR 20G	20"	MVR 20A
24"	MVR 24G	24"	MVR 24A
30"	MVR 30G	30"	MVR 30A
36"	MVR 36G	36"	MVR 36A
42"	MVR 42G	42"	MVR 42A
48"	MVR 48G	48"	MVR 48A

The Artis Master Gravity Ventilator is an all purpose heavy duty ventilator for residential, commercial and light industrial use. The design allows for positive draft in all weather environments with a clean durable appearance. Also available in stainless steel upon request.



* All sizes 24" and above require crating when shipping, at additional charge.

*Aero-Foil and Master Gravity Ventilators in sizes 18" and above do not qualify for the Free Freight Allowance.
We will be happy to provide you with a freight quote for shipping these items.*

See Ventilator Roof Bases on page 20 of this catalog.

WIND DIRECTIONAL CAP

GLOBE VENT




PRODUCT CATALOG

WIND DIRECTIONAL CAP

GALVANIZED		STAINLESS STEEL	
SIZE	ITEM#	SIZE	ITEM#
5"	WDC 5	5"	WDCS 5
6"	WDC 6	6"	WDCS 6
7"	WDC 7	7"	WDCS 7
8"	WDC 8	8"	WDCS 8
10"	WDC 10	10"	WDCS 10
12"	WDC 12	12"	WDCS 12

The Artis Wind Directional Cap is used to control downdraft issues caused by high wind situations.

1/2" screen can be added to any wind directional cap for spark arresting.



GLOBE VENT

GALVANIZED			
SIZE	ITEM#	SIZE	ITEM#
4"	GGV 426	12"	GGV 1226
5"	GGV 526	14"	GGV 1424
6"	GGV 626	16"	GGV 1624
7"	GGV 726	18"	GGV 1824
8"	GGV 826	20"	GGV 2024
9"	GGV 926	24"	GGV 2424
10"	GGV 1026	30"	GGV 3024

The Artis Globe Vent is ideal for use as a gravity attic ventilator. It can also be used for forced exhaust ventilation.



CONE TOP CAP — GALVANIZED, STAINLESS STEEL

CONE TOP CAP — COPPER

CONE CAP — ADJUSTABLE



PRODUCT CATALOG

CONE TOP CAP — GALVANIZED, STAINLESS STEEL

GALVANIZED		STAINLESS STEEL	
SIZE	ITEM#	SIZE	ITEM#
3"	GCT 3	3"	SCT 3
4"	GCT 4	4"	SCT 4
5"	GCT 5	5"	SCT 5
6"	GCT 6	6"	SCT 6
7"	GCT 7	7"	SCT 7
8"	GCT 8	8"	SCT 8
9"	GCT 9	9"	SCT 9
10"	GCT 10	10"	SCT 10
12"	GCT 12	12"	SCT 12
14"	GCT 14	14"	SCT 14
16"	GCT 16	16"	SCT 16
18"	GCT 18	18"	SCT 18
20"	GCT 20		
24"	GCT 24		

The Artis Cone Top Cap is for use as an all-weather cap to keep rain and snow from leaking into chimney pipe as well as for ventilation. Convenient drawbolt installation for secure fit up to size 16".



Some larger sizes are available.
1/8", 1/4" or 1/2" screen is available at extra charge.
All sizes 24" and above require crating when shipping, at additional charge.

CONE TOP CAP — COPPER

COPPER	
SIZE	ITEM#
4"	CCT 4
6"	CCT 6
8"	CCT 8
9"	CCT 9
10"	CCT 10
12"	CCT 12
14"	CCT 14

Aesthetically pleasing copper design.
Convenient drawbolt installation for secure fit.



CONE CAP — ADJUSTABLE (ADJUSTS TO FIT LISTED SIZES)

GALVANIZED ONLY	
SIZE	ITEM#
4", 5"	GCT 45
6", 7", 8"	GCT 68
9", 10", 12"	GCT 912

The Artis Adjustable Cone Cap offers multiple sizes in one of three caps. Takes up less shelf space to stock. Convenient drawbolt installation for secure fit.



VACUUM CAP

VACUUM TILE CAP



PRODUCT CATALOG

VACUUM CAP

The Artis Vacuum Cap is Artis Metals Company's flagship vent cap for use with fossil fuel chimneys. It is designed to prevent downdraft and poor draws created by wind. When the wind blows across the side gores, the cap creates a vacuum at the base, pulling air and/or fumes from the pipe and out through the cap.

GALVANIZED		STAINLESS STEEL		ALUMINUM	
SIZE	ITEM#	SIZE	ITEM#	SIZE	ITEM#
3"	GVC 326	3"	SVC 326	3"	AVC 320
4"	GVC 426	4"	SVC 426	4"	AVC 420
5"	GVC 526	5"	SVC 526	5"	AVC 525
6"	GVC 626	6"	SVC 626	6"	AVC 625
7"	GVC 726	7"	SVC 726	7"	AVC 725
8"	GVC 824	8"	SVC 824	8"	AVC 825
9"	GVC 924	9"	SVC 924	9"	AVC 925
10"	GVC 1024	10"	SVC 1024	10"	AVC 1025
12"	GVC 1224	12"	SVC 1224	12"	AVC 1225
14"	GVC 1424	14"	SVC 1426	14"	AVC 1425
16"	GVC 1624	16"	SVC 1626	16"	AVC 1625
18"	GVC 1824	18"	SVC 1826	18"	AVC 1825
20"	GVC 2024	20"	SVC 2026	20"	AVC 2025



1/2 sizes are available priced to next largest size.


VACUUM TILE CAP

The Artis Vacuum Tile Cap is the vacuum cap for use specifically with tile chimney liners it is designed to prevent downdraft and poor draws created by wind. When the wind blows across the side gores, the cap creates a vacuum at the base, pulling air and/or fumes from the pipe and out through the cap.

GALVANIZED		STAINLESS STEEL	
SIZE	ITEM#	SIZE	ITEM#
8X8	GSQ 824	8X8	SSQ 824
8X10	GSQ 81024	8X10	SSQ 81024
8X12	GSQ 81224	8X12	SSQ 81224
8X16	GSQ 81624	8X16	SSQ 81624
12X12	GSQ 121224	12X12	SSQ 121224
12X16	GSQ 121624	12X16	SSQ 121624
16X16	GSQ 161624	16X16	SSQ 161624



VACUUM TILE CAP



Custom sizes available at additional charge (specify length and width).

CHIMNEY CAP ADAPTOR

ADJUSTABLE TILE ADAPTOR



PRODUCT CATALOG

CHIMNEY CAP ADAPTOR

The Artis Chimney Cap Adaptor slides down the inside of triple wall or insulated pipe leaving a 2" collar to attach any Artis Chimney Cap to the pipe.

GALVANIZED		STAINLESS STEEL	
SIZE	ITEM#	SIZE	ITEM#
5"	GWCA 5	5"	SWCA 5
6"	GWCA 6	6"	SWCA 6
7"	GWCA 7	7"	SWCA 7
8"	GWCA 8	8"	SWCA 8
10"	GWCA 10	10"	SWCA 10
12"	GWCA 12	12"	SWCA 12



ADJUSTABLE TILE ADAPTOR

The Artis Adjustable Tile Adaptor is used to adapt round chimney caps to tile chimney liners.

GALVANIZED		STAINLESS STEEL	
SIZE	ITEM#	SIZE	ITEM#
8X8	ATA 88	8X8	SATA 88
8X12	ATA 812	8X12	SATA 812
12X12	ATA 1212	12X12	SATA 1212
12X16	ATA 1216	12X16	SATA 1216
16X16	ATA 1616	16X16	SATA 1616



Please specify collar size.

ADJUSTABLE TILE ADAPTOR				
TILE SIZE	FITS OUTSIDE TILE DIMENSION	GALVANIZED CAT NO.	STAINLESS CAT NO.	COLLAR SIZES*
8X8	7 1/2" x 7 1/2" TO 9 1/2" x 9 1/2"	ATA 88	SATA 88	6", 7"
8X12	7 1/2" x 11 1/2" TO 9 1/2" x 13 1/2"	ATA 812	SATA 812	6", 7", 8"
12X12	11 1/2" x 11 1/2" TO 9 1/2" x 13 1/2"	ATA 1212	SATA 1212	6", 7", 8", 10"
12X16	11 1/2" x 16 1/2" TO 13 1/2" x 18 1/2"	ATA 1216	SATA 1216	6", 7", 8", 10"
16X16	16 1/2" x 16 1/2" TO 18 1/2" x 18 1/2"	ATA 1616	SATA 1616	6", 7", 8", 10", 12", 14"

ROOF BASE — FLAT

ROOF BASE — PITCHED

ROOF BASE — SADDLE

ROOF BASE — ADJUSTABLE




PRODUCT CATALOG

ROOF BASE — FLAT

GALVANIZED	
SIZE	ITEM#
4"	FB 4
6"	FB 6
8"	FB 8
10"	FB 10
12"	FB 12
14"	FB 14
16"	FB 16
18"	FB 18
20"	FB 20
22"	FB 22
24"	FB 24


The Artis Flat Base is designed for use on flat roofs and can be used with Artis Roof Ventilators or Chimney Caps. Collar is crimped at the top for ease of cap installation.



ROOF BASE — PITCHED

GALVANIZED	
SIZE	ITEM#
4"	PB 4
6"	PB 6
8"	PB 8
10"	PB 10
12"	PB 12
14"	PB 14
16"	PB 16
18"	PB 18
20"	PB 20
22"	PB 22
24"	PB 24


The Artis Pitched Base is designed for use on pitched roofs and can be used with Artis Roof Ventilators and Chimney Caps. Collar is crimped at the top for ease of cap installation. Must specify pitch when ordering.



ROOF BASE — SADDLE

GALVANIZED	
SIZE	ITEM#
4"	SB 4
6"	SB 6
8"	SB 8
10"	SB 10
12"	SB 12
14"	SB 14
16"	SB 16
18"	SB 18
20"	SB 20
22"	SB 22
24"	SB 24

The Artis Saddle Base is designed for use on the roof saddle and can be used with Artis Roof Ventilators and Chimney Caps. Collar is crimped at the top for ease of cap installation. Must specify pitch when ordering.



ROOF BASE — ADJUSTABLE

GALVANIZED	
SIZE	ITEM#
3"	AB 3
4"	AB 4
5"	AB 5
6"	AB 6
7"	AB 7
8"	AB 8
9"	AB 9
10"	AB 10
12"	AB 12
14"	AB 14

The Artis Adjustable Base is designed for use on any standard roof pitch and can be used with Artis Roof Ventilators and Chimney Caps. The round collar turns to adjust the top to level. Collar is crimped at the top for ease of cap installation.



PIPE FLASHING — STANDARD PITCH

PIPE FLASHING — STEEP PITCH

PIPE FLASHING — FLAT PITCH


PIPE FLASHING — FLAT WITH TALL CONE



PRODUCT CATALOG

PIPE FLASHING — **STANDARD PITCH


SINGLE WALL		DOUBLE WALL (INSULATED)	
SIZE	ITEM#	SIZE	ITEM#
3"	G 3	3-1/2"	GB 3
4"	G 4	4-1/2"	GB 4
5"	G 5	5-1/2"	GB 5
6"	G 6	6-1/2"	GB 6
7"	G 7	7-1/2"	GB 7
8"	G 8	The Artis G/GB Flashings are for use on .5/12 to 6/12 pitched roofs. Must use storm collar for weather barrier.	
9"	G 9		
10"	G 10		
12"	G 12		
14"	G 14		
16"	G 16		
18"	G 18		
20"	G 20		



** .5/12 to 6/12 pitch


PIPE FLASHING — FLAT PITCH

SINGLE WALL		DOUBLE WALL (INSULATED)	
SIZE	ITEM#	SIZE	ITEM#
3"	FP 3	3-1/2"	FP 3B
4"	FP 4	4-1/2"	FP 4B
5"	FP 5	5-1/2"	FP 5B
6"	FP 6	6-1/2"	FP 6B
7"	FP 7	7-1/2"	FP 7B
8"	FP 8	The Artis FP/FP_B Flashings are for use on flat pitched roofs. Must use storm collar for weather barrier.	
9"	FP 9		
10"	FP 10		
12"	FP 12		
14"	FP 14		
16"	FP 16		
18"	FP 18		
20"	FP 20		



PIPE FLASHING — **STEEP PITCH

SINGLE WALL		DOUBLE WALL (INSULATED)	
SIZE	ITEM#	SIZE	ITEM#
3"	GH 3	3-1/2"	GHB 3
4"	GH 4	4-1/2"	GHB 4
5"	GH 5	5-1/2"	GHB 5
6"	GH 6	6-1/2"	GHB 6
7"	GH 7	7-1/2"	GHB 7
8"	GH 8	The Artis GH/GHB Flashings are for use on 7/12 to 12/12 pitched roofs. Must use storm collar for weather barrier.	
9"	GH 9		
10"	GH 10		
12"	GH 12		



** 7-12 to 12-12 pitch

PIPE FLASHING — FLAT WITH TALL CONE

SINGLE WALL	
SIZE	ITEM#
3"	TFP 3
4"	TFP 4
5"	TFP 5
6"	TFP 6
7"	TFP 7
8"	TFP 8
10"	TFP 10
12	TFP 12
14"	TFP 14
16"	TFP 16

The Artis TFP Flashings are for use on flat pitch roofs. Must use storm collar for weather barrier.



PIPE FLASHING — ALUMINUM WITH D.S.A. FLANGE

STORM COLLAR


STAND-OFF BRACKET



PRODUCT CATALOG

PIPE FLASHING — ALUMINUM WITH DEAD SOFT ALUMINUM FLANGE

SINGLE WALL-STANDARD			DOUBLE WALL-STANDARD		
SIZE	ITEM#	LIST	SIZE	ITEM#	LIST
4"	G4A DSA	\$33.85	4-1/2"	GB4A DSA	\$45.00
6"	G6A DSA	\$41.30	5-1/2"	GB6A DSA	\$48.48
8"	G8A DSA	\$54.67	6-1/2"	GB8A DSA	\$56.50



STORM COLLAR

GALVANIZED			
SINGLE WALL		DOUBLE WALL	
SIZE	ITEM#	SIZE	ITEM#
3"	SC 3	3-1/2"	SC 3B
4"	SC 4	4-1/2"	SC 4B
5"	SC 5	5-1/2"	SC 5B
6"	SC 6	6-1/2"	SC 6B
7"	SC 7	7-1/2"	SC 7B
8"	SC 8		
9"	SC 9		
10"	SC 10		
12"	SC 12		
14"	SC 14		
16"	SC 16		
18"	SC 18		

For use with flashings to create a weather barrier. Convenient drawbolt installation for secure fit.



STAND-OFF BRACKET

DOUBLE WALL	
SIZE	ITEM#
3-1/2"	BRK 316
4-1/2"	BRK 416
5-1/2"	BRK 516
6-1/2"	BRK 616
7-1/2"	BRK 716
8-1/2"	BRK 816

Bracket legs are made of 16 gauge galvanized material for strength. Standard stand-off is 2". Convenient drawbolt installation for secure fit.



BACKDRAFT DAMPER — BUTTERFLY

BACKDRAFT DAMPER — OFFSET PIN

DRYER DAMPER



PRODUCT CATALOG

BACKDRAFT DAMPER — BUTTERFLY

Ideal for use as an inline backdraft damper for intake or exhaust applications.

GALVANIZED	
SIZE	ITEM#
4"	BD 4
5"	BD 5
6"	BD 6
7"	BD 7
8"	BD 8
9"	BD 9
10"	BD 10
12"	BD 12
14"	BD 14
16"	BD 16
18"	BD 18
20"	BD 20
24"	BD 24



BACKDRAFT DAMPER — OFFSET PIN

Ideal for use as an inline backdraft damper for exhaust only. Specifically designed for use with clothes dryers (vertical installation only).

GALVANIZED	
SIZE	ITEM#
4"	OSP 4
5"	OSP 5
6"	OSP 6
7"	OSP 7
8"	OSP 8
9"	OSP 9
10"	OSP 10
12"	OSP 12



DRYER DAMPER

ALUMINUM	
SIZE	ITEM#
4"	DD 4
6"	DD 6

Specifically designed for use with clothes dryers. Spring loaded for positive damper return to conform with energy codes prevents air migration back into dryer venting. All aluminum construction with stainless steel spring.



AUTOMATIC DAMPER FOR 12" VENTILATOR

ROUND VOLUME DAMPER (SLIDE IN)

SPOOL DAMPER (A.K.A. DAMPERED START COLLAR)



PRODUCT CATALOG

AUTOMATIC DAMPER FOR 12" VENTILATOR

GALVANIZED

SIZE	ITEM#
12"	ADV 12

This damper retrofit is designed to assist Turbine Ventilators in attic temperature and moisture control. Specifically for use with 12" Turbine Ventilators.




ROUND VOLUME DAMPER (SLIDE IN)

GALVANIZED

SIZE	ITEM#
4"	RVD 4
6"	RVD 6
8"	RVD 8
10"	RVD 10
12"	RVD 12
14"	RVD 14
16"	RVD 16
18"	RVD 18
20"	RVD 20
24"	RVD 24

This manual damper is designed for use in existing duct runs where the ability to adjust the volume of airflow is needed but installation of a traditional damper unit is not feasible.



SPOOL DAMPER (A.K.A. DAMPERED START COLLAR)

GALVANIZED

SIZE	ITEM#
4"	GSD 4
6"	GSD 6
8"	GSD 8
10"	GSD 10
12"	GSD 12
14"	GSD 14
16"	GSD 16
18"	GSD 18
20"	GSD 20

Ideal for use as an inline damper where manual air flow adjustment is needed.



END CAP

PLUG

PLUG STYLE PIPE REDUCER



PRODUCT CATALOG

END CAP



GALVANIZED	
NO CRIMP	
SIZE	ITEM#
3"	FC 3
4"	FC 4
5"	FC 5
6"	FC 6
7"	FC 7
8"	FC 8
9"	FC 9
10"	FC 10
12"	FC 12
14"	FC 14
16"	FC 16
18"	FC 18
20"	FC 20
22"	FC 22
24"	FC 24

Designed to cap off the end of a pipe or roof opening.

Also available in aluminum.

PLUG



GALVANIZED	
CRIMPED	
SIZE	ITEM#
3"	GP 3
4"	GP 4
5"	GP 5
6"	GP 6
7"	GP 7
8"	GP 8
9"	GP 9
10"	GP 10
12"	GP 12
14"	GP 14
16"	GP 16
18"	GP 18
20"	GP 20
22"	GP 22
24"	GP 24

Designed to plug the end of a pipe or roof opening.

Also available in aluminum.

PLUG STYLE PIPE REDUCER

GALVANIZED	
SIZE	ITEM#
4X	PR 4X
5X	PR 5X
6X	PR 6X
7X	PR 7X
8X	PR 8X
9X	PR 9X
10X	PR 10X
12X	PR 12X
14X	PR 14X

Crimped plug designed with a reduced ring for use in tight spaces with low air pressure.



Also available in aluminum.

FLAT STYLE INCREASER REDUCER

TAPERED REDUCER (THREE-PIECE)



PRODUCT CATALOG

FLAT STYLE INCREASER REDUCER

GALVANIZED		ALUMINUM	
SIZE	ITEM#	SIZE	ITEM#
4X	I/R 4X	4X	I/R 4XA
5X	I/R 5X	5X	I/R 5XA
6X	I/R 6X	6X	I/R 6XA
7X	I/R 7X	7X	I/R 7XA
8X	I/R 8X	8X	I/R 8XA
9X	I/R 9X	9X	I/R 9XA
10X	I/R 10X	10X	I/R 10XA
12X	I/R 12X	12X	I/R 12XA

Designed to reduce duct size in a short transition.



Also available in cold rolled steel.

TAPERED REDUCER (THREE PIECE)

GALVANIZED		ALUMINUM	
SIZE	ITEM#	SIZE	ITEM#
4X	TR 4X	4X	TR 4XA
5X	TR 5X	5X	TR 5XA
6X	TR 6X	6X	TR 6XA
7X	TR 7X	7X	TR 7XA
8X	TR 8X	8X	TR 8XA
9X	TR 9X	9X	TR 9XA
10X	TR 10X	10X	TR 10XA
12X	TR 12X	12X	TR 12XA
14X	TR 14X	14X	TR 14XA
16X	TR 16X	16X	TR 16XA
18X	TR 18X	18X	TR 18XA
20X	TR 20X	20X	TR 20XA
22X	TR 22X	22X	TR 22XA
24X	TR 24X	24X	TR 24XA

Designed to reduce duct size in a tapered transition.



Also available in cold rolled and stainless steel.

START COLLAR — STANDARD

START COLLAR — EXTENDED 6"

PIPE COUPLER



PRODUCT CATALOG

START COLLAR — STANDARD

GALVANIZED	
SIZE	ITEM#
4"	SSC 4
6"	SSC 6
8"	SSC 8
10"	SSC 10
12"	SSC 12
14"	SSC 14
16"	SSC 16
18"	SSC 18
20"	SSC 20
22"	SSC 22
24"	SSC 24



Standard crimped start collar for duct take off.

START COLLAR — EXTENDED 6"

GALVANIZED	
SIZE	ITEM#
4"	ESC 4
6"	ESC 6
8"	ESC 8
10"	ESC 10
12"	ESC 12
14"	ESC 14
16"	ESC 16
18"	ESC 18
20"	ESC 20
22"	ESC 22
24"	ESC 24



Extended crimped start collar for duct take off.

PIPE COUPLER

GALVANIZED	
SIZE	ITEM#
4"	CPLG 4
6"	CPLG 6
8"	CPLG 8
10"	CPLG 10
12"	CPLG 12
14"	CPLG 14
16"	CPLG 16
18"	CPLG 18
20"	CPLG 20
22"	CPLG 22
24"	CPLG 24



Pipe coupler for use with standard or flexible ducting.

FOUNDATION/SOFFIT VENT

EAVE VENT — GALVANIZED

EAVE VENT — COPPER

PLUMBERS VENT




PRODUCT CATALOG

FOUNDATION/SOFFIT VENT

GALVANIZED				
DAMPER & SCREEN				
SIZE	ITEM#	FA	QTY	WT
6x16	VDS 616	25 sq.in.	50	52.00
8X16	VDS 816	39 sq.in.	50	66.00
DAMPER ONLY				
SIZE	ITEM#	FA	QTY	WT
6x16	VD 616	25 sq.in.	50	45.00
8X16	VD 816	39 sq.in.	50	59.00
SCREEN ONLY				
SIZE	ITEM#	FA	QTY	WT
6x16	VS 616	25 sq.in.	100	49.00
8X16	VS 816	39 sq.in.	100	53.00
NO DAMPER OR SCREEN				
SIZE	ITEM#	FA	QTY	WT
6x16	V 616	25 sq.in.	100	49.00
8X16	V 816	39 sq.in.	100	53.00

These vents can be used for both foundations and soffits. Made of galvanized 28GA G-90.



Dampered units are double hinged.

EAVE VENT — GALVANIZED

The Eave Vent is ideal for use as an undereave vent termination for intake or exhaust.

GALVANIZED	
SIZE	ITEM#
4"	EVG 4
6"	EVG 6
8"	EVG 8
10"	EVG 10



EAVE VENT — COPPER

The Copper Eave Vent is ideal for use as an undereave vent termination for intake or exhaust with the aesthetically pleasing look of copper.

COPPER	
SIZE	ITEM#
4"	EVC 4
6"	EVC 6
8"	EVC 8
10"	EVC 10



OTHER AVAILABLE PRODUCTS

SHUR-VENT (NATURAL GAS & LP)

PEAK VENT

PLUMBER'S VENT

CRICKET FLASHING



PRODUCT CATALOG

SHUR-VENT (NATURAL GAS & LP)

The Artis Shur-Vent is ideal for use as a gas appliance vent cap. It is designed to eliminate downdraft and protect the pilot in gas appliances.

GALVANIZED		ALUMINUM	
SIZE	ITEM#	SIZE	ITEM#
3"	SV 326	3"	ASV 320
4"	SV 426	4"	ASV 420
5"	SV 526	5"	ASV 520
6"	SV 626	6"	ASV 620
7"	SV 726	7"	ASV 720
8"	SV 826	8"	ASV 820
9"	SV 926	9"	ASV 925
10"	SV 1026	10"	ASV 1025
12"	SV 1226	12"	ASV 1225




1/2 sizes are available priced at next largest size.

PEAK VENT

The Artis Peak Vent is ideal for use as a gravity attic ventilator to be installed at the peak of the roof. It has a cover designed to deflect rain or snow off to each side.

ALUMINUM	
SIZE	ITEM#
4"	APV 4
5"	APV 5
6"	APV 6
7"	APV 7
8"	APV 8
10"	APV 10
12"	APV 12




PLUMBER'S VENT

ALUMINUM	
SIZE	ITEM#
4"	PLV 4



CRICKET FLASHING

GALVANIZED	
SIZE	ITEM#
1-1/4"-2"	CF 2
3"-4"	CF 4





PHONE: (208) 336-1560 - OUTSIDE IDAHO: (800) 892-2277 • FACSIMILE: (208) 343-9679

Website: www.artiscaps.com • E-mail: info@artiscaps.com

ORDERING INFORMATION

CATALOG NUMBERS:	Please use our catalog numbers and descriptions when ordering to help avoid confusion or delay. Most catalog numbers denote the size and gauge of material used.
MULTIPLIERS:	Multipliers are a percentage off of list prices. All special orders are quoted at net price and are not eligible for multiplier discounts. Multipliers are established at the start of each year. If a change in multiplier is necessary, you will be notified prior to the change being made.
MATERIALS:	Most catalog numbers denote gauge of material but if a special gauge material is needed, please be sure to specify when ordering (Example: GVC 626—The 26 at the end of the catalog number denotes 26 gauge material). Most items are available manufactured from special materials; copper, stainless steel and powder-coated. Please inquire which items are available in these materials. Various screen sizes are also available; Galvanized 1/8", 1/4" and 1/2", Aluminum 1/8" mesh, Stainless Steel 1/8", 1/4" and 1/2", Copper 1/8" and 1/4". 1/4" screen is standard. Specify when ordering if a different screen size is desired.
OVERSIZE CARTONS:	Certain cartons because of their size are rated at cubic inches rather than weight. Parcel companies are using Oversize 1 which is rated at 108 cu. In. or 30 lbs. and Oversize 2 which is rated at 130 cu. In. or 70 lbs. On cartons sized as OS2 we check the cost with LTL carriers to find the cheapest way to ship.
RETURN POLICY:	A 20% restock charge will be assessed on all items approved for return to stock. A return authorization number will be required for all items returned and return freight will be prepaid by the customer. All items must be in new/undamaged condition for resale in order to obtain credit. All items returned will be for merchandise credit only. Special order/non-catalog item sales are final and will not be accepted for return. Return authorizations will expire 30 days after issue and returns will not be accepted nor will credit be issued past that time. NO REFUNDS, CASH OR CHECK WILL BE ISSUED.
CANCELLATIONS:	Once purchase order material is in process the purchase order cannot be cancelled. If a purchase order must be cancelled, all production costs incurred from the date the purchase order is placed to the date of cancellation will be the customer's responsibility.
MINIMUM ORDERS:	Any order under \$100.00 will incur a \$5.00 handling fee.

DELIVERY TERMS

FREIGHT POLICY:	All orders shipped below free freight minimums will be prepaid by Artis Metals Company (to provide customers with our freight discounts) and added to the customer's invoice unless otherwise specified. All Next Day, Second Day and Third Day shipments will be prepaid and added to the customer's invoice and are not included in our Free Freight Allowance. It is the customer's responsibility to provide accurate shipping information. Any necessary address corrections made and charged for by freight companies will be billed back to the customer in the event of an incorrect or incomplete address. Please note that the free freight allowance does not apply to Special Order items not listed in the catalog.
ROUTING:	All orders will be shipped the most cost effective way unless otherwise specified by the customer. If the customer chooses their own freight company that customer will be responsible for all freight charges. This may include any freight service charge or prepaid freight charges being added to the customer's invoice. All free freight allowed orders will be shipped best way according to the discounts we receive from our carriers.
UPC CODING:	We offer an Excel Spreadsheet containing all of the UPC Codes for our products. You can request a copy of the spreadsheet to be e-mailed to you by calling, faxing or e-mailing Artis Metals Company, Inc. We also offer product UPC labeling services at customer's request.




PHONE: (208) 336-1560 - OUTSIDE IDAHO: (800) 892-2277 • FACSIMILE: (208) 343-9679

Website: www.artiscaps.com • E-mail: info@artiscaps.com

TERMS OF SALE

TERMS:	Payment is due Net 30 Days from the date of invoice. Payment is to be made to Artis Metals Company, Inc., 3323 Chinden Boulevard, Boise, ID 83714-6638. We accept cash, check, money order, bank draft, VISA and MasterCard as forms of payment. Any accounts with invoices over 60 days old will be placed on credit hold and will ship C.O.D. at list prices until the accounts are brought completely current including all interest charges accrued at which time we reserve the right to review multiplier status and make any changes deemed necessary.
---------------	---



FREE FREIGHT ALLOWANCES

ZONE 1	\$1,000
ZONE 2	\$2,000
ALASKA & HAWAII	\$1,000 Prepaid to Zone 1 mainland forwarding point
CANADA	There is no free freight allowance available for shipments into Canada. All orders shipping into Canada require up to date NAFTA information including broker firm and contact name. It is the responsibility of the customer to provide correct shipping information. It must be clearly stated on the purchase order how the order is to ship. If the order is to ship with recipient or third party billing we must have all information on the purchase order. We can ship parcel orders via USPS upon customer request.
INTERNATIONAL	Contact us for pricing and available options.

** Non-catalog, special order items do not qualify for Free Freight.

*Proudly Providing High Quality American Made
Products To The HVAC Industry For 75 Years*



"A Tradition of Quality Since 1937"

® *Artis Metals Company*

Artis Metals Company, Inc.
3323 Chinden Blvd., Boise, ID 83714
Website: **www.artiscaps.com**
E-mail: **info@artiscaps.com**
Phone: 208-336-1560
Toll Free: 800-892-2277
Fax: 208-343-9679