



PRODUCT CATALOG

MARCH 2024

Request Current Price List

87 YEARS
OF QUALITY

HEAVIER GAUGE
FRIENDLY SERVICE
AMERICAN MADE

www.artiscaps.com



HELLO FROM, ® *Artis Metals*

Supplying the HVAC Industry Since 1937
Friendly Small Business Touch
Quick Quotes
Hands On Customer Service

WE ARE HERE TO HELP YOU!

 ARTISCAPS@MSN.COM OR  (208) 336-1560



Samantha Gaskell
General Manager
Since 1998




Kerry Jensen
Office Manager
Since 2005



Kia Alspach
Admin Assistant
Since 2020



Tony Phillips
Shop Foreman
Since 1997




Bobby Godfrey
Warehouse Manager
Since 2013

WWW.ARTISCAPS.COM



WHY CHOOSE ARTIS?



GUARANTEE

All products are guaranteed to be free of defective material and workmanship for the period of one year from date of invoice. During that period, if any parts prove defective, they will be repaired or replaced free of charge at factory option; if upon receipt of a return authorization, they are returned delivered prepaid to the factory. This guarantee does not however, cover any damage caused by neglect of lubrication, accident or overload, improper installation, modification of original design or repairs made or attempted outside of the factory without written authorization from Artis Metals Company, Inc.

Correction of any verified defects by repair, replacement F.O.B. the Artis Metals Company, Inc. factory or credit to customer's account shall constitute fulfillment of the guarantee. No cash or check refunds will be issued.

CUSTOMIZATIONS

We will customize our standard products for quantity orders or ongoing business.

Additionally, we work with customer specifications to produce special or custom-designed products for OEMs or large order customers.

PLEASE CALL OR EMAIL IF INTERESTED.



ORDERING INFORMATION

ORDERING & CONFIRMATION:

Please submit your quote requests or purchase orders via email to artiscaps@msn.com. If you submit an order, you will receive an order confirmation within 24 hours. If you do not receive an order confirmation in 24 hours, please contact us to confirm your order was received.

CATALOG NUMBERS:

Please use our catalog numbers and descriptions when ordering to help avoid confusion or delay. Most catalog numbers denote the size and gauge of material used.

DISCOUNT MULTIPLIERS:

Multipliers are a percentage off of list prices. All special orders are quoted at net price and are not eligible for multiplier discounts. If a change in multiplier is necessary, you will be notified prior to the change being made.

MATERIALS:

Most catalog numbers denote material gauge, but if a special gauge material is needed, please be sure to specify when ordering (Example: GVC 626 - The 26 at the end of the catalog number denotes 26 gauge material). Most items can be manufactured from the following special materials; copper, stainless steel, galvanized and powder-coated galvanized. Please inquire which items are available in these materials. Various screen sizes are also available; Galvanized 1/8", 1/4" and 1/2", Aluminum 1/8" mesh, Stainless Steel 1/8", 1/4" and 1/2", Copper 1/8" and 1/4". 1/4" screen is standard. Specify when ordering if a different screen size is desired.

SPECIAL ORDERS:

Custom products or modifications to existing products will be considered and quoted based on customer provided specifications, at factory discretion. Some restrictions apply. Special order, custom products and modifications to products do not qualify for discounts or free freight allowances and are non-returnable.

RETURN POLICY:

A 30% restock charge will be assessed on all items approved for return to stock. A return authorization number will be required for all items returned and return freight will be prepaid by the customer. All items must be in new/undamaged condition for resale in order to obtain credit. All items returned will be for merchandise credit only. Special order/non-catalog item sales are final and will not be accepted for return. Items purchased more than six months prior to return request will not be accepted for return. Return authorizations will expire 30 days after issue and returns will not be accepted nor will credit be issued past that time. No refunds, cash or check will be issued.

CANCELLATIONS:

Once the purchase order material is in process, the purchase order cannot be canceled. If a purchase order must be canceled, all production costs incurred from the date the purchase order is placed to the date of cancellation will be the customer's responsibility.

MINIMUM ORDERS:

Any order under \$200.00 will incur a \$10.00 handling fee.

DELIVERY TERMS

FREIGHT POLICY:

All orders shipped below free freight minimums where applicable will be prepaid by Artis Metals Company (to provide customers with our freight discounts) and added to the customer's invoice unless otherwise specified. All Next Day, Second Day and Third Day shipments will be prepaid and added to the customer's invoice and are not included in our Free Freight Allowance. For our customers outside of free freight zones, we will be happy to provide a freight estimate for your shipment. Please note that this will be an estimate only and is subject to change. It is the customer's responsibility to provide accurate shipping information. Any necessary address corrections made and charged for by freight companies will be billed back to the customer in the event of an incorrect or incomplete address.

Note that there are items denoted in our catalog that DO NOT qualify for free freight allowances. The free freight allowance also does not apply to Special Order items not listed in the catalog.

FREIGHT DAMAGE:

If product is missing or damaged in shipment, it must be noted on the delivery receipt (BOL) prior to the freight truck departure. If you do not have time to count or inspect your shipment while the driver is there, please note on the delivery receipt "subject to count and inspection". Without this information on the delivery receipt, we will no longer be able to issue a credit for missing products. Photos of damage to cartons and products are required for our freight claim processes when carrier damage occurs.

ROUTING:

All orders will be shipped the most cost effective way unless otherwise specified by the customer. If the customer chooses their own freight company that customer will be responsible for all freight charges. This may include any freight service charge or prepaid freight charges being added to the customer's invoice. All free freight allowed orders will be shipped best way, at our discretion, according to the discounts we receive from our carriers. Special instructions requested by the customer including delivery appointments, liftgate service and fees assessed by the freight companies for limited access or redelivery will be added to the customer's invoice. This includes free freight allowed orders with special instruction requests.

SPECIAL PACKAGING REQUESTS:

Some special packaging requests can be accommodated upon request, at an additional charge. Additional packing materials and individual carton packaging are available options and will be charged for accordingly. Contact us for pricing information.

UPC CODING:

We offer an Excel Spreadsheet containing all of the UPC Codes for our products. You can request a copy of the spreadsheet to be e-mailed to you by calling, faxing or emailing Artis Metals Company, Inc. We also offer product UPC labeling services at customer's request.

Tel: (208) 336-1560

Fax: (208) 343-9679

Website: www.artiscaps.com


E-mail: artiscaps@msn.com

TERMS OF SALE

Payment is due Net 30 Days from the date of invoice. Any accounts with invoices over 60 days old will be placed on credit hold and will ship C.O.D. at list prices until the accounts are brought completely current including all interest charges accrued at which time we reserve the right to review multiplier status and make any changes deemed necessary.

Payment is to be made to Artis Metals Company, Inc., 3323 W Chinden Blvd, Boise, ID 83714-6638.
We accept cash, check, money order, bank draft, VISA and MasterCard as forms of payment.

FREE FREIGHT ALLOWANCES



ZONE 1	\$1,500
ZONE 2	\$2,000
ZONE 3	\$2,500
ZONE 4	No Free Freight Allowance. Zone 4 includes Alaska, Connecticut, Delaware, D.C, Florida, Georgia, Hawaii, Maine, Massachusetts, Maryland, New Hampshire, New Jersey, New York, North Carolina, Pennsylvania, Rhode Island, South Carolina, Vermont, Virginia, and Canada.
INTERNATIONAL	Contact us for pricing and available options

Note: Non-catalog, special order items do not qualify for Free Freight, unless specified in the quotation.

TABLE OF CONTENTS

Page

WALL VENTS	
Wall Cap — Intake or Exhaust Aluminum, Galvanized Copper, Stainless Steel	10-11
Wall Cap — Powder Coated	12
Wall Cap — Reversible Damper for Intake or Exhaust	12
Wall Cap — Rectangular Aluminum, Galvanized, Powder Coated Copper, Stainless Steel	13
Paintable Wall Vent Cap	14
Wide Mouth Wall Vent Cap	14
Hood Only Wall Vent Cap Galvanneal, Galvanized, Aluminum, Copper, Stainless Steel	15
ROOF VENTS	
J-Vent — Standard	16
Galvanized, Copper, Stainless Steel	16
J-Vent — Powder Coated Standard	17
J-Vent — With Hard Connect	17
J-Vent — 6"-12" Clearance	17
J-Vent — Shakebase	17
Roof Mount Exhaust Vent Galvanized, Aluminum, Powder Coated, Black, Copper	18
Roof Cap—Plastic with Stem	19
Roof Cap—Plastic without Stem	19
Louvered Wall Cap—Plastic	19
Triangle Turbine Ventilator — Internally Braced	20
Triangle Turbine Ventilator — Externally Braced	20
Aero-Foil Gravity Ventilator	21
Master Gravity Ventilator	21
Wind Directional Cap	22
Globe Vent	22








TABLE OF CONTENTS

Page

CHIMNEY CAPS & ADAPTORS	
Cone Top Cap Galvanized, Stainless Steel, Copper, Adjustable	23
Vacuum Cap	24
Vacuum Tile Cap	24
Chimney Cap Adaptor	25
Shur-Vent (Natural Gas & LP)	25
VENT BASES & FLASHINGS	
Roof Base Flat, Pitched, Saddle, Adjustable	26
Pipe Flashing Standard Pitch, Steep Pitch Flat Pitch, Flat with Tall Cone	27
Storm Collar	28
Spool Damper (Dampered Start Collar)	28
Round Volume Damper (Slide In)	28
DAMPERS	
Backdraft Damper — Butterfly	29
Backdraft Damper — Offset Pin	29
Dryer Damper	29
FITTINGS	
End Cap, Plug, Plug Style Pipe Reducer, Flat Style Increaser Reducer	30
Tapered Reducer (Three Piece)	31
FOUNDATION/SOFFIT & EAVE VENTS	
Eave Vent — Galvanized	32
Eave Vent — Copper	32
OTHER AVAILABLE PRODUCTS	
Plumber's Vent	32
Cricket Flashing	32



Additional Product Offerings available on our website


WALL CAP — INTAKE OR EXHAUST

■ WALL CAP — ALUMINUM ■ WALL CAP — GALVANIZED

WALL CAP — ALUMINUM

The Artis Wall Cap is ideal for use with dryer venting, kitchen fan exhaust, bath fan exhaust, furnace air intake, whole house ventilation, and HRVs. Vents with dampers come standard with a spring closure damper and weather seal for increased energy efficiency and noise reduction.

DAMPER ONLY		SCREEN ONLY		DAMPER & SCREEN	
SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #
3"	DWVA 3	3"	SWVA 3	3"	SDWVA 3
4"	DWVA 4	4"	SWVA 4	4"	SDWVA 4
5"	DWVA 5	5"	SWVA 5	5"	SDWVA 5
6"	DWVA 6	6"	SWVA 6	6"	SDWVA 6
7"	DWVA 7	7"	SWVA 7	7"	SDWVA 7
8"	DWVA 8	8"	SWVA 8	8"	SDWVA 8
10"	DWVA 10	10"	SWVA 10	10"	SDWVA 10
12"	DWVA 12	12"	SWVA 12	12"	SDWVA 12
14"	DWVA 14	14"	SWVA 14	14"	SDWVA 14




Screen is 1/4" standard.
1/8" screen is available upon request.

WALL CAP — GALVANIZED

The Artis Wall Cap is ideal for use with dryer venting, kitchen fan exhaust, bath fan exhaust, furnace air intake, whole house ventilation, and HRVs. Vents with dampers come standard with a spring closure damper and weather seal for increased energy efficiency and noise reduction.

DAMPER ONLY		SCREEN ONLY		DAMPER & SCREEN	
SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #
3"	DWVG 3	3"	SWVG 3	3"	SDWVG 3
4"	DWVG 4	4"	SWVG 4	4"	SDWVG 4
5"	DWVG 5	5"	SWVG 5	5"	SDWVG 5
6"	DWVG 6	6"	SWVG 6	6"	SDWVG 6
7"	DWVG 7	7"	SWVG 7	7"	SDWVG 7
8"	DWVG 8	8"	SWVG 8	8"	SDWVG 8
10"	DWVG 10	10"	SWVG 10	10"	SDWVG 10
12"	DWVG 12	12"	SWVG 12	12"	SDWVG 12
14"	DWVG 14	14"	SWVG 14	14"	SDWVG 14



Screen is 1/4" standard.
1/8" screen is available upon request.

See www.artiscaps.com or call us for specialty powder coating options and other customizations available.

WALL CAP — INTAKE OR EXHAUST

■ WALL CAP — COPPER

■ WALL CAP — STAINLESS STEEL

WALL CAP — COPPER

The Artis Wall Cap is ideal for use with dryer venting, kitchen fan exhaust, bath fan exhaust, furnace air intake, whole house ventilation, and HRVs. Vents with dampers come standard with a spring closure damper and weather seal for increased energy efficiency and noise reduction. All with the aesthetically pleasing look of copper.

DAMPER ONLY		SCREEN ONLY		DAMPER & SCREEN	
SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #
3"	DWVC 3	3"	SWVC 3	3"	SDWVC 3
4"	DWVC 4	4"	SWVC 4	4"	SDWVC 4
5"	DWVC 5	5"	SWVC 5	5"	SDWVC 5
6"	DWVC 6	6"	SWVC 6	6"	SDWVC 6
7"	DWVC 7	7"	SWVC 7	7"	SDWVC 7
8"	DWVC 8	8"	SWVC 8	8"	SDWVC 8
10"	DWVC 10	10"	SWVC 10	10"	SDWVC 10



- Screen is 1/4" standard. 1/8" screen is available upon request.
- All screened copper wall caps are manufactured with copper screen installed.
- Stainless steel collars are available for copper wall caps. Call or email for price.

WALL CAP — STAINLESS STEEL

The Artis Wall Cap is ideal for use with dryer venting, kitchen fan exhaust, bath fan exhaust, furnace air intake, whole house ventilation, and HRVs. Vents with dampers come standard with a spring closure damper and weather seal for increased energy efficiency and noise reduction. All with the added durability of stainless steel construction.

DAMPER ONLY		SCREEN ONLY		DAMPER & SCREEN	
SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #
3"	DWVSS 3	3"	SWVSS 3	3"	SDWVSS 3
4"	DWVSS 4	4"	SWVSS 4	4"	SDWVSS 4
5"	DWVSS 5	5"	SWVSS 5	5"	SDWVSS 5
6"	DWVSS 6	6"	SWVSS 6	6"	SDWVSS 6
8"	DWVSS 8	8"	SWVSS 8	8"	SDWVSS 8
10"	DWVSS 10	10"	SWVSS 10	10"	SDWVSS 10




- Screen is 1/4" standard. 1/8" screen is available upon request.
- Stainless steel wall caps are manufactured from all 304-2B stainless steel material.
- All screened stainless wall caps are manufactured with stainless steel screen installed.

See www.artiscaps.com or call us for specialty powder coating options and other customizations available.

- WALL CAP — POWDER COATED
- WALL CAP — REVERSIBLE DAMPER FOR INTAKE OF EXHAUST

WALL CAP — POWDER COATED



DAMPER ONLY		SCREEN ONLY		DAMPER & SCREEN	
SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #
4"	PDWV 4	4"	PSWV 4	4"	PSDWV 4
5"	PDWV 5	5"	PSWV 5	5"	PSDWV 5
6"	PDWV 6	6"	PSWV 6	6"	PSDWV 6
7"	PDWV 7	7"	PSWV 7	7"	PSDWV 7
8"	PDWV 8	8"	PSWV 8	8"	PSDWV 8
10"	PDWV 10	10"	PSWV 10	10"	PSDWV 10

(BL—Black, BR—Brown, WH—White)*


The Artis Wall Cap is ideal for use as fresh air intake, kitchen fan exhaust, whole house ventilation and HRVs. Powder coated* (Hood, Flange, Damper & Screen Only)

- *Specify color by placing BL, BR, or WH at the end of the part number.
- Screen is 1/4" galvanized standard.
- 1/8" galvanized screen is available upon request.
- Hood, flange and damper are powdercoated.
- Tubes will be galvanized.

WALL CAP — REVERSIBLE DAMPER FOR INTAKE OR EXHAUST

GALVANIZED		ALUMINUM	
SIZE	ITEM #	SIZE	ITEM #
4"	RDWVG 4	4"	RDWVA 4
5"	RDWVG 5	5"	RDWVA 5
6"	RDWVG 6	6"	RDWVA 6
7"	RDWVG 7	7"	RDWVA 7
8"	RDWVG 8	8"	RDWVA 8
10"	RDWVG 10	10"	RDWVA 10
12"	RDWVG 12	12"	RDWVA 12

The Artis Reversible Damper Wall Cap is ideal for use as fresh air intake, kitchen fan exhaust, whole house ventilation and HRVs.



- All screened wall vents come with 1/4" screen standard. 1/8" screen is available upon request.
- Two-piece throat has reversible butterfly damper attached.


See www.artiscaps.com or call us for specialty powder coating options and other customizations available.

■ WALL CAP — RECTANGULAR

WALL CAP — RECTANGULAR

The Artis Rectangular Wall Cap is ideal for use as kitchen fan exhaust. Heavy duty construction with spring closure damper and weather seal for increased energy efficiency and noise reduction.

SCREEN AND DAMPER									
GALVANIZED		ALUMINUM		COPPER		STAINLESS		POWDER COATED**	
SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #
3-1/4" X 10"	R310S	3-1/4" X 10"	RA310S	3-1/4" X 10	RC310S	3-1/4" X 10"	RS310S	3-1/4" X 10"	RP310S
3-1/4" X 12"	R312S	3-1/4" X 12"	RA312S	6" X 10"	RC610S	6" X 10"	RS610S	3-1/4" X 12"	RP312S
3-1/4" X 14"	R314S	3-1/4" X 14"	RA314S	6" X 12"	RC612S	6" X 12"	RS612S	3-1/4" X 14"	RP314S
6" X 10"	R610S	6" X 10"	RA610S	6" X 14"	RC614S	6" X 14"	RS614S		
6" X 12"	R612S	6" X 12"	RA612S						
6" X 14"	R614S	6" X 14"	RA614S						



DAMPER ONLY									
GALVANIZED		ALUMINUM		COPPER		STAINLESS		POWDER COATED**	
SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #
3-1/4" X 10"	R310	3-1/4" X 10"	RA310	3-1/4" X 10	RC310	3-1/4" X 10"	RS310	3-1/4" X 10"	RP310
3-1/4" X 12"	R312	3-1/4" X 12"	RA312	6" X 10"	RC610	6" X 10"	RS610	3-1/4" X 12"	RP312
3-1/4" X 14"	R314	3-1/4" X 14"	RA314	6" X 12"	RC612	6" X 12"	RS612	3-1/4" X 14"	RP314
6" X 10"	R610	6" X 10"	RA610	6" X 14"	RC614	6" X 14"	RS614		
6" X 12"	R612	6" X 12"	RA612						
6" X 14"	R614	6" X 14"	RA614						

All screened wall caps come with 1/4" screen standard.

1/8" screen is available upon request.

**Please specify white (W), black (BL) or brown (BR) at the end of the item #.

See www.artiscaps.com or call us for specialty powder coating options and other customizations available.

WALL CAP —

- WALL CAP — PAINTABLE WALL VENT
- WALL CAP — WIDE MOUTH

PAINTABLE WALL VENT CAP

GALVANNEAL					
DAMPER ONLY		SCREEN ONLY		SCREEN & DAMPER	
SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #
4"	DWVGN4	4"	SWVGN4	4"	SDWVGN4
6"	DWVGN6	6"	SWVGN6	6"	SDWVGN6
8"	DWVGN8	8"	SWVGN8	8"	SDWVGN8
10"	DWVGN10	10"	SWVGN10	10"	SDWVGN10



Similar to our standard wall vent, the paintable wall vents have a spring and a rod damper. The damper is made from 0.20 aluminum.

WALL CAP — WIDE MOUTH

ALUMINUM			
	DAMPER ONLY	SCREEN ONLY	SCREEN & DAMPER
SIZE	ITEM #	ITEM #	ITEM #
4"	WMDWVA4	WMSWVA4	WMSDWVA4
6"	WMDWVA6	WMSWVA6	WMSDWVA6



The Artis Wide Mouth Wall Vent is designed for use in systems requiring less restrictive air flow. The damper is foam lined to reduce noise and offers spring return closure.

GALVANIZED			
	DAMPER ONLY	SCREEN ONLY	SCREEN & DAMPER
SIZE	ITEM #	ITEM #	ITEM #
4"	WMDWVG4	WMSWVG4	WMSDWVG4
6"	WMDWVG6	WMSWVG6	WMSDWVG6


See www.artiscaps.com or call us for specialty powder coating options and other customizations available.

■ HOOD ONLY WALL VENT CAP

■ GALVANNEAL ■ GALVANIZED ■ ALUMINIUM ■ COPPER ■ STAINLESS STEEL

HOOD ONLY WALL VENT CAP

The Artis Hood Only Wall Vent Cap is ideal for use with the damper only dryer venting, kitchen fan exhaust, bath fan exhaust, furnace air intake (screen only), whole house ventilations, and HRVs. Vents with dampers come standard with a spring closure damper and weather seal for increased energy.



Screen is 1/4" standard.
1/8" screen is available upon request.

GALVANNEAL

DAMPER ONLY		SCREEN ONLY		DAMPER & SCREEN	
SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #
4"	DWVGN4 HDO	4"	SWVGN4 HDO	4"	SDWVGN4 HDO
6"	DWVGN6 HDO	6"	SWVGN6 HDO	6"	SDWVGN6 HDO
8"	DWVGN8 HDO	8"	SWVGN8 HDO	8"	SDWVGN8 HDO
10"	DWVGN10 HDO	10"	SWVGN10 HDO	10"	SDWVGN10 HDO

GALVANIZED

DAMPER ONLY		SCREEN ONLY		DAMPER & SCREEN	
SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #
4"	DWVG4 HDO	4"	SWVG4 HDO	4"	SDWVG4 HDO
6"	DWVG6 HDO	6"	SWVG6 HDO	6"	SDWVG6 HDO
8"	DWVG8 HDO	8"	SWVG8 HDO	8"	SDWVG8 HDO
10"	DWVG10 HDO	10"	SWVG10 HDO	10"	SDWVG10 HDO

ALUMINIUM

DAMPER ONLY		SCREEN ONLY		DAMPER & SCREEN	
SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #
4"	DWVA4 HDO	4"	SWVA4 HDO	4"	SDWVA4 HDO
6"	DWVA6 HDO	6"	SWVA6 HDO	6"	SDWVA6 HDO
8"	DWVA8 HDO	8"	SWVA8 HDO	8"	SDWVA8 HDO
10"	DWVA10 HDO	10"	SWVA10 HDO	10"	SDWVA10 HDO

COPPER

DAMPER ONLY		SCREEN ONLY		DAMPER & SCREEN	
SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #
4"	DWVC4 HDO	4"	SWVC4 HDO	4"	SDWVC4 HDO
6"	DWVC6 HDO	6"	SWVC6 HDO	6"	SDWVC6 HDO
8"	DWVC8 HDO	8"	SWVC8 HDO	8"	SDWVC8 HDO
10"	DWVC10 HDO	10"	SWVC10 HDO	10"	SDWVC10 HDO

STAINLESS STEEL


DAMPER ONLY		SCREEN ONLY		DAMPER & SCREEN	
SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #
4"	DWVSS4 HDO	4"	SWVSS4 HDO	4"	SDWVSS4 HDO
6"	DWVSS6 HDO	6"	SWVSS6 HDO	6"	SDWVSS6 HDO
8"	DWVSS8 HDO	8"	SWVSS8 HDO	8"	SDWVSS8 HDO
10"	DWVSS10 HDO	10"	SWVSS10 HDO	10"	SDWVSS10 HDO

- J-VENT — GALVANIZED STANDARD
- J-VENT — COPPER STANDARD
- J-VENT — STAINLESS STEEL STANDARD


The Artis J-Vent is used as a gravity attic ventilator or as an indoor ventilation exhaust for bathrooms, range hoods, and clothes dryers. Can be used on any roof pitch.

J-VENT — GALVANIZED STANDARD


SIZE	ITEM #
3"	JV 328
4"	JV 428
6"	JV 626
7"	JV 726
8"	JV 826
10"	JV 1026
12"	JV 1226
14"	JV 1424




NEW HOOD STYLE
SIZES: 3", 4"



NEW HOOD STYLE
SIZES: 6", 8"



HOOD STYLE
SIZES: 7", 10", 12"



HOOD STYLE
SIZES: 14"

- All galvanized J-vents are manufactured with galvanized screen.
- Shake base and larger sizes available.
- Hard connect extensions and extended clearance available (see Page 13).

J-VENT — COPPER STANDARD

SIZE	ITEM #
4"	CJV 412
6"	CJV 612
8"	CJV 812
10"	CJV 1016

Comes with the aesthetically pleasing look of copper.

- All copper J-vents are manufactured with copper screen.
- Extended clearances available.
- Hard connect extensions available.



HOOD STYLE
SIZES: 4"




HOOD STYLE
SIZES: 6", 8", 10"

J-VENT — STAINLESS STEEL STANDARD


SIZE	ITEM #
4"	SSJV 426
6"	SSJV 626
8"	SSJV 826
10"	SSJV 1026

Comes with the added durability of stainless steel.

- All stainless J-vents manufactured with 1/8" stainless screen.
- Extended clearances available.
- Hard connect extensions available.



HOOD STYLE
SIZES: 4"



HOOD STYLE
SIZES: 6", 8", 10"

- J-VENT — POWDER COATED STANDARD
- J-VENT — WITH HARD CONNECT
- J-VENT — 6"-12" CLEARANCE
- J-VENT — SHAKE BASE

The Artis J-Vent is used as a gravity attic ventilator or as an indoor ventilation exhaust for bathrooms, range hoods, and clothes dryers. Can be used on any roof pitch.

J-VENT— POWDER COATED STANDARD

SIZE	ITEM #
3"	PJV 328
4"	PJV 428
6"	PJV 626
7"	PJV 726
8"	PJV 826
10"	PJV 1026
12"	PJV 1226
14"	PJV 1424



Specify color by placing color code at end of part number.
BL=Black, BR=Brown, WH=White

J-VENT — WITH HARD CONNECT

GALVANIZED	
SIZE	ITEM #
3"	JV 328 HC
4"	JV 428 HC
6"	JV 626 HC
7"	JV 726 HC
8"	JV 826 HC

Hard connect extension for ease of attachment to rigid or flex pipe below the roof sheeting.



HOOD STYLES ARE THE SAME AS THOSE SHOWN FOR THE GALVANIZED STANDARD J-VENTS ON PAGE 16.

- Available in stainless steel and copper.
- Available in powder coated colors upon request.

J-VENT — 6"-12" CLEARANCE OR "H" DIMENSION

GALVANIZED	
SIZE	ITEM #
3"	JV 328 CL
4"	JV 428 CL
6"	JV 626 CL
7"	JV 726 CL
8"	JV 826 CL
10"	JV 1026 CL
12"	JV 1226 CL
14"	JV 1424 CL

The taller throat offers more clearance from the flange to the bottom of the hood.




Specify clearance when ordering by adding the "H" dimension (6-12) prior to the "CL" in the above part number.

J-VENT— SHAKEBASE

GALVANIZED	
SIZE	ITEM #
3"	JV 328 SB
4"	JV 428 SB
6"	JV 626 SB
7"	JV 726 SB
8"	JV 826 SB
10"	JV 1026 SB
12"	JV 1226 SB
14"	JV 1424 SB

The Artis J-Vent is used as an exhaust vent for indoor exhaust appliances such as range hoods, dryer vents, and bathroom fans. It is also commonly used as a gravity attic ventilator cap. Shakebase has a 3" larger flange than standard.




See www.artiscaps.com or call us for specialty powder coating options and other customizations available.

- ROOF MOUNT EXHAUST VENT
- ROOF MOUNT EXHAUST VENT — COPPER

ROOF MOUNT EXHAUST VENT

GALVANIZED		ALUMINUM		POWDER COATED	
SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #
4"	RDVG 4	4"	RDVA 4	4"	RDVG 4BL
5"	RDVG 5	5"	RDVA 5	6"	RDVG 6BL
6"	RDVG 6	6"	RDVA 6	8"	RDVG 8BL
7"	RDVG 7	7"	RDVA 7	10"	RDVG 10BL
8"	RDVG 8	8"	RDVA 8		
10"	RDVG 10	10"	RDVA 10		



The Artis Roof Mount Exhaust Vent is ideal for use as dryer ventilation. It can also be used as a ventilation exhaust for bathrooms and range hoods. Also offered in powder coated black for quantity orders; contact us.
Not recommended for use on flat roofs.

- Built-in damper.
- Built-in pipe hard connect.

BLACK ONLY	
SIZE	ITEM #
6" X 10"	RDVG610
10" X 10"	RDVG1010

For use on pitched roofs only.
24 gauge Galvanized steel
powder coated black. Screen is
1/4" Bird Screen


- Without hard connect



ROOF MOUNT EXHAUST VENT — COPPER

COPPER	
SIZE	ITEM #
4"	RDVC 4
6"	RDVC 6
8"	RDVC 8
10"	RDVC 10

Aesthetically pleasing copper design.
Includes copper screen.
Not recommended for use on flat roofs.



- ROOF CAP—PLASTIC WITH STEM
- ROOF CAP—PLASTIC WITHOUT STEM
- LOUVERED WALL VENT—PLASTIC

ROOF CAP—PLASTIC WITH STEM

BLACK PLASTIC

SIZE	ITEM #
4"	RVS4
6"	RVS6

Heavy duty black plastic roof exhaust cap.
Fits 4" and 6" bath exhaust vent systems.



ROOF CAP—PLASTIC WITHOUT STEM

BLACK PLASTIC

SIZE	ITEM #
4"	RCV4

Heavy duty black plastic roof exhaust cap.
Fits 4" bath exhaust vent systems.



LOUVERED WALL VENT—PLASTIC

WHITE PLASTIC

SIZE	ITEM #
4"	LC4WX Without Screen
6"	LC6WX With Screen



4" Without Screen



6" With Screen

Our plastic exhaust hood features a 3 and 4 louvered damper system to help prevent cold air backdraft, snow, or rain from entering the home. Products have a UV-resistant coating to prevent the cap from discoloring and are paintable.

- Black is also available.

TRIANGLE TURBINE VENTILATOR

- INTERNALLY BRACED
- EXTERNALLY BRACED

We proudly manufacture Triangle Turbine Ventilators at our factory in Boise, ID. This design with its unique jewel-bearing system is quiet, durable and efficient.

TRIANGLE TURBINE VENTILATOR — INTERNALLY BRACED

GALVANIZED		ALUMINUM	
SIZE	ITEM #	SIZE	ITEM #
4"	JB 4G	4"	JB 4A
6"	JB 6G	6"	JB 6A
8"	JB 8G	8"	JB 8A
10"	JB 10G	10"	JB 10A
12"	JB 12G	12"	JB 12A
14"	JB 14G	14"	JB 14A
16"	JB 16G	16"	JB 16A
18"	JB 18G	18"	JB 18A
20"	JB 20G	20"	JB 20A
24"	JB 24G	24"	JB 24A
30"	JB 30G	30"	JB 30A
36"	JB 36G	36"	JB 36A
48"	JB 48G	48"	JB 48A



Internally Braced Triangle Turbine Ventilators in sizes 4" through 16" qualify as part of our standard Free Freight Allowance.

Copper and stainless steel options available as well. Contact us for more

All sizes 24" and above require crating when shipping, at additional charge.

Turbine Ventilators sizes 24" and above require wood crating for shipment. This charge will be added to invoices and billed upon shipment.

TRIANGLE TURBINE VENTILATOR — EXTERNALLY BRACED

GALVANIZED		ALUMINUM	
SIZE	ITEM #	SIZE	ITEM #
8"	WW 8G	8"	WW 8A
10"	WW 10G	10"	WW 10A
12"	WW 12G	12"	WW 12A
14"	WW 14G	14"	WW 14A
16"	WW 16G	16"	WW 16A
18"	WW 18G	18"	WW 18A
20"	WW 20G	20"	WW 20A
24"	WW 24G	24"	WW 24A

Externally Braced Triangle Turbine Ventilators in sizes 8" through 16" qualify as part of our standard Free Freight Allowance as outlined on Page 7 of this catalog.



All turbine ventilators in sizes 18" and above do not qualify for the Free Freight Allowance. We will happily provide you with a freight quote for shipping these items. All sizes 24" and above require crating when shipping, at additional charge.

See Ventilator Roof Bases on page 26 of this catalog.

- AERO-FOIL GRAVITY VENTILATOR
- MASTER GRAVITY VENTILATOR

AERO-FOIL GRAVITY VENTILATOR

GALVANIZED		ALUMINUM	
SIZE	ITEM #	SIZE	ITEM #
3"	AFL 3G	3"	AFL 3A
4"	AFL 4G	4"	AFL 4A
5"	AFL 5G	5"	AFL 5A
6"	AFL 6G	6"	AFL 6A
7"	AFL 7G	7"	AFL 7A
8"	AFL 8G	8"	AFL 8A
9"	AFL 9G	9"	AFL 9A
10"	AFL 10G	10"	AFL 10A
12"	AFL 12G	12"	AFL 12A
14"	AFL 14G	14"	AFL 14A
16"	AFL 16G	16"	AFL 16A
18"	AFL 18G	18"	AFL 18A
20"	AFL 20G	20"	AFL 20A
24"	AFL 24G	24"	AFL 24A
30"	AFL 30G	30"	AFL 30A
36"	AFL 36G	36"	AFL 36A

The Aero-Foil Gravity Ventilator is an all-purpose ventilator that protects vent pipe from high winds and exterior intrusion. Also available in stainless steel upon request.

- Positive exhaust regardless of wind direction
- Eliminates backdraft
- No moving parts
- Unobstructed air passage
- Weather protected




Aero-Foil Gravity Ventilators and Master Gravity Ventilators sizes 24" and above require wood crating for shipment. This charge will be added to invoices and billed upon shipment.

MASTER GRAVITY VENTILATOR

GALVANIZED		ALUMINUM	
SIZE	ITEM #	SIZE	ITEM #
4"	MVR 4G	4"	MVR 4A
6"	MVR 6G	6"	MVR 6A
8"	MVR 8G	8"	MVR 8A
10"	MVR 10G	10"	MVR 10A
12"	MVR 12G	12"	MVR 12A
14"	MVR 14G	14"	MVR 14A
16"	MVR 16G	16"	MVR 16A
18"	MVR 18G	18"	MVR 18A
20"	MVR 20G	20"	MVR 20A
24"	MVR 24G	24"	MVR 24A
30"	MVR 30G	30"	MVR 30A
36"	MVR 36G	36"	MVR 36A

The Artis Master Gravity Ventilator is an all purpose heavy duty ventilator for residential, commercial and light industrial use. The design allows for positive draft in all weather environments with a clean durable appearance. Also available in stainless steel upon request.



Aero-Foil and Master Gravity Ventilators in sizes 18" and above do not qualify for the Free Freight Allowance. We will be happy to provide you with a freight quote for shipping these items.

See Ventilator Roof Bases on page 26 of this catalog.

- WIND DIRECTIONAL CAP
- GLOBE VENT


WIND DIRECTIONAL CAP

GALVANIZED		STAINLESS STEEL	
SIZE	ITEM #	SIZE	ITEM #
4"	WDC 4	4"	WDCS 4
5"	WDC 5	5"	WDCS 5
6"	WDC 6	6"	WDCS 6
7"	WDC 7	7"	WDCS 7
8"	WDC 8	8"	WDCS 8
10"	WDC 10	10"	WDCS 10
12"	WDC 12	12"	WDCS 12

The Artis Wind Directional Cap is used to control downdraft issues caused by high wind situations.

1/2" screen can be added to any wind directional cap for spark arresting.

Spindle assembly
(for informational use only)



GLOBE VENT

GALVANIZED			
SIZE	ITEM #	SIZE	ITEM #
4"	GGV 426	12"	GGV 1226
5"	GGV 526	14"	GGV 1424
6"	GGV 626	16"	GGV 1624
7"	GGV 726	18"	GGV 1824
8"	GGV 826	20"	GGV 2024
9"	GGV 926	24"	GGV 2424
10"	GGV 1026	30"	GGV 3024

The Artis Globe Vent is ideal for use as a gravity attic ventilator. It can also be used for forced exhaust ventilation.

All sizes 26" and above require crating when shipping, at additional charge.



- CONE TOP CAP — GALVANIZED, STAINLESS STEEL
- CONE TOP CAP — COPPER
- CONE CAP — ADJUSTABLE

CONE TOP CAP — GALVANIZED, STAINLESS STEEL

GALVANIZED		STAINLESS STEEL	
SIZE	ITEM #	SIZE	ITEM #
3"	GCT 3	3"	SCT 3
4"	GCT 4	4"	SCT 4
5"	GCT 5	5"	SCT 5
6"	GCT 6	6"	SCT 6
7"	GCT 7	7"	SCT 7
8"	GCT 8	8"	SCT 8
9"	GCT 9	9"	SCT 9
10"	GCT 10	10"	SCT 10
12"	GCT 12	12"	SCT 12
14"	GCT 14	14"	SCT 14
16"	GCT 16	16"	SCT 16
18"	GCT 18	18"	SCT 18
20"	GCT 20		
24"	GCT 24		



The Artis Cone Top Cap is for use as an all-weather cap to keep rain and snow from leaking into chimney pipe as well as for ventilation. Convenient draw bolt installation for secure fit up to size 16".

- Some larger sizes are available.
- 1/8", 1/4" or 1/2" screen is available at extra charge.
- All sizes 24" and above require crating when shipping, at additional charge.

CONE TOP CAP — COPPER

COPPER		Aesthetically pleasing copper design. Convenient draw bolt installation for secure fit.
SIZE	ITEM #	
4"	CCT 4	
6"	CCT 6	
8"	CCT 8	
9"	CCT 9	
10"	CCT 10	
12"	CCT 12	
14"	CCT 14	



CONE CAP — ADJUSTABLE (ADJUSTS TO FIT LISTED SIZES)

GALVANIZED ONLY		The Artis Adjustable Cone Cap offers multiple sizes in one of three caps. Takes up less shelf space to stock. Convenient draw bolt installation for secure fit.
SIZE	ITEM #	
4", 5"	GCT 4-5	
6", 7", 8"	GCT 6-8	
9", 10", 12"	GCT 9-12	



- VACUUM CAP
- VACUUM TILE CAP

VACUUM CAP

The Artis Vacuum Cap is Artis Metals Company's flagship vent cap for use with fossil fuel chimneys. It is designed to prevent downdraft and poor draws created by wind. When the wind blows across the side gores, the cap creates a vacuum at the base, pulling air and/or fumes from the pipe and out through the cap.

GALVANIZED		STAINLESS STEEL		ALUMINUM	
SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #
3"	GVC 326	3"	SVC 326	3"	AVC 320
4"	GVC 426	4"	SVC 426	4"	AVC 420
5"	GVC 526	5"	SVC 526	5"	AVC 525
6"	GVC 626	6"	SVC 626	6"	AVC 625
7"	GVC 726	7"	SVC 726	7"	AVC 725
8"	GVC 824	8"	SVC 824	8"	AVC 825
9"	GVC 924	9"	SVC 924	9"	AVC 925
10"	GVC 1024	10"	SVC 1024	10"	AVC 1025
12"	GVC 1224	12"	SVC 1224	12"	AVC 1225
14"	GVC 1424	14"	SVC 1426	14"	AVC 1425
16"	GVC 1624	16"	SVC 1626	16"	AVC 1625
18"	GVC 1824	18"	SVC 1826	18"	AVC 1825
20"	GVC 2024	20"	SVC 2026	20"	AVC 2025

1/2 sizes are available priced to next largest size.




VACUUM TILE CAP

The Artis Vacuum Tile Cap is the vacuum cap for use specifically with tile chimney liners it is designed to prevent downdraft and poor draws created by wind. When the wind blows across the side gores, the cap creates a vacuum at the base, pulling air and/or fumes from the pipe and out through the cap.

GALVANIZED		STAINLESS STEEL	
SIZE	ITEM #	SIZE	ITEM #
8X8	GSQ 824	8X8	SSQ 824
8X10	GSQ 81024	8X10	SSQ 81024
8X12	GSQ 81224	8X12	SSQ 81224
8X16	GSQ 81624	8X16	SSQ 81624
12X12	GSQ 121224	12X12	SSQ 121224
12X16	GSQ 121624	12X16	SSQ 121624
16X16	GSQ 161624	16X16	SSQ 161624



VACUUM TILE CAP



Custom sizes available at additional charge (specify length and width).

- CHIMNEY CAP ADAPTOR
- SHUR-VENT

CHIMNEY CAP ADAPTOR

GALVANIZED		STAINLESS STEEL	
SIZE	ITEM #	SIZE	ITEM #
4"	GWCA 4	4"	SWCA 4
5"	GWCA 5	5"	SWCA 5
6"	GWCA 6	6"	SWCA 6
7"	GWCA 7	7"	SWCA 7
8"	GWCA 8	8"	SWCA 8
10"	GWCA 10	10"	SWCA 10
12"	GWCA 12	12"	SWCA 12

The Artis Chimney Cap Adaptor slides down the inside of triple wall or insulated pipe leaving a 2" collar to attach any Artis Chimney Cap to the pipe.



SHUR-VENT (NATURAL GAS & LP)

GALVANIZED		ALUMINUM	
SIZE	ITEM #	SIZE	ITEM #
3"	SV 326	3"	ASV 320
4"	SV 426	4"	ASV 420
5"	SV 526	5"	ASV 520
6"	SV 626	6"	ASV 620
7"	SV 726	7"	ASV 720
8"	SV 826	8"	ASV 820
9"	SV 926	9"	ASV 925
10"	SV 1026	10"	ASV 1025
12"	SV 1226	12"	ASV 1225

The Artis Shur-Vent is ideal for use as a gas appliance vent cap. It is designed to eliminate downdraft and protect the pilot in gas appliances.




1/2 sizes are available priced at next largest size.

- ROOF BASE — FLAT ■ ROOF BASE — PITCHED
- ROOF BASE — SADDLE ■ ROOF BASE — ADJUSTABLE

ROOF BASE — FLAT

GALVANIZED

SIZE	ITEM #
4"	FB 4
6"	FB 6
8"	FB 8
10"	FB 10
12"	FB 12
14"	FB 14
16"	FB 16
18"	FB 18
20"	FB 20
22"	FB 22
24"	FB 24




The Artis Flat Base is designed for use on flat roofs and can be used with Artis Roof Ventilators or Chimney Caps. Collar is crimped at the top for ease of cap installation.

ROOF BASE — PITCHED

GALVANIZED

SIZE	ITEM #
4"	PB 4
6"	PB 6
8"	PB 8
10"	PB 10
12"	PB 12
14"	PB 14
16"	PB 16
18"	PB 18
20"	PB 20
22"	PB 22
24"	PB 24




The Artis Pitched Base is designed for use on pitched roofs and can be used with Artis Roof Ventilators and Chimney Caps. Collar is crimped at the top for ease of cap installation. Must specify pitch when ordering.

ROOF BASE — SADDLE

GALVANIZED

SIZE	ITEM #
4"	SB 4
6"	SB 6
8"	SB 8
10"	SB 10
12"	SB 12
14"	SB 14
16"	SB 16
18"	SB 18
20"	SB 20
22"	SB 22
24"	SB 24




The Artis Saddle Base is designed for use on the roof saddle and can be used with Artis Roof Ventilators and Chimney Caps. Collar is crimped at the top for ease of cap installation. Must specify pitch when ordering.

ROOF BASE — ADJUSTABLE

GALVANIZED


SIZE	ITEM #
3"	AB 3
4"	AB 4
5"	AB 5
6"	AB 6
7"	AB 7
8"	AB 8
9"	AB 9
10"	AB 10
12"	AB 12
14"	AB 14



The Artis Adjustable Base is designed for use on any standard roof pitch and can be used with Artis Roof Ventilators and Chimney Caps. The round collar turns to adjust the top to level. Collar is crimped at the top for ease of cap installation.

- PIPE FLASHING — STANDARD PITCH
- PIPE FLASHING — STEEP PITCH
- PIPE FLASHING — FLAT PITCH

PIPE FLASHING — **STANDARD PITCH

SINGLE WALL		DOUBLE WALL (INSULATED)	
SIZE	ITEM #	SIZE	ITEM #
3"	G 3	3-1/2"	GB 3
4"	G 4	4-1/2"	GB 4
5"	G 5	5-1/2"	GB 5
6"	G 6	6-1/2"	GB 6
7"	G 7	7-1/2"	GB 7
8"	G 8	The Artis G/GB Flashings are for use on .5/12 to 6/12 pitched roofs. Must use storm collar for weather barrier. 	
9"	G 9		
10"	G 10		
12"	G 12		
14"	G 14		
16"	G 16		
18"	G 18		


** .5/12 to 6/12 pitch

PIPE FLASHING — FLAT PITCH

SINGLE WALL		DOUBLE WALL (INSULATED)	
SIZE	ITEM #	SIZE	ITEM #
3"	FP 3	3-1/2"	FP 3B
4"	FP 4	4-1/2"	FP 4B
5"	FP 5	5-1/2"	FP 5B
6"	FP 6	6-1/2"	FP 6B
7"	FP 7	7-1/2"	FP 7B
8"	FP 8	The Artis FP/FP-B Flashings are for use on flat pitched roofs. Must use storm collar for weather barrier. 	
9"	FP 9		
10"	FP 10		
12"	FP 12		
14"	FP 14		
16"	FP 16		
18"	FP 18		

PIPE FLASHING — **STEEP PITCH

The Artis GH/GHB Flashings are for use on 7/12 to 12/12 pitched roofs. Must use storm collar for weather barrier.

SINGLE WALL		DOUBLE WALL (INSULATED)	
SIZE	ITEM #	SIZE	ITEM #
3"	GH 3	3-1/2"	GHB 3
4"	GH 4	4-1/2"	GHB 4
5"	GH 5	5-1/2"	GHB 5
6"	GH 6	6-1/2"	GHB 6
7"	GH 7	7-1/2"	GHB 7
8"	GH 8	The Artis GH/GHB Flashings are for use on 7/12 to 12/12 pitched roofs. Must use storm collar for weather barrier. 	
9"	GH 9		
10"	GH 10		
12"	GH 12		

** 7/12 to 12/12 pitch

PIPE FLASHING — FLAT WITH TALL CONE

SINGLE WALL		The Artis TFP Flashings are for use on flat pitch roofs. Must use storm collar for weather barrier. 
SIZE	ITEM #	
3"	TFP 3	
4"	TFP 4	
5"	TFP 5	
6"	TFP 6	
7"	TFP 7	
8"	TFP 8	
10"	TFP 10	
12	TFP 12	
14"	TFP 14	
16"	TFP 16	

- STORM COLLAR
- SPOOL DAMPER (DAMPERED START COLLAR)
- ROUND VOLUME DAMPER (SLIDE IN)

STORM COLLAR

GALVANIZED			
SINGLE WALL		DOUBLE WALL	
SIZE	ITEM #	SIZE	ITEM #
3"	SC 3	3-1/2"	SC 3B
4"	SC 4	4-1/2"	SC 4B
5"	SC 5	5-1/2"	SC 5B
6"	SC 6	6-1/2"	SC 6B
7"	SC 7	7-1/2"	SC 7B
8"	SC 8		
9"	SC 9		
10"	SC 10		
12"	SC 12		
14"	SC 14		
16"	SC 16		
18"	SC 18		

For use with flashings to create a weather barrier. Convenient draw bolt installation for secure fit.



Also available in Stainless and Aluminum

SPOOL DAMPER (DAMPERED START COLLAR)

GALVANIZED	
SIZE	ITEM #
4"	GSD 4
6"	GSD 6
8"	GSD 8
10"	GSD 10
12"	GSD 12
14"	GSD 14
16"	GSD 16
18"	GSD 18
20"	GSD 20


Ideal for use as an inline damper where manual air flow adjustment is needed.



ROUND VOLUME DAMPER (SLIDE IN)

GALVANIZED	
SIZE	ITEM #
4"	RVD 4
6"	RVD 6
8"	RVD 8
10"	RVD 10
12"	RVD 12
14"	RVD 14
16"	RVD 16
18"	RVD 18
20"	RVD 20
24"	RVD 24

This manual damper is designed for use in existing duct runs where the ability to adjust the volume of airflow is needed but installation of a traditional damper unit is not feasible.



- BACKDRAFT DAMPER — BUTTERFLY
- BACKDRAFT DAMPER — OFFSET PIN
- DRYER DAMPER

BACKDRAFT DAMPER — BUTTERFLY

Ideal for use as an inline backdraft damper for intake or exhaust applications.

GALVANIZED

SIZE	ITEM #
4"	BD 4
5"	BD 5
6"	BD 6
7"	BD 7
8"	BD 8
9"	BD 9
10"	BD 10
12"	BD 12
14"	BD 14
16"	BD 16
18"	BD 18
20"	BD 20
24"	BD 24



BACKDRAFT DAMPER — OFFSET PIN

Ideal for use as an inline backdraft damper for exhaust only. Specifically designed for use with clothes dryers (vertical installation only).

GALVANIZED

SIZE	ITEM #
4"	OSP 4
5"	OSP 5
6"	OSP 6
7"	OSP 7
8"	OSP 8
9"	OSP 9
10"	OSP 10
12"	OSP 12



DRYER DAMPER

GALVANIZED

SIZE	ITEM #
4"	DD 4
6"	DD 6

Specifically designed for use with clothes dryers. Spring loaded for positive damper return to conform with energy codes prevents air migration back into dryer venting. All galvanized construction with stainless steel spring.



- END CAP
- PLUG
- PLUG STYLE PIPE REDUCER

END CAP



GALVANIZED	
NO CRIMP	
SIZE	ITEM #
3"	FC 3
4"	FC 4
5"	FC 5
6"	FC 6
7"	FC 7
8"	FC 8
9"	FC 9
10"	FC 10
12"	FC 12
14"	FC 14
16"	FC 16
18"	FC 18
20"	FC 20
22"	FC 22
24"	FC 24

Designed to cap off the end of a pipe or roof opening.

Also available in aluminum and stainless steel.

PLUG



GALVANIZED	
CRIMPED	
SIZE	ITEM #
3"	GP 3
4"	GP 4
5"	GP 5
6"	GP 6
7"	GP 7
8"	GP 8
9"	GP 9
10"	GP 10
12"	GP 12
14"	GP 14
16"	GP 16
18"	GP 18
20"	GP 20
22"	GP 22
24"	GP 24

Designed to plug the end of a pipe or roof opening.

Also available in Aluminum and Stainless Steel

PLUG STYLE PIPE REDUCER

Crimped plug designed with a reduced ring for use in tight spaces with low air pressure.

Also available in Aluminum and Stainless Steel.



GALVANIZED	
SIZE	ITEM #
4X	PR 4X
5X	PR 5X
6X	PR 6X
7X	PR 7X
8X	PR 8X
9X	PR 9X
10X	PR 10X
12X	PR 12X
14X	PR 14X

- FLAT STYLE INCREASER REDUCER
- TAPERED REDUCER (THREE-PIECE)

FLAT STYLE INCREASER REDUCER

GALVANIZED		ALUMINUM	
SIZE	ITEM #	SIZE	ITEM #
4X	I/R 4X	4X	I/R 4XA
5X	I/R 5X	5X	I/R 5XA
6X	I/R 6X	6X	I/R 6XA
7X	I/R 7X	7X	I/R 7XA
8X	I/R 8X	8X	I/R 8XA
9X	I/R 9X	9X	I/R 9XA
10X	I/R 10X	10X	I/R 10XA
12X	I/R 12X	12X	I/R 12XA



Designed to reduce duct size
in a short transition.



Designed to reduce duct size in a
tapered transition.

TAPERED REDUCER (THREE PIECE)

GALVANIZED		ALUMINUM	
SIZE	ITEM #	SIZE	ITEM #
4X	TR 4X	4X	TR 4XA
5X	TR 5X	5X	TR 5XA
6X	TR 6X	6X	TR 6XA
7X	TR 7X	7X	TR 7XA
8X	TR 8X	8X	TR 8XA
9X	TR 9X	9X	TR 9XA
10X	TR 10X	10X	TR 10XA
12X	TR 12X	12X	TR 12XA
14X	TR 14X	14X	TR 14XA
16X	TR 16X	16X	TR 16XA
18X	TR 18X	18X	TR 18XA
20X	TR 20X	20X	TR 20XA
22X	TR 22X	22X	TR 22XA
24X	TR 24X	24X	TR 24XA

- EAVE VENT - GALVANIZED
- EAVE VENT - COPPER
- PLUMBER'S VENT
- CRICKET FLASHING

EAVE VENT — GALVANIZED

GALVANIZED	
SIZE	ITEM #
4"	EVG 4
6"	EVG 6
8"	EVG 8
10"	EVG 10
12"	EVG 12


The Eave Vent is ideal for use as an under eave vent termination for intake or exhaust.



Available in aluminum upon request.

PLUMBER'S VENT

ALUMINUM	
SIZE	ITEM #
4"	PLV 4



The Plumbers Vent is a louvered foundation vent with a built-in hood and backdraft damper for exhaust applications. This vent has a closable damper behind the louvers.

EAVE VENT — COPPER


COPPER	
SIZE	ITEM #
4"	EVC 4
6"	EVC 6
8"	EVC 8
10"	EVC 10
12"	EVC 12

The Copper Eave Vent is ideal for use as an under eave vent termination for intake or exhaust with the aesthetically pleasing look of copper.



CRICKET FLASHING

GALVANIZED	
SIZE	ITEM #
1-1/4"-2"	CF 2
3"-4"	CF 4



The Cricket Flashing is designed to split snow and prevent it from damaging pipes, chimneys, and more. Also known as a "Snow Splitter".



ARTIS METALS COMPANY

Since 1937



Proudly Providing High-Quality, American-Made Products
To The HVAC Industry For 87 Years



Artis Metals Company, Inc.
3323 W Chinden Blvd., Boise, ID 83714
www.artiscaps.com
Email: artiscaps@msn.com
Phone: 208-336-1560
Fax: 208-343-9679