

PRODUCT INFORMATION PACKET



Model No: SQS1202R
Catalog No: SQS1202R
Pool Pump Motor, 2.0/.33 HP, 1 Ph, 60 Hz, 230 V, 3600 RPM, 48Y Frame, ODP



Regal and Century are trademarks of Regal Rexnord Corporation or one of its affiliated companies.
©2022 Regal Rexnord Corporation, All Rights Reserved. MC017097E






Nameplate Specifications

Output HP	2.0/.33 Hp	Output KW	1.5 kW
Frequency	60 Hz	Voltage	230 V
Current	11.3/3.3 A	Speed	3450/1725 rpm
Service Factor	1.3	Phase	1
Duty	Continuous	Insulation Class	B
Frame	48Y	Enclosure	Open Drip Proof
Thermal Protection	Thermally Protected	Ambient Temperature	50 °C
UL	No	CSA	N
Number of Speeds	2		

Technical Specifications

Electrical Type	Psc Low Speed, Cap Start High Speed	Starting Method	Across The Line
Poles	2	Rotation	Counterclockwise Pump End
Mounting	Round	Motor Orientation	Horizontal
Drive End Bearing	Ball	Opp Drive End Bearing	Ball
Frame Material	Rolled Steel	Shaft Type	1/2 Thread
Overall Length	14.51 in	Frame Length	10.63 in
Shaft Diameter	0.625 in	Shaft Extension	0.906 in
Outline Drawing	SQS1202R	Connection Drawing	627103-003

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:11/28/2022

[illegible][illegible]