

Talis N

Kitchen Faucet, U-Style 1-Spray, 1.75 GPM

Finish: **Steel Optic Finish** Part no. : **72806801**



Description

Features

- swivel range adjustable in 4 steps 60°, 110°, 150° or 360°
- Aerated spray
- deck-mounted
- Maximum flow rate: 1.75 GPM
- ceramic cartridge
- G ¾ hose connections
- Pull-Out Kitchen Faucet, connection hoses, fixation set, installation manual

Item details


List Price

\$ 639.00

Technology




Compliance / Sustainability



Product image



Scale drawing




Talis N
Kitchen Faucet, U-Style 1-Spray, 1.75 GPM
 Finish: **Steel Optic Finish** Part no. : **72806801**



Exploded drawing

Year of production: >04/20



Talis N
Kitchen Faucet, U-Style 1-Spray, 1.75 GPM
Finish: **Steel Optic Finish** Part no. : **72806801**



Spare parts list

Year of production: >04/20

Pos.	Description	Part no.	Price	PU
1	spout cpl.	93756801	-	1
2	screw	94319000	-	1
3	aerator cpl.	94222000	-	1
4	service tool	93750000	-	1
5	O-Ring 14x2,5	98189000	-	1
6	axialring	97558000	-	1
7	handle	93736801	-	1
8	hollow set screw M5x5	98446000	-	1
9	screw cover	93735610	-	1
10	flange	93737801	-	1
11	nut	93738000	-	1
12	cartridge, assy	93760000	-	1
13	O-ring 36x3	98052000	-	1
14	support	97523000	-	1
15	fixing set (Ø 34)	95049000	-	1
16	lever collar	97548000	-	1
17	connection hose 35½" M8x0,75 3/8"	96316001	-	1