



model 1920WHO

Touchless Bottle filler

FEATURES & BENEFITS

BOTTLE FILLER VALVE

Fountain incorporates a touchless sensor operated stainless steel solenoid valve controlled by transformers for hands-free operation. A pressure regulator is used to adjust the bubbler flow according to incoming water pressures.

LAMINAR FLOW

Adjustable, splash-free, 1 gpm (3.78 L) laminar water flow.

EFFICIENT & FLEXIBLE INSTALLATION

Unit is designed for retrofit or new construction applications. No drain required for mounting over existing drinking fountain.

DURABLE BUILD

Good for indoor and made with 100% Stainless Steel for vandal resistance.

MOUNTING OPTIONS

Select from mounting plate and back panel models to complete installation. Unit can mount on various wall types.

CONSTRUCTION

Unit is made of 14 gauge Type 304 stainless steel with a white painted finish that resists stains and corrosion, and has soft rounded corners. Unit features vandal-resistant bottom plate and dispensing nozzle.

TAMPER RESISTANT

30-second obstruction time-out to reduce tampering of sensor.



SPECIFICATIONS

Model 1920WHO wall mounted touchless bottle filler shall include 100% lead-free waterways, gloss white finish, stainless steel construction, 1 gpm (3.78 L) laminar flow, and touchless sensor operated stainless steel solenoid valve with 30-second obstruction time-out controlled by a transformer. It can be used as a stand-alone station, or mounted above the Haws® 1311 and 1501 drinking fountain models.

FOR INDOOR USE ONLY

APPLICATIONS

This type of wall mounted bottle filler may be placed in settings such as schools and other locations in and around office buildings, or with existing fountain installations where the temperature remains above freezing. Haws manufactures drinking fountains, faucets and electric water coolers to be lead-free by all known definitions including NSF/ANSI/CSA 61-Section 9, NSF/ANSI/CSA 372, California Proposition 65, and the Federal Safe Drinking Water Act. Product is compliant to California Health and Safety Code 116875 (AB 1953-2006), and NSF/ANSI/CAN 61: Q ≤ 1.

OPTIONS

Mounting Plate: Model 6700R on-wall mounting plate for model 1920WHO.


Mounting Plate: Model 6700 in-wall mounting plate for model 1920WHO.

Back Panel: Model BP8W white powder-coated stainless steel back panel.

Back Panel: Models BP15W white powder-coated stainless steel panel.


For more information, visit www.hawsco.com or call (888) 640-4297.






NOTES:

1. SEE SEPARATE INSTALLATION DRAWINGS FOR MOUNTING PLATES AND BACKPANELS
2. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO FOR INSTALLATION LOCATIONS, WASTE AND SUPPLY REQUIREMENTS OTHER THAN SHOWN.
- 3 REFER TO 1RKHO.H OPERATION & MAINTENANCE INSTRUCTIONS FOR SENSOR SETUP.






1920HO SERIES MOUNTING HOLE LOCATIONS
(3/8"-16 UNC MOUNTING HARDWARE NOT SUPPLIED)



**Haws®**

1456 KLEPPE LANE
SPARKS, NEVADA, 89431
(775) 359-4712 FAX (775) 359-7424
E-MAIL: HAWS@HAWS.CO.COM
WEBSITE: WWW.HAWS.CO.COM

ECN NO. REVISED PERBY:		MODEL(S)	
5574	ECN: 5981	1920HO/1920HPSHO/1920WMO	
DRAWN: FV	DATE: 08/18/20	CHKD: FV	PART NUMBER
APPROVED: BJM	DATE: 09/13/21	SCALE: N/A	0510001063.D
DRAWING TYPE: INSTALLATION		SIZE: A	REVISION: 4
SHEET: 1		OF: 6	




INSTALLATION ABOVE HAWS 1011 & H1011.8 SERIES

INSTALLATION ABOVE HAWS 1001 & H1001.8 SERIES

* IF YOUR FOUNTAIN IS THIS STYLE USE THESE DIMENSIONS



1. SEE SEPARATE INSTALLATION DRAWINGS FOR MOUNTING PLATES AND BACKPANELS
2. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO FOR INSTALLATION LOCATIONS, WASTE & SUPPLY REQUIREMENTS OTHER THAN SHOWN.






** EXISTING PUSH BUTTON ASSEMBLY SHOWN, CAN BE CONVERTED TO HANDS OFF STYLE, USING RETRO-FIT KIT MODEL 1RKHO.H OR 2RKHO.H DEPENDING ON CUSTOMER REQUIREMENTS.

3/8" O.D. SUPPLY TUBING AND 3/8" O.D. PUSH-IN TEE SUPPLIED. (CONNECT TO FOUNTAIN SUPPLY LINE)



1456 KLEPPE LANE
SPARKS, NEVADA 89431
(775) 359-4712 FAX (775) 359-7424
E-MAIL: HAWS@HAWS.CO.COM
WEBSITE: WWW.HAWS.CO.COM

ECN NO. REVISED PERBY:	MODEL(S)	PART NUMBER
5574 ECN 5981 BJM	1920HO/1920HPSHO/1920WHO	0510001063.D
DRAWN: FV	DATE: 08/18/20	REVISION: 4
APPROVED: BJM	DATE: 09/13/21	SCALE: N/A
DRAWING TYPE: INSTALLATION		SHEET 2 OF 6




INSTALLATION ABOVE HAWS 1119 & H1119.8 SERIES

INSTALLATION ABOVE HAWS 1109 & H1109.8 SERIES

* IF YOUR FOUNTAIN IS THIS STYLE USE THESE DIMENSIONS


1. SEE SEPARATE INSTALLATION DRAWINGS FOR MOUNTING PLATES, BACKPANELS & DRIP TRAY

2. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO FOR INSTALLATION LOCATIONS, WASTE & SUPPLY REQUIREMENTS OTHER THAN SHOWN.






** EXISTING PUSH BUTTON ASSEMBLY SHOWN, CAN BE CONVERTED TO HANDS OFF STYLE, USING RETRO-FIT KIT MODEL 1RKHO.H OR 2RKHO.H DEPENDING ON CUSTOMER REQUIREMENTS.

3/8" O.D. SUPPLY TUBING AND 3/8" O.D. PUSH-IN TEE SUPPLIED. (CONNECT TO FOUNTAIN SUPPLY LINE)



1456 KLEPPE LANE
SPARKS, NEVADA 89431
(775) 359-4712 FAX (775) 359-7424
E-MAIL: HAWS@HAWS.CO.COM
WEBSITE: WWW.HAWS.CO.COM

ECN NO. REVISED PER BY:	MODEL(S)
5574 ECN 5981 BJM	1920HO/1920HPSHO/1920WMO
DRAWN: FV	DATE: 08/18/20
APPROVED: BJM	SCALE: N/A
DATE: 08/18/20	DRAWING TYPE: INSTALLATION
SIZE: A	SHEET: 3 OF 6
PART NUMBER: 0510001063.D	REVISION: 4




INSTALLATION ABOVE HAWS 1117L & H1117.8 SERIES

INSTALLATION ABOVE HAWS 1107L & H1107.8 SERIES

* IF YOUR FOUNTAIN IS THIS STYLE USE THESE DIMENSIONS


1. SEE SEPARATE INSTALLATION DRAWINGS FOR MOUNTING PLATES AND BACKPANELS
2. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO FOR INSTALLATION LOCATIONS, WASTE & SUPPLY REQUIREMENTS OTHER THAN SHOWN.



** EXISTING PUSH BUTTON ASSEMBLY SHOWN, CAN BE CONVERTED TO HANDS OFF STYLE, USING RETRO-FIT KIT MODEL 1RKHO.H OR 2RKHO.H DEPENDING ON CUSTOMER REQUIREMENTS.

3/8" O.D. SUPPLY TUBING AND 3/8" O.D. PUSH-IN TEE SUPPLIED. (CONNECT TO FOUNTAIN SUPPLY LINE)

		1456 KLEPPE LANE SPARKS, NEVADA 89431 (775) 359-4712 FAX (775) 359-7424 E-MAIL: HAWS@HAWS.CO.COM WEBSITE: WWW.HAWS.CO.COM	
ECN NO. REVISED PERBY: 5574 ECN 5981 BJM DRAWN: DATE: CHKD: FV 08/18/20 FV	MODEL(S) 1920HO/1920HPSHO/1920WHO	PART NUMBER 0510001063.D	REVISION 4
APPROVED: BJM DATE: 08/18/20	SCALE: N/A	DRAWING TYPE: INSTALLATION	SIZE: A SHEET 4 OF 6




INSTALLATION ABOVE HAWS 1501

INSTALLATION ABOVE HAWS 1311

* IF YOUR FOUNTAIN IS THIS STYLE USE THESE DIMENSIONS

1. SEE SEPERATE INSTALLATION DRAWINGS FOR MOUNTING PLATES AND BACKPANELS
2. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO FOR INSTALLATION LOCATIONS, WASTE & SUPPLY REQUIREMENTS OTHER THAN SHOWN.



** EXISTING PUSH BUTTON ASSEMBLY SHOWN, CAN BE CONVERTED TO HANDS OFF STYLE, USING RETRO-FIT KIT MODEL 1RKHO.H OR 2RKHO.H DEPENDING ON CUSTOMER REQUIREMENTS.

**Haws**[®]


1456 KLEPPE LANE
SPARKS, NEVADA 89431
(775) 359-4712 FAX (775) 359-7424
E-MAIL: HAWS@HAWS.CO.COM
WEBSITE: WWW.HAWS.CO.COM

ECN NO. REVISED PERBY: MODEL(S)
5574 ECN 5981 BJM 1920HO/1920HPSHO/1920WHO
DRAWN: DATE: CHKD: PART NUMBER
FV 08/18/20 FV 0510001063.D
APPROVED: DATE: SCALE: N/A DRAWING TYPE: INSTALLATION SIZE: A SHEET 5 OF 6
BJM 09/13/21

6700 MOUNTING PLATE
(BEHIND FINISH WALL)

OR:



**BOLT 1920HO ONTO EXISTING WALL
(MOUNTING HARDWARE ONLY SUPPLIED
WITH 6700 SERIES MOUNTING PLATES)**



INSTALLATION ABOVE HAWS 1047

*** IF YOUR FOUNTAIN IS THIS STYLE USE THESE DIMENSIONS**

1. SEE SEPERATE INSTALLATION DRAWINGS FOR MOUNTING PLATES AND BACKPANELS
2. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO FOR INSTALLATION LOCATIONS, WASTE & SUPPLY REQUIREMENTS OTHER THAN SHOWN.



3/8" O.D. SUPPLY
TUBING AND 3/8" O.D.
PUSH-IN TEE SUPPLIED.
(CONNECT TO FOUNTAIN
SUPPLY LINE)

**** EXISTING PUSH BUTTON ASSEMBLY SHOWN, CAN BE CONVERTED TO HANDS OFF STYLE, USING RETRO-FIT KIT MODEL 1RKHO.H.**



1455 KLEPPE LANE
SPARKS, NEVADA 89431
(775) 359-4712 FAX (775) 359-7424
E-MAIL: HAWS@HAWS.CO.COM
WEBSITE: WWW.HAWSCO.COM

ECN NO.	REVISED PER BY:	MODEL(S)
5574	ECN: 5681 BJM	
DRAWN:	DATE:	
	CHKD.:	

1920HO/1920HPSHO/1920WHO

APPROVED:	DATE:
BJM	05/13/21

MODEL(S)	1920HO/1920HPSHO/1920WHO	PART NUMBER	0510001063.L
SCALE:	N/A	DRAWING TYPE:	INSTALLATION
		SIZE:	A
		SHEET	6 OF 6
		4	
		REVISION	