


D	SMITH® JAY R. SMITH MFG. CO.® MEMBER OF MORRIS GROUP INTERNATIONAL POST OFFICE BOX 3237 MONTGOMERY, ALABAMA 36109-0237 (USA) TEL: 334-277-8520 FAX: 888-377-7818 www.jrsmith.com MEMBER OF: MEMBER OF: MEMBER OF:				LOCATION 																																						
	GENERAL PURPOSE ROOF DRAINS																																										
	WIDE FLANGE BODY WITH SECURED DOME																																										
	FUNCTION: For use in promenade roof deck and rooftop recreational areas where traffic bearing roof deck covering is to be applied. Drain body sump is protected from leaves, paper and other debris by large secured dome.																																										
DRAWING NUMBER SDX1010	SIZE A	SCALE: NONE	DATE: 8-10-06	APPROVED BY: CL	CHECKED BY: CL	 *This Dimension to Internal Stop of Speedi-Set® Gasket. A (Pipe Size) = 02(50), 03(75), 04(100), 05(125) or 06(150) Fig. DX1010C CAULK OUTLET Fig. DX1010Y NO-HUB OUTLET																																					
WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA			WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA																																								
APPROVED BY: CL			CHECKED BY: CL																																								
DRAWN BY: TBW			DRAWN BY: TBW																																								
DX1010						REGULARLY FURNISHED: Duco Cast Iron Wide Flange Body with Combined Flashing Clamp and Gravel Stop with Polyethylene Dome. Δ Same for Caulk, NO-HUB and Speedi-Set®. 3 3/4(95) for Threaded NOTE: Recommended deck opening 14(355) DIA. NOTE: Dimensions shown in parentheses are in millimeters.																																					
VARIATIONS: "L" Shaped Underdeck Clamp -CL L Speedi-Set® Service Weight 02(50), 03(75) & 04"(100) sizes only LXH Speedi-Set® Extra Heavy 02(50), 03(75) & 04"(100) sizes only Securing Holes -SH Underdeck Clamp -C Vandal Proof Dome -U T Threaded Outlet OPTIONAL MATERIALS: Aluminum Dome -AD Cast Iron Dome -CID Galvanized Cast Iron Dome -CIDG Galvanized Cast Iron Body and Collar -G Rough Bronze Dome -RBD ▲ Optional domes' free area are as follows: <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Aluminum</td> <td style="width: 50%;">98 (632)</td> </tr> <tr> <td>Cast Iron</td> <td>80 (516)</td> </tr> <tr> <td>Bronze</td> <td>95 (613)</td> </tr> </table>								Aluminum	98 (632)	Cast Iron	80 (516)	Bronze	95 (613)																														
Aluminum	98 (632)																																										
Cast Iron	80 (516)																																										
Bronze	95 (613)																																										
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">D</td> <td style="width: 10%;">3-9-23</td> <td style="width: 30%;">Added ® to "Speedi-Set"</td> <td style="width: 10%;">KK</td> <td style="width: 10%;">CL</td> <td style="width: 10%;">WEIGHT</td> <td style="width: 10%;">VOLUME</td> <td style="width: 20%;">FIGURE NUMBER</td> </tr> <tr> <td>C</td> <td>7-30-19</td> <td>Removed NOTE</td> <td>MW</td> <td>CL</td> <td>POUNDS</td> <td>CUBIC FEET</td> <td rowspan="3" style="font-size: 24px; font-weight: bold;">DX1010</td> </tr> <tr> <td>B</td> <td>12-2-15</td> <td>Added Flow Rate Note</td> <td>TBW</td> <td>CL</td> <td></td> <td></td> </tr> <tr> <td>A</td> <td>06/01/09</td> <td>Added Optional Dome Notes</td> <td>JJ</td> <td>BW</td> <td></td> <td></td> </tr> <tr> <td colspan="2">REV.</td> <td>DATE</td> <td colspan="2">DESCRIPTION</td> <td>BY</td> <td>CKD. BY</td> <td></td> </tr> </table>						D	3-9-23	Added ® to "Speedi-Set"	KK	CL	WEIGHT	VOLUME	FIGURE NUMBER	C	7-30-19	Removed NOTE	MW	CL	POUNDS	CUBIC FEET	DX1010	B	12-2-15	Added Flow Rate Note	TBW	CL			A	06/01/09	Added Optional Dome Notes	JJ	BW			REV.		DATE	DESCRIPTION		BY	CKD. BY	
D	3-9-23	Added ® to "Speedi-Set"	KK	CL	WEIGHT	VOLUME	FIGURE NUMBER																																				
C	7-30-19	Removed NOTE	MW	CL	POUNDS	CUBIC FEET	DX1010																																				
B	12-2-15	Added Flow Rate Note	TBW	CL																																							
A	06/01/09	Added Optional Dome Notes	JJ	BW																																							
REV.		DATE	DESCRIPTION		BY	CKD. BY																																					
WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov																																											