

Location: _____



CAD-FR

**CEILING OR WALL ACCESS DOOR,
FIRE RESISTANT**

Specification: MIFAB® Series CAD-FR fire resistant access door is designed for use in a suspended drywall ceiling. The CAD-FR is not fire rated. However, the combination of steel and fire rated tile supplied by others may maintain the fire resistant quality of the ceiling assembly. The door is recessed 1 1/2" (38) to accommodate dual layered ceiling tile. Consult local Fire Codes for each application.

Material: CAD-FR Series is 16 gage satin coat steel door and 16 gage satin coat steel frame.
The CAD-FRSS stainless steel Series is 16 gage # 304 stainless steel door and frame.

Finish: Satin coat steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.


Door: Recessed 1 1/2" (38) door panel to accept tile, drywall or finishing materials.

Frame: Flush to surface. Mounting flange is 1 1/8" (28) wide and recessed 5/8" (16) from the door.

Hinge: Concealed pivot pins

Latch: Standard – Flush Mounted, screwdriver operated cam. Optional – Allen key, cylinder key, or vandal resistant latch. All of MIFAB's cylinder key locks are keyed alike.

Packaging: Individual pack.



A-B Recess Area - Door Size - Minus 3/16" (5)

C-D Overall Dimensions - Door Size - Plus 2 1/4" (57)

E-F Wall Opening - Door Size - Plus 3/16" (5)

"B" x "A"	WALL OPENING	SHIP WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	STAINLESS STEEL MODEL #
12" x 12"	12 1/2" x 12 1/2"	7.3	1	CAD-FR1212	CAD-FRSS1212
18" x 18"	18 1/2" x 18 1/2"	12.5	1	CAD-FR1818	CAD-FRSS1818
24" x 24"	24 1/2" x 24 1/2"	21.8	3	CAD-FR2424	CAD-FRSS2424
22" x 30"	22 1/2" x 30 1/2"	26.0	4	CAD-FR2230	CAD-FRSS2230

SUFFIX	OPTIONAL VARIATIONS
-A	Allen key lock
-BA	Buy American Act compliant product
-C	Cylinder key lock
-PA	Pennsylvania Steel Act compliant product
-VP	Vandal resistant hardware (VP Screwdriver included)

(Dimension) Denotes Millimetres

NOTE: The hinge is always furnished on the "A" or height (longer) dimension, unless otherwise specified.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Job Name: _____

Page No: _____

Section No: _____

Contractor: _____

Schedule No: _____

Purchase Order No: _____