

Location: _____




R1220-EU

**MEDIUM SUMP EXTENSION ROOF DRAIN
FOR 1 3/4" TO 7" INSULATION**

Specification: MIFAB® Series R1220-EU lacquered cast iron medium sump roof drain with 12" diameter anchor flange, large cast iron waterproofing membrane clamp ring with integral gravel stop, adjustable cast iron extension flange, underdeck clamp and standard self-locking cast iron dome strainer with a free area of 71.50 square inches.

Function: Used in any type of flat roofs where a medium sized drain is required. Adjustable extension system can be adjusted to the thickness of insulation on top of the roof deck without the need for gaskets. Body is elevated off of the roof deck eliminating the need for the bearing pan or sump receiver. Extra wide anchor flange and membrane clamp with tongue in groove design provides for secure grip of membrane and roof flashing materials.



PIPE SIZE	BODY HEIGHT	
	NO HUB (STANDARD)	INSIDE CAULK (X)
○ 2" (51)	☐ 6 1/2" (165)	☐ 6.575 (167)
○ 3" (76)	☐ 6 1/2" (165)	☐ 6.575 (167)
○ 4" (102)	☐ 6 1/2" (165)	☐ 6.575 (167)
○ 6" (152)	☐ 6 1/2" (165)	☐ 6.575 (167)

SUFFIX	OPTIONAL VARIATIONS	SUFFIX	OPTIONAL VARIATIONS
☐ -6	Vandal proof dome (metal dome only)	☐ -EG	Galvanized Adjustable extension
☐ -11	Acid resistant epoxy coating	☐ -G	Stainless steel ballast guard
☐ -12	Galvanized metal dome	☐ -HC	Adjustable ballast guard with sec. clamp
☐ -12A	Galvanized body and membrane clamp	☐ -JC	S.S. ballast guard with secondary clamp
☐ -13	Galvanized body, membrane clamp and dome	☐ -PA	Pennsylvania Steel Act compliant product
☐ -83	Stainless steel mesh screen over dome	☐ -R	2" external water dam
☐ -B	Sump receiver	☐ -U3	Underdeck clamp with cutaway side
☐ -BA	Buy America Act compliant product	☐ -W-1	Water proofing flange
☐ -C	Secondary clamp	☐ X	Inside caulk outlet (2",3",4")
☐ -E	Adjustable extension	☐ -Z	Extended wide elastomeric flange (20" diameter x 1/4" thick)

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Job Name: _____ Page No: _____

Section No: _____ Contractor: _____

Schedule No: _____ Purchase Order No: _____