




TDSS-2023

2023




STAINLESS STEEL DRAINS CATALOG

TRENCH, FLOOR AND KETTLE
DRAINS, CLEANOUTS AND
ACCESSORIES



4", 8", 12" INTERNAL WIDTHS - SHALLOW CHANNELS - CATCH BASINS
(6", 10" AND 14" OVERALL WIDTHS)

LIT-072

 P6335 (page 7)	 P6030 (page 8)	 P6060 (page 10)	 P6080 (page 12)	 P6120 (page 14)
 P6060-LT (page 16)	 P6230 (page 18)	 P6260 (page 18)	 P6280 (page 19)	 P6220 (page 19)
 P6090-ELTD (page 20)	 P6120-ELTD (page 21)	 P6460-THTD, P6480-THTD (page 22)	 P6560-THTD (page 23)	 P6130 (page 24)
 P6140 (page 25)	 P3060 (page 26)	 P3080 (page 27)	 P3080-S (page 28)	 P3100 (page 29)
 P3100-S (page 30)	 P3120 (page 31)	 P4120-4D (page 32)	 P4120-6D (page 32)	 P4120-8D (page 33)
 P4120-10D (page 33)	 P4080 (page 34)	 P3210 (page 35)	 P3230 (page 36)	 P3230-S (page 37)
 P7060 (page 38)	 P7060-S (page 38)	 P7080 (page 39)	 P7080-S (page 39)	 P5000 (page 40)
 P8300 (page 41)	 P8500 (page 41)	 P8100 / P8200 (page 42)	 P8400 (page 43)	

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

TABLE OF CONTENTS

Clipfix Universal Grate Overview.....	4
Clipfix Universal Grate Locking Design and Channel / Grate Selection Guide	5
System Pricing.....	6
P6335 - 4" Deep, 3.10" Wide, Stainless Steel Slot Drain with ¾" Slot Opening	7
P6030 - 3" Wide, 2" Internal Width, Stainless Steel Channel and Grate System	8
P6060 - 6" Wide, 4" Internal Width, Stainless Steel Channel and Grate System.....	10
P6080 - 10" Wide, 8" Internal Width, Stainless Steel Channel and Grate System.....	12
P6120 - 14" Wide, 12" Internal Width, Stainless Steel Channel and Grate System	14
P6060-LT - 6" Wide, 4" Internal Width, Stainless Steel Lint Trough Drain	16
Catch Basin Installation Guide.....	17
P6230 - 3" Wide, 2" Internal Width, Stainless Steel Frame and Grate System.....	18
P6260 - 6" Wide, 4" Internal Width, Stainless Steel Frame and Grate System	18
P6280 - 10" Wide, 8" Internal Width, Stainless Steel Frame and Grate System	19
P6220 - 14" Wide, 12" Internal Width, Stainless Steel Frame and Grate System	19
P6090-ELTD - 9" Wide, 7" Internal Width, Stainless Steel Elevator Trench Drain	20
P6120-ELTD - 12" Wide, 10" Internal Width, Stainless Steel Elevator Trench Drain	21
P6460-THTD - 6" Wide, Stainless Steel Threshold Drain	22
P6480-THTD - 8" Wide, Stainless Steel Threshold Drain	22
P6560-THTD - 12" Wide, Stainless Steel Threshold Drain.....	23
P6130 - 18" Wide, 16" Internal Width, Stainless Steel Trench Drain	24
P6140 - 24" Wide, 22" Internal Width, Stainless Steel Trench Drain	25
P3060 - 6" Round, Adjustable Depth, Type 316 Stainless Steel Fabricated Floor Drain.....	26
P3080 - 8" Round, Adjustable Depth, Type 316 Stainless Steel Fabricated Floor Drain.....	27
P3080-S - 8" x 8", Adjustable Depth, Type 316 Stainless Steel Fabricated Floor Drain	28
P3100 - 12" Round, Adjustable Depth, Type 316 Stainless Steel Fabricated Floor Drain.....	29
P3100-S - 12" x 12" Square, Adjustable Depth, Type 316 Stainless Steel Fabricated Floor Drain	30
P3120 - 12" x 12", Adjustable Depth, Type 316 Stainless Steel Fabricated Floor Drain with Solid Cover, Perimeter Drainage	31
P4120-4D - 12" x 12" x 4" Stainless Steel Fabricated Floor Sink.....	32
P4120-6D - 12" x 12" x 6" Stainless Steel Fabricated Floor Sink.....	32
P4120-8D - 12" x 12" x 8" Stainless Steel Fabricated Floor Sink.....	33
P4120-10D - 12" x 12" x 10" Stainless Steel Fabricated Floor Sink	33
P4080 - 8" x 8", 6" Deep Stainless Steel Fabricated Floor Sink with Radiused inside Sump.....	34
P3210 - 8" Round, 3 1/2" Deep, Type 316 Stainless Steel Fabricated, Funnel Drain	35
P3230 - 12" Round, 7" Deep, Type 316 Stainless Steel Fabricated, Funnel Drain	36
P3230-S - 12" Square, 7" Deep, Type 316 Stainless Steel Fabricated, Funnel Drain.....	37
P7060 - 6" Round, Type 316 Stainless Steel Fabricated, Industrial Floor Cleanout	38
P7060-S - 6" Square, Type 316 Stainless Steel Fabricated, Industrial Floor Cleanout.....	38
P7080 - 8" Round, Type 316 Stainless Steel Fabricated, Industrial Floor Cleanout	39
P7080-S - 8" Square, Type 316 Stainless Steel Fabricated, Industrial Floor Cleanout.....	39
P5000 - Stainless Steel Kettle Drain	40
P8300 - Type 316 Fabricated Stainless Steel Hub Drain	41
P8500 - Type 316 Fabricated Stainless Steel P-Trap	41
P8100 / P8200 - Stainless Steel Fabricated Downspout Boot	42
P8400 - Stainless Steel Fabricated Washing Machine Box	43
Common Questions and Answers	44, 45
Custom Fabrication	46
Advantages of Stainless Steel.....	47
Grate Load Class Definitions	48
Chemical Resistance Chart	49
Terms and Warranties.....	50
Cross Reference	51
Project References.....	52-54

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880


MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.


CLIPFIX UNIVERSAL GRATE OVERVIEW
**STAINLESS STEEL -
SLOTTED**
**P6030 P6230
P6060 P6260**

Load Class A, C for all models, E for P6060 and P6260
**STAINLESS STEEL -
PERFORATED**

**P6030 P6230
P6060 P6260
P6080 P6280**

Load Class A, C
PLASTIC - LONGITUDINAL

P6060 P6260

Load Class A
**STAINLESS STEEL -
MESH**

**P6060 P6260
P6080 P6280
P6120 P6220**

Load Class A, C
**PLASTIC -
SLOTTED**

P6060 P6260

Load Class C
**STAINLESS STEEL -
LONGITUDINAL**

**P6030 P6230
P6060 P6260
P6080 P6280
P6120 P6220**


Load Class B
**DUCTILE IRON -
SLOTTED**
**P6060 P6260
P6080 P6280
P6120 P6220**

Load Class C, E
DUCTILE IRON - WAVE
**P6060 P6260
P6080 P6280
P6120 P6220**

Load Class C
**DUCTILE IRON -
HEELPROOF**

**P6060 P6260
P6080 P6280
P6120 P6220**

Load Class C, E
**DUCTILE IRON -
LONGITUDINAL**


**P6060 P6260
P6080 P6280
P6120 P6220**

Load Class E
DUCTILE IRON - BAVARIA
**P6060 P6260
P6080 P6280**

Load Class C
**STAINLESS STEEL -
BAR**
**P6060 P6260
P6080 P6280
P6120 P6220**

Load Class E

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

CLIPFIX UNIVERSAL GRATE LOCKING DESIGN



The MIFAB stainless steel channels have been designed and optimized for our universal CLIPFIX grate fixing mechanism. The advantage: a large choice of grates and an easy to understand product offering. CLIPFIX not available with P6030 and P6230.

Thanks to the CLIPFIX system, the channel and the grates do not have locking devices or screws visible from the outside.



Universal CLIPFIX grate fixing system:
easy to install, aesthetic, fit for purpose.

CHANNEL / GRATE SELECTION GUIDE

	CHANNEL EDGE RAIL MATERIAL	GRATES				
		Stainless Steel	Galvanized	Ductile Iron	Galvanized Ductile Iron	Plastic
Stainless Steel Systems	Stainless Steel Channels	X		X		X

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.

SYSTEM PRICING

P6030 - 2" Internal Width (Stainless Steel Channel)				
GRATE LOAD CLASS	GRATE MATERIAL	GRATE DESIGN	GRATE SUFFIX	LIST PRICE (Per Foot)
A	Stainless Steel	Perforated	PGA-3-FP 	\$479.56
A	Stainless Steel	Heelproof Slotted	PGA-3-HP 	\$479.56
B	Stainless Steel	Wedgewire, Longitudinal Slotted	PGB-3-WW 	\$533.41
C	Stainless Steel	Heelproof Slotted	PGC-3-HP 	\$593.12
C	Stainless Steel	Perforated	PGC-3-FP 	\$593.12

P6060 - 4" Internal Width (Stainless Steel Channel)				
GRATE LOAD CLASS	GRATE MATERIAL	GRATE DESIGN	GRATE SUFFIX	LIST PRICE (Per Foot)
A	Stainless Steel	Perforated	PGA-3-FP 	\$508.00
A	Stainless Steel	Slotted	PGA-3-FS	\$508.00
A	Stainless Steel	Mesh	PGA-3-SM 	\$539.58
A	Black Plastic	Longitudinal Slotted	PGA-HPP-BLK 	\$470.10
A	Grey Plastic	Longitudinal Slotted	PGA-HPP-GRY 	\$470.10
B	Stainless Steel	Longitudinal, Anti slip Avail. March/23	PGB-B-WW 	\$780.76
C	Stainless Steel	Slotted Avail. May/23	PGC-3-FS	\$600.40
C	Stainless Steel	Perforated	PGC-3-FP 	\$600.40
C	Black Plastic	Slotted	PGC-HPP	\$565.75
C	Stainless Steel	Mesh	PGC-3-SM 	\$699.67
C	Stainless Steel	Paverslot Avail. April/23	PGC-3-SD 	\$576.03
C	Ductile Iron	Slotted	PGC-4	\$468.10
C	Ductile Iron	Heelproof, Slotted	PGC-4-HP 	\$494.20
C	Ductile Iron	Solid Cover Avail. July/23	SCC-4 	\$494.35
C	Ductile Iron	WAVE	PGC-4-WVY	\$494.35
C	Ductile Iron	Bavaria	PGC-4-BG	\$494.35
E	Ductile Iron	Heelproof, Slotted	PGE-4-HP 	\$521.65
E	Ductile Iron	Longitudinal	PGE-4-ADA 	\$521.65
E	Ductile Iron	Slotted	PGE-4	\$485.95
E	Stainless Steel	Slotted Avail. July/23	PGE-3-FS	\$655.03
E	Stainless Steel	Bar	PGE-3-SBG	\$856.75

P6080 - 8" Internal Width (Stainless Steel Frame)				
GRATE LOAD CLASS	GRATE MATERIAL	GRATE DESIGN	GRATE SUFFIX	LIST PRICE (Per Foot)
A	Stainless Steel	Mesh	PGA-3-SM 	\$1,021.95
B	Stainless Steel	Longitudinal, Anti slip Avail. May/23	PGB-B-WW 	\$1,021.95
C	Stainless Steel	Mesh	PGC-3-SM 	\$1,151.79
C	Stainless Steel	Paverslot Avail. May/23	PGC-3-SD 	\$692.81
C	Ductile Iron	WAVE	PGC-4-WVY	\$587.25
C	Ductile Iron	Bavaria	PGC-4-BG	\$587.25
C	Ductile Iron	Slotted	PGC-4	\$522.16
C	Ductile Iron	Heelproof, Slotted	PGC-4-HP 	\$587.25
E	Ductile Iron	Slotted	PGE-4	\$569.41
E	Ductile Iron	Heelproof, Slotted	PGE-4-HP 	\$619.81
E	Ductile Iron	Longitudinal Avail. July/23	PGE-4-ADA 	\$619.81
E	Stainless Steel	Bar	PGE-3-SBG	\$1,431.00

P6120 - 12" Internal Width (Stainless Steel Channel)				
GRATE LOAD CLASS	GRATE MATERIAL	GRATE DESIGN	GRATE SUFFIX	LIST PRICE (Per Foot)
C	Stainless Steel	Mesh	PGC-3-SM 	\$1,363.15
C	Ductile Iron	Slotted	PGC-4	\$546.93
C	Ductile Iron	Heelproof, Slotted	PGC-4-HP 	\$600.49
C	Ductile Iron	WAVE	PGC-4-WVY	\$715.74
E	Ductile Iron	Slotted	PGE-4	\$615.22
E	Ductile Iron	Heelproof, Slotted	PGE-4-HP 	\$690.83
E	Ductile Iron	Longitudinal Avail. July/23	PGE-4-ADA 	\$690.83
E	Ductile Iron	Solid Cover Avail. July/23	SCE-4 	\$691.13
E	Stainless Steel	Bar	PGE-3-SBG	\$1,668.27

P6230 - 3" Wide (Stainless Steel Frame)				
GRATE LOAD CLASS	GRATE MATERIAL	GRATE DESIGN	GRATE SUFFIX	LIST PRICE (Per Foot)
A	Stainless Steel	Perforated	PGA-3-FP 	\$381.15
A	Stainless Steel	Heelproof Slotted	PGA-3-HP 	\$381.15
B	Stainless Steel	Wedgewire, Longitudinal Slotted	PGB-3-WW 	\$435.00
C	Stainless Steel	Heelproof Slotted	PGC-3-HP 	\$494.71
C	Stainless Steel	Perforated	PGC-3-FP 	\$494.71

P6260 - 4" Wide (Stainless Steel Frame)				
GRATE LOAD CLASS	GRATE MATERIAL	GRATE DESIGN	GRATE SUFFIX	LIST PRICE (Per Foot)
A	Stainless Steel	Perforated	PGA-3-FP 	\$416.25
A	Stainless Steel	Slotted	PGA-3-FS	\$416.25
A	Stainless Steel	Mesh	PGA-3-SM 	\$447.83
A	Black Plastic	Longitudinal Slotted	PGA-HPP-BLK 	\$378.35
A	Grey Plastic	Longitudinal Slotted	PGA-HPP-GRY 	\$378.35
B	Stainless Steel	Longitudinal, Anti slip Avail. March/23	PGB-B-WW 	\$689.01
C	Stainless Steel	Slotted Avail. May/23	PGC-3-FS	\$508.65
C	Stainless Steel	Perforated	PGC-3-FP 	\$508.65
C	Black Plastic	Slotted	PGC-HPP	\$474.00
C	Stainless Steel	Mesh	PGC-3-SM 	\$607.92
C	Stainless Steel	Paverslot Avail. April/23	PGC-3-SD 	\$484.28
C	Ductile Iron	Slotted	PGC-4	\$376.35
C	Ductile Iron	Heelproof, Slotted	PGC-4-HP 	\$402.45
C	Ductile Iron	Solid Cover Avail. July/23	SCC-4 	\$402.60
C	Ductile Iron	WAVE	PGC-4-WVY	\$402.60
C	Ductile Iron	Bavaria	PGC-4-BG	\$402.60
E	Ductile Iron	Heelproof, Slotted	PGE-4-HP 	\$429.90
E	Ductile Iron	Longitudinal	PGE-4-ADA 	\$429.90
E	Ductile Iron	Slotted	PGE-4	\$394.20
E	Stainless Steel	Slotted Avail. July/23	PGE-3-FS	\$563.28
E	Stainless Steel	Bar	PGE-3-SBG	\$765.00

P6280 - 10" Wide (Stainless Steel Frame)				
GRATE LOAD CLASS	GRATE MATERIAL	GRATE DESIGN	GRATE SUFFIX	LIST PRICE (Per Foot)
A	Stainless Steel	Mesh	PGA-3-SM 	\$1,434.95
B	Stainless Steel	Longitudinal, Anti slip Avail. May/23	PGB-B-WW 	\$1,434.95
C	Stainless Steel	Mesh	PGC-3-SM 	\$1,564.79
C	Stainless Steel	Paverslot Avail. May/23	PGC-3-SD 	\$1,105.81
C	Ductile Iron	WAVE	PGC-4-WVY	\$1,000.25
C	Ductile Iron	Bavaria	PGC-4-BG	\$1,000.25
C	Ductile Iron	Slotted	PGC-4	\$935.16
C	Ductile Iron	Heelproof, Slotted	PGC-4-HP 	\$1,000.25
E	Ductile Iron	Slotted	PGE-4	\$982.41
E	Ductile Iron	Heelproof, Slotted	PGE-4-HP 	\$1,032.81
E	Ductile Iron	Longitudinal Avail. July/23	PGE-4-ADA 	\$1,032.81
E	Stainless Steel	Bar	PGE-3-SBG	\$1,844.00


P6220 - 12" Wide (Stainless Steel Frame)				
GRATE LOAD CLASS	GRATE MATERIAL	GRATE DESIGN	GRATE SUFFIX	LIST PRICE (Per Foot)
C	Stainless Steel	Mesh	PGC-3-SM 	\$2,002.15
C	Ductile Iron	Slotted	PGC-4	\$1,185.93
C	Ductile Iron	Heelproof, Slotted	PGC-4-HP 	\$1,239.49
C	Ductile Iron	WAVE	PGC-4-WVY	\$1,354.74
E	Ductile Iron	Slotted	PGE-4	\$1,254.22
E	Ductile Iron	Heelproof, Slotted	PGE-4-HP 	\$1,329.83
E	Ductile Iron	Longitudinal Avail. July/23	PGE-4-ADA 	\$1,329.83
E	Ductile Iron	Solid Cover Avail. July/23	SCE-4 	\$1,330.13
E	Stainless Steel	Bar	PGE-3-SBG	\$2,307.27



See page 45 for explanation of ADA and Heelproof compliant grates

NOTE: The ClipFix locking clips are included with all of the above Class A - E grates. 45s, 90s, catch basins, outlets, end caps & installation devices are priced separately & not included in the above System Pricing. (See Pages 8, 10, 12, 14)

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.



SCAN ME

Specifying engineer is responsible for concrete encasement and reinforcing based upon application and local codes.

SPECIFICATION:

MIFAB® Series P6335, 3/4" wide slot with a 3.10" internal throat width, 16 gauge fabricated Type 304 stainless steel neutral trench drain in one and two meter channel lengths. Channels have a bead blast finish and flanged ends to connect to each other with a neoprene rubber gasket in between. End and bottom outlets available in 2" no hub outlet connections.

FUNCTION:

Used in kitchens, food processing and other sanitary areas that require a narrow opening to collect wastewater. Stainless steel construction provides an anti - microbial finish.

P6335-HDW - Universal gasket for connecting channels, end caps and end outlets with hardware included with every channel, end cap / end outlet ordered

CHANNEL#	LENGTH	WEIGHT Lbs.	C1 (Shallow invert)	C2 (Deep Invert)	List Price / Ea. Channel	List Price / Foot
P6335-PB	78.74" (2m)	20	4"	4"	\$4,021.28	\$613.00
P6335-PB-1M	39.37" (1m)	11	4"	4"	\$2,010.64	\$613.00
P6335-PB-B02	78.74" (2m)	20	4"	4"	\$4,021.28	\$613.00

P6030-CB320-S02

P6030-CB320: (includes sediment bucket, transition plate and P6030-PCB320-S02 2" no hub side outlet).



P6335-PEO End Outlet



P6335-PEC End Cap

MODEL #	DESCRIPTION	MATERIAL	LIST PRICE	WEIGHT (Lbs.)
P6030-CB320	3" x 20" Catch Basin with transition plate and P6030-PCB320-S02, 2" no hub side outlet. (See Page 17 for Catch Basin dimensions and sediment bucket option)	Type 304 Stainless Steel	\$6,310.00	10.00
P6335-PEO	2" No Hub End Outlet	Type 304 Stainless Steel	\$401.00	2.00
P6335-PEC	Closed End Cap	Type 304 Stainless Steel	\$401.00	2.00
-29	Type 316 Stainless Steel Channel	Type 316 Stainless Steel	Contact MIFAB®	-
-FL	Anchor (Waterproofing) flange	Type 304 Stainless Steel	\$531.36 / Meter, \$162.00 / Foot	-
-FLC	Membrane clamp (includes anchor flange)	Type 304 Stainless Steel	\$790.48 / Meter, \$241.00 / Foot	-

NOTE: Flow rate information per channel section is available on the www.mifab.com website

NOTE: Custom widths, depths, slopes and profiles available upon request. Contact MIFAB®.

Note: The neoprene gasket used to connect long runs of trench drain bodies is not recommended for use with caustic or harsh chemicals. In these cases, it is recommended that the trench drain channels be welded together on site.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.




MIFAB®

P6030 - 3" Wide, 2" Internal Width, Stainless Steel Channel and Grate System

TDSS - 2023



SCAN ME



SPECIFICATION:

MIFAB® Series P6030, 3" wide, 2" internal width, 16 gauge fabricated Type 304 stainless steel presloped trench drain (1% / 1/8" per foot). Channels are available in one and two meter lengths, have flanged ends to connect to each other with a neoprene rubber gasket in between. End outlets are available in 2" no hub only and bottom outlets are available in either 2" or 3" no hub outlet connections.

P6030-HDW - Universal gasket for connecting channels, end caps and end outlets with hardware included with every channel, end cap / end outlet ordered.

CHANNEL#	LENGTH	WEIGHT (LESS GRATE) Lbs.	C1 (Shallow Invert)	C2 (Deep Invert)	END OUTLET #	END CAP SHALLOW END #	END CAP DEEP END #	List Price / Ea. Channel	List Price / Foot
P6031-PB	78.74" (2m)	19	3" (50.8)	3.78" (96)	-	P6031-PEC	P6031N-PEC	\$2,712.00	\$413.41
P6031N-PB	78.74" (2m)	20	3.78" (96)	3.78" (96)	-	P6031N-PEC	P6031N-PEC	\$2,712.00	\$413.41
P6031N-PB-B02	78.74" (2m) (w/2" BO)	21	3.78" (96)	3.78" (96)	-	P6031N-PEC	P6031N-PEC	\$2,712.00	\$413.41
P6031N-PB-B03	78.74" (2m) (w/3" BO)	21	3.78" (96)	3.78" (96)	-	P6031N-PEC	P6031N-PEC	\$2,712.00	\$413.41
P6031N-PB-1M	39.37" (1m)	10	3.78" (96)	3.78" (96)	-	P6031N-PEC	P6031N-PEC	\$1,356.00	\$413.41
P6032-PB	78.74" (2m)	22	3.78" (96)	4.75" (121)	-	P6031N-PEC	P6032-PEC	\$2,712.00	\$413.41
P6032-PB-B03	78.74" (2m)	23	3.78" (96)	4.75" (121)	-	P6031N-PEC	P6032-PEC	\$2,712.00	\$413.41
P6033-PB	78.74" (2m)	24	4.75" (121)	5.36" (136)	P6033-PEO2 / P6033-PEO3	P6032-PEC	P6033-PEC	\$2,712.00	\$413.41
P6033N-PB	78.74" (2m)	25	5.36" (136)	5.36" (136)	P6033-PEO2 / P6033-PEO3	P6033-PEC	P6033-PEC	\$2,712.00	\$413.41
P6033N-PB-B02	78.74" (2m) (w/2" BO)	25	5.36" (136)	5.36" (136)	-	P6033-PEC	P6033-PEC	\$2,712.00	\$413.41
P6033N-PB-B03	78.74" (2m) (w/3" BO)	25	5.36" (136)	5.36" (136)	-	P6033-PEC	P6033-PEC	\$2,712.00	\$413.41
P6033N-PB-1M	39.37" (1m)	13	5.36" (136)	5.36" (136)	P6033-PEO2 / P6033-PEO3	P6033-PEC	P6033-PEC	\$1,356.00	\$413.41
P6034-PB	78.74" (2m)	26	5.36" (136)	6.15" (156)	P6034-PEO2 / P6034-PEO3	P6033-PEC	P6034-PEC	\$2,712.00	\$413.41
P6034-PB-B03	78.74" (2m)	27	5.36" (136)	6.15" (156)	-	P6033-PEC	P6034-PEC	\$2,712.00	\$413.41
P6035-PB	78.74" (2m)	28	6.15" (156)	6.94" (176)	P6034-PEO2 / P6034-PEO3	P6034-PEC	P6035-PEC	\$2,712.00	\$413.41
P6035N-PB	78.74" (2m)	30	6.94" (176)	6.94" (176)	P6034-PEO2 / P6034-PEO3	P6035-PEC	P6035-PEC	\$2,712.00	\$413.41
P6035N-PB-B02	78.74" (2m) (w/2" BO)	30	6.94" (176)	6.94" (176)	-	P6035-PEC	P6035-PEC	\$2,712.00	\$413.41
P6035N-PB-B03	78.74" (2m) (w/3" BO)	30	6.94" (176)	6.94" (176)	-	P6035-PEC	P6035-PEC	\$2,712.00	\$413.41
P6035N-PB-1M	39.37" (1m)	15	6.94" (176)	6.94" (176)	P6034-PEO2 / P6034-PEO3	P6035-PEC	P6035-PEC	\$1,356.00	\$413.41

(dimension) denotes mm

P6030-CB320 (includes end cap, transition plate and 2" no hub side outlet).	P6030-PEO End Outlet	P6030-PEC End Cap	Suffix -20 Bottom Outlet Strainer
---	------------------------------------	---------------------------------	---

MODEL #	DESCRIPTION	MATERIAL	LIST PRICE	WEIGHT (Lbs.)
P6030-CB320	3" x 20" Catch Basin (includes transition plate and 2" no hub side outlet). (See Page 17 for Catch Basin dimensions and sediment bucket option)	Type 304 Stainless Steel	\$6,310.00	10.00
P6030-PEO	2" No Hub End Outlet	Type 304 Stainless Steel	\$401.00	2.00
P6030-PEC	Closed End Cap	Type 304 Stainless Steel	\$401.00	2.00
-6	Vandal Proof, (Center Lockdown)	Type 304 Stainless Steel	\$14.00	1.00
-20	Bottom Outlet Strainer (2" - P6030-B02-ST, 3" - P6030-B03-ST)	Type 304 Stainless Steel	\$422.00	2.00
-29	Type 316 Stainless Steel Channel	Type 316 Stainless Steel	Contact MIFAB	-
-45	45 Degree fabricated body	Type 304 Stainless Steel	\$3,317.00	-
-90	90 Degree fabricated body	Type 304 Stainless Steel	\$3,317.00	-
-CF	Cross fabricated body	Type 304 Stainless Steel	\$6,631.00	-
-FL	Anchor (Waterproofing) flange	Type 304 Stainless Steel	\$478.88 / Meter, \$146.00 / Foot	-
-FLC	Membrane clamp (includes anchor flange)	Type 304 Stainless Steel	\$790.48 / Meter, \$241.00 / Foot	-
-TEE	Tee fabricated body	Type 304 Stainless Steel	\$3,317.00	-

NOTE: Flow rate information per channel section is available on the www.mifab.com website

NOTE: Custom widths, depths, slopes and profiles available upon request. Contact MIFAB®.

Note: The neoprene gasket used to connect long runs of trench drain bodies is not recommended for use with caustic or harsh chemicals. In these cases, it is recommended that the trench drain channels be welded together on site.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.



LOAD CLASS A GRATES - EN 1433 - 3,372 LBS., 15kN, 70 P.S.I.

Grate Part #	Description	Length (MM)	List Price	List Price (Per Foot)	Weight (Lbs.)	
T50-PGA-3-FP	Class A Stainless Steel Perforated Grate, 1 meter	39.37" (1000)	\$216.97	\$66.15	3.85	
T50-PGA-3-FP-500	Class A Stainless Steel Perforated Grate, 1/2 meter	19.69" (500)	\$137.81	\$84.03	2.09	
T50-PGA-3-HP	Class A Stainless Steel Slotted Heelproof Grate, 1 meter	39.37" (1000)	\$216.97	\$66.15	3.12	
T50-PGA-3-HP-500	Class A Stainless Steel Slotted Heelproof Grate, 1/2 meter	19.69" (500)	\$137.81	\$84.03	2.40	


LOAD CLASS B GRATES - EN 1433 - 28,100 LBS., 125kN, 580 P.S.I.

T50-PGB-3-WW	Class B Stainless Steel Wedgewire Non-Slip Grate, 1 meter	39.37" (1000)	\$393.60	\$120.00	6.00	
T50-PGB-3-WW-500	Class B Stainless Steel Wedgewire Non-Slip Grate, 1/2 meter	19.69" (500)	\$236.00	\$143.90	4.00	

LOAD CLASS C GRATES - EN 1433 - 56,200 LBS., 250kN, 1,160 P.S.I.


T50-PGC-3-FP	Class C Stainless Steel Perforated Grate, 1 meter	39.37" (1000)	\$589.44	\$179.71	9.04	
T50-PGC-3-FP-500	Class C Stainless Steel Perforated Grate, 1/2 meter	19.69" (500)	\$358.31	\$218.48	4.51	
T50-PGC-3-HP	Class C Stainless Steel Slotted Heelproof Grate, 1 meter	39.37" (1000)	\$589.44	\$179.71	9.32	
T50-PGC-3-HP-500	Class C Stainless Steel Slotted Heelproof Grate, 1/2 meter	19.69" (500)	\$358.31	\$218.48	4.62	

P6035N-BO2 - Bottom Outlet Detail




2" No Hub bottom outlet detail

P6031N-BO2
P6033N-BO2
P6035N-BO2



3" No Hub bottom outlet detail

P6031N-BO3
P6033N-BO3
P6035N-BO3



See page 45 for explanation of ADA compliant grates



See page 45 for explanation of Heelproof compliant grates

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.


Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB's Terms and Warranties. Please refer to page 50.



SCAN ME



SPECIFICATION:

MIFAB® Series P6060, 6" wide, 4" internal width, 16 gauge fabricated Type 304 stainless steel presloped trench drain (1% / 1/8" per foot). Channels are available in one and two meter lengths, have flanged ends to connect to each other with a neoprene rubber gasket in between. Bottom and end outlets are available in 3" or 4" no hub outlet connections.

Specifying engineer is responsible for concrete encasement and reinforcing based upon application and local codes.

P6060-HDW - Universal gasket for connecting channels, end caps and end outlets with hardware included with every channel, end cap / end outlet ordered

CHANNEL#	LENGTH	WEIGHT (LESS GRATE) Lbs.	C1 (Shallow Invert)	C2 (Deep Invert)	END OUTLET #	END CAP SHALLOW END #	END CAP DEEP END #	List Price / Ea. Channel	List Price / Foot
P6061-PB	78.74" (2m)	25	4" (102)	4.78" (121)	P6061N-PEO3	P6061N-PEC	P6061N-PEC	\$2,884.76	\$439.75
P6061N-PB	78.74" (2m)	26	4.78" (121)	4.78" (121)	P6061N-PEO3	P6061N-PEC	P6061N-PEC	\$2,884.76	\$439.75
P6061N-PB-BO3	78.74" (2m) (w/3" BO)	26	4.78" (121)	4.78" (121)	-	P6061N-PEC	P6061N-PEC	\$2,884.76	\$439.75
P6061N-PB-BO4	78.74" (2m) (w/4" BO)	27	4.78" (121)	4.78" (121)	-	P6061N-PEC	P6061N-PEC	\$2,884.76	\$439.75
P6061N-PB-1M	39.37" (1m)	13	4.78" (121)	4.78" (121)	P6061N-PEO3	P6061N-PEC	P6061N-PEC	\$1,442.38	\$439.75
P6062-PB	78.74" (2m)	27	4.78" (121)	5.56" (141)	P6062N-PEO3	P6062N-PEC	P6062N-PEC	\$2,884.76	\$439.75
P6062-PB-BO4	78.74" (2m)	28	4.78" (121)	5.56" (141)	-	P6062N-PEC	P6062N-PEC	\$2,884.76	\$439.75
P6063-PB	78.74" (2m)	30	5.56" (141)	6.34" (161)	P6063N-PEO3 / P6063N-PEO4	P6063N-PEC	P6063N-PEC	\$2,884.76	\$439.75
P6063N-PB	78.74" (2m)	31	6.34" (161)	6.34" (161)	P6063N-PEO3 / P6063N-PEO4	P6063N-PEC	P6063N-PEC	\$2,884.76	\$439.75
P6063N-PB-BO3	78.74" (2m) (w/3" BO)	31	6.34" (161)	6.34" (161)	-	P6063N-PEC	P6063N-PEC	\$2,884.76	\$439.75
P6063N-PB-BO4	78.74" (2m) (w/4" BO)	32	6.34" (161)	6.34" (161)	-	P6063N-PEC	P6063N-PEC	\$2,884.76	\$439.75
P6063N-PB-1M	39.37" (1m)	16	6.34" (161)	6.34" (161)	P6063N-PEO3 / P6063N-PEO4	P6063N-PEC	P6063N-PEC	\$1,442.38	\$439.75
P6064-PB	78.74" (2m)	32	6.34" (161)	7.12" (181)	P6064N-PEO3 / P6064N-PEO4	P6064N-PEC	P6064N-PEC	\$2,884.76	\$439.75
P6064-PB-BO4	78.74" (2m)	33	6.34" (161)	7.12" (181)	-	P6064N-PEC	P6064N-PEC	\$2,884.76	\$439.75
P6065-PB	78.74" (2m)	34	7.12" (181)	7.9" (201)	P6065N-PEO3 / P6065N-PEO4	P6065N-PEC	P6065N-PEC	\$2,884.76	\$439.75
P6065N-PB	78.74" (2m)	35	7.9" (201)	7.9" (201)	P6065N-PEO3 / P6065N-PEO4	P6065N-PEC	P6065N-PEC	\$2,884.76	\$439.75
P6065N-PB-BO3	78.74" (2m) (w/3" BO)	36	7.9" (201)	7.9" (201)	-	P6065N-PEC	P6065N-PEC	\$2,884.76	\$439.75
P6065N-PB-BO4	78.74" (2m) (w/4" BO)	37	7.9" (201)	7.9" (201)	-	P6065N-PEC	P6065N-PEC	\$2,884.76	\$439.75
P6065N-PB-1M	39.37" (1m)	18	7.9" (201)	7.9" (201)	P6065N-PEO3 / P6065N-PEO4	P6065N-PEC	P6065N-PEC	\$1,442.38	\$439.75

(dimension) denotes mm

P6060-CB620 (includes transition plate and either 3" or 4" no hub side outlet). 	P6060-PEO End Outlet (3" or 4") 	P6060-PEC End Cap 	Suffix -7MG MI-GARD 	Suffix -20 Bottom Outlet Strainer 
---	---	---	---	---

MODEL #	DESCRIPTION	MATERIAL	LIST PRICE	WEIGHT (Lbs.)
P6060-CB620-SO3	6" x 20" Catch Basin (includes end cap, transition plate and 3" no hub side outlet). (See Page 17 for Catch Basin dimensions and sediment bucket option)	Type 304 Stainless Steel	\$6,310.00	10.00
P6060-CB620-SO4	6" x 20" Catch Basin (includes end cap, transition plate and 4" no hub side outlet). (See Page 17 for Catch Basin dimensions and sediment bucket option)	Type 304 Stainless Steel	\$6,310.00	10.00
P6060-PEO3	3" No Hub End Outlet	Type 304 Stainless Steel	\$401.00	2.00
P6060-PEO4	4" No Hub End Outlet	Type 304 Stainless Steel	\$401.00	2.00
P6060-PEC	Closed End Cap	Type 304 Stainless Steel	\$401.00	2.00
-6	Vandal Proof, (Center Lockdown)	Type 304 Stainless Steel	\$14.00	1.00
-7MG	MI-GARD Trap Seal Protection Device	Silicone Rubber	\$89.00	2.00
-20	Bottom Outlet Strainer (3" - P6060-BO3-ST, 4" - P6060-BO4-ST)	Type 304 Stainless Steel	\$422.00	2.00
-29	Type 316 Stainless Steel Channel	Type 316 Stainless Steel	Contact MIFAB	-
-45	45 Degree fabricated body	Type 304 Stainless Steel	\$3,317.00	-
-90	90 Degree fabricated body	Type 304 Stainless Steel	\$3,317.00	-
-CF	Cross fabricated body	Type 304 Stainless Steel	\$6,631.00	-
-FL	Anchor (Waterproofing) flange	Type 304 Stainless Steel	\$478.88 / Meter, \$146.00 / Foot	-
-FLC	Membrane clamp (includes anchor flange)	Type 304 Stainless Steel	\$790.48 / Meter, \$241.00 / Foot	-
-TEE	Tee fabricated body	Type 304 Stainless Steel	\$3,317.00	-

NOTE: Flow rate information per channel section is available on the www.mifab.com website

NOTE: Custom widths, depths, slopes and profiles available upon request. Contact MIFAB®.

Note: The neoprene gasket used to connect long runs of trench drain bodies is not recommended for use with caustic or harsh chemicals. In these cases, it is recommended that the trench drain channels be welded together on site.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

LOAD CLASS A GRATES - EN 1433 - 3,372 LBS., 15kN, 70 P.S.I.

Grate Part #	Description		Length (MM)	List Price	List Price (Per Foot)	Weight (Lbs.)	
T100-PGA-3-FP T100-PGA-3-FP-500	Class A Stainless Steel Perforated Grate, 1 meter Class A Stainless Steel Perforated Grate, 1/2 meter		39.37" (1000) 19.69" (500)	\$223.86 \$134.32	\$68.25 \$81.90	3.85 2.09	
T100-PGA-3-FS T100-PGA-3-FS-500	Class A Stainless Steel Slotted Grate, 1 meter Class A Stainless Steel Slotted Grate, 1/2 meter		39.37" (1000) 19.69" (500)	\$223.86 \$134.32	\$68.25 \$81.90	3.12 2.42	
T100-PGA-3-SM T100-PGA-3-SM-500	Class A Stainless Steel Mesh Grate, 1 meter Class A Stainless Steel Mesh Grate, 1/2 meter		39.37" (1000) 19.69" (500)	\$327.45 \$187.97	\$99.83 \$114.62	5.72 3.08	
T100-PGA-HPP-BLK T100-PGA-HPP-GRY	Class A Plastic Longitudinal, Slotted Black Grate, 1/2 meter Class A Plastic Longitudinal, Slotted Grey Grate, 1/2 meter		19.69" (500) 19.69" (500)	\$49.77 \$49.77	\$30.35 \$30.35	1.80 1.80	

LOAD CLASS B GRATES - EN 1433 - 28,100 LBS., 125kN, 580 P.S.I.

T100-PGB-3-WW T100-PGB-3-WW-500	Class B Stainless Steel Longitudinal, anti slip, WW Grate, 1 meter Class B Stainless Steel Longitudinal, anti slip, WW Grate, 1/2 meter	Avail. March/23 	39.37" (1000) 19.69" (500)	\$1,118.51 \$792.15	\$341.01 \$483.02	8.80 4.37	
--	--	---	-------------------------------	------------------------	----------------------	--------------	---

LOAD CLASS C GRATES - EN 1433 - 56,200 LBS., 250kN, 1,160 P.S.I.

T100-PGC-3-FP T100-PGC-3-FP-500	Class C Stainless Steel Perforated Grate, 1 meter Class C Stainless Steel Perforated Grate, 1/2 meter	Avail. June/23 	39.37" (1000) 19.69" (500)	\$526.93 \$316.16	\$160.65 \$192.78	9.04 4.51	
T100-PGC-3-FS T100-PGC-3-FS-500	Class C Stainless Steel Slotted Grate, 1 meter Class C Stainless Steel Slotted Grate, 1/2 meter	Avail. May/23	39.37" (1000) 19.69" (500)	\$526.93 \$316.16	\$160.65 \$192.78	9.32 4.62	
T100-PGC-3-SM T100-PGC-3-SM-500	Class C Stainless Steel Mesh Grate, 1 meter Class C Stainless Steel Mesh Grate, 1/2 meter		39.37" (1000) 19.69" (500)	\$852.53 \$612.98	\$259.92 \$373.77	11.50 5.80	
T100-PGC-3-SD T100-PGC-3-SD-500 T100-PGC-3-SD-MU-500	Class C Stainless Steel Paverslot Grate, 1 meter Class C Stainless Steel Paverslot Grate, 1/2 meter Class C Stainless Steel Maintenance Unit Paverslot, 1/2 meter	Avail. April/23 	39.37" (1000) 19.69" (500) 19.69" (500)	\$447.00 \$261.62 \$616.40	\$136.28 \$159.52 \$497.80	10.07 5.06 7.43	


T100-PGC-HPP	Class C Black Plastic Slotted Grate, 1/2 meter		19.69" (500)	\$206.64	\$126.00	2.35	
T100-PGC-4	Class C Ductile Iron Slotted Grate, 1/2 meter		19.69" (500)	\$46.49	\$28.35	7.26	
T100-PGC-4-HP	Class C Ductile Iron, Heelproof Slotted Grate, 1/2 meter		19.69" (500)	\$89.30	\$54.45	7.26	
T100-PGC-4-WVY	Class C Ductile Iron, WAVE Grate, 1/2 meter		19.69" (500)	\$89.54	\$54.60	10.12	
T100-PGC-4-BG	Class C Ductile Iron, Bavaria Grate, 1/2 meter		19.69" (500)	\$89.54	\$54.60	6.60	
T100-SCC-4	Class C Ductile Iron Solid Cover, 1/2 meter	Avail. July/23 	19.69" (500)	\$89.54	\$54.60	13.00	

LOAD CLASS E GRATES - EN 1433 - 134,800 LBS., 600kN, 2,785 P.S.I.


T100-PGE-3-FS T100-PGE-3-FS-500	Class E Stainless Steel Slotted Grate, 1 meter Class E Stainless Steel Slotted Grate, 1/2 meter	Avail. July/23	39.37" (1000) 19.69" (500)	\$706.13 \$423.69	\$215.28 \$258.35	9.32 4.62	
T100-PGE-4	Class E Ductile Iron Slotted Grate, 1/2 meter		19.69" (500)	\$75.77	\$46.20	8.36	
T100-PGE-4-HP	Class E Ductile Iron, Heelproof Slotted Grate, 1/2 meter		19.69" (500)	\$134.32	\$81.90	8.36	
T100-PGE-4-ADA	Class E Ductile Iron, Longitudinal Grate, 1/2 meter		19.69" (500)	\$134.32	\$81.90	10.70	
T100-PGE-3-SBG T100-PGE-3-SBG-500	Class E Stainless Steel Bar Grate Class E Stainless Steel Bar Grate, 1/2 meter		39.37" (1000) 19.69" (500)	\$1,367.76 \$821.64	\$417.00 \$501.00	12.00 7.00	

P6060 - Bottom Outlet Detail


P6061N-BO3
P6063N-BO3
P6065N-BO3



P6061N-BO4
P6063N-BO4
P6065N-BO4



 See page 45 for explanation of ADA compliant grates


 See page 45 for explanation of Heelproof compliant grates

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.



SPECIFICATION:

MIFAB® Series P6080, 10" wide, 8" internal width, 16 gauge fabricated Type 304 stainless steel presloped trench drain (1% / 1/8" per foot). Channels are available in one and two meter lengths, have flanged ends to connect to each other with a neoprene rubber gasket in between. Bottom & end outlets are available in 4", 6" or 8" no hub outlet connections.

Specifying engineer is responsible for concrete encasement and reinforcing based upon application and local codes.

P6080-HDW - Universal gasket for connecting channels, end caps and end outlets with hardware included with every channel, end cap / end outlet ordered

CHANNEL#	LENGTH	WEIGHT (LESS GRATE) Lbs.	C1 (Shallow Invert)	C2 (Deep Invert)	END OUTLET #	END CAP SHALLOW END #	END CAP DEEP END #	List Price / Ea. Channel	List Price / Foot
P6081-PB	78.74" (2m)	37	6" (152)	6.78" (172)	P6081N-PEO4	P6081-PEC	P6081N-PEC	\$2,991.36	\$456.00
P6081N-PB	78.74" (2m)	38	6.78" (172)	6.78" (172)	P6081N-PEO4	P6081N-PEC	P6081N-PEC	\$2,991.36	\$456.00
P6081N-PB-B04	78.74" (2m) (w/4" BO)	39	6.78" (172)	6.78" (172)	-	P6081N-PEC	P6081N-PEC	\$2,991.36	\$456.00
P6081N-PB-B06	78.74" (2m) (w/6" BO)	39	6.78" (172)	6.78" (172)	-	P6081N-PEC	P6081N-PEC	\$2,991.36	\$456.00
P6081N-PB-B08	78.74" (2m) (w/8" BO)	39	6.78" (172)	6.78" (172)	-	P6081N-PEC	P6081N-PEC	\$2,991.36	\$456.00
P6081N-PB-1M	39.37" (1m)	20	6.78" (172)	6.78" (172)	P6081N-PEO4	P6081N-PEC	P6081N-PEC	\$1,495.68	\$456.00
P6082-PB	78.74" (2m)	39	6.78" (172)	7.56" (192)	P6082N-PEO4	P6081N-PEC	P6082-PEC	\$2,991.36	\$456.00
P6082-PB-B06	78.74" (2m)	40	6.78" (172)	7.56" (192)	-	P6081N-PEC	P6082-PEC	\$2,991.36	\$456.00
P6083-PB	78.74" (2m)	41	7.56" (192)	8.34" (212)	P6083N-PEO4 / P6083N-PEO6	P6082-PEC	P6083-PEC	\$2,991.36	\$456.00
P6083N-PB	78.74" (2m)	43	8.34" (212)	8.34" (212)	P6083N-PEO4 / P6083N-PEO6	P6083-PEC	P6083-PEC	\$2,991.36	\$456.00
P6083N-PB-B04	78.74" (2m) (w/4" BO)	44	8.34" (212)	8.34" (212)	-	P6083-PEC	P6083-PEC	\$2,991.36	\$456.00
P6083N-PB-B06	78.74" (2m) (w/6" BO)	44	8.34" (212)	8.34" (212)	-	P6083-PEC	P6083-PEC	\$2,991.36	\$456.00
P6083N-PB-B08	78.74" (2m) (w/8" BO)	44	8.34" (212)	8.34" (212)	-	P6083-PEC	P6083-PEC	\$2,991.36	\$456.00
P6083N-PB-1M	39.37" (1m)	22	8.34" (212)	8.34" (212)	P6083N-PEO4 / P6083N-PEO6	P6083-PEC	P6083-PEC	\$1,495.68	\$456.00
P6084-PB	78.74" (2m)	46	8.34" (212)	9.12" (232)	P6084-PEO4 / P6084-PEO6	P6083-PEC	P6084-PEC	\$2,991.36	\$456.00
P6084-PB-B06	78.74" (2m)	47	8.34" (212)	9.12" (232)	-	P6083-PEC	P6084-PEC	\$2,991.36	\$456.00
P6085-PB	78.74" (2m)	47	9.12" (232)	9.9" (251)	P6085N-PEO4 / P6085N-PEO6 / P6085N-PEO8	P6084-PEC	P6085-PEC	\$2,991.36	\$456.00
P6085N-PB	78.74" (2m)	48	9.9" (251)	9.9" (251)	P6085N-PEO4 / P6085N-PEO6 / P6085N-PEO8	P6085-PEC	P6085-PEC	\$2,991.36	\$456.00
P6085N-PB-B04	78.74" (2m) (w/4" BO)	49	9.9" (251)	9.9" (251)	-	P6085-PEC	P6085-PEC	\$2,991.36	\$456.00
P6085N-PB-B06	78.74" (2m) (w/6" BO)	49	9.9" (251)	9.9" (251)	-	P6085-PEC	P6085-PEC	\$2,991.36	\$456.00
P6085N-PB-B08	78.74" (2m) (w/8" BO)	49	9.9" (251)	9.9" (251)	-	P6085-PEC	P6085-PEC	\$2,991.36	\$456.00
P6085N-PB-1M	39.37" (1m)	24	9.9" (251)	9.9" (251)	P6085N-PEO4 / P6085N-PEO6 / P6085N-PEO8	P6085-PEC	P6085-PEC	\$1,495.68	\$456.00

(dimension) denotes mm

P6080-CB820 (includes transition plate and either 4", 6" or 8" no hub side outlets).	 P6080-PEO End Outlet (4", 6" or 8")	 P6080-PEC End Cap	 Suffix -7MG MI-GARD	 Suffix -20 Bottom Outlet Strainer
--	--	---	---	---

MODEL #	DESCRIPTION	MATERIAL	LIST PRICE	WEIGHT (Lbs.)
P6080-CB820-S04	8" x 20" Catch Basin (includes end cap, transition plate and 4" no hub side outlet). (See Page 17 for Catch Basin dimensions and sediment bucket option)	Type 304 Stainless Steel	\$7,657.00	13.00
P6080-CB820-S06	8" x 20" Catch basin (includes end cap, transition plate and 6" no hub side outlet). (See Page 17 for Catch Basin dimensions and sediment bucket option)	Type 304 Stainless Steel	\$7,657.00	13.00
P6080-CB820-S08	8" x 20" Catch basin (includes end cap, transition plate and 8" no hub side outlet). (See Page 17 for Catch Basin dimensions and sediment bucket option)	Type 304 Stainless Steel	\$7,657.00	13.00
P6080-PEO4	4" No Hub End Outlet	Type 304 Stainless Steel	\$471.00	2.00
P6080-PEO6	6" No Hub End Outlet	Type 304 Stainless Steel	\$471.00	2.00
P6080-PEO8	8" No Hub End Outlet	Type 304 Stainless Steel	\$471.00	2.00
P6080-PEC	Closed End Cap	Type 304 Stainless Steel	\$471.00	2.00
-6	Vandal Proof, (Center Lockdown)	Type 304 Stainless Steel	\$14.00	1.00
-7MG	MI-GARD Trap Seal Protection Device	Silicone Rubber	\$89.00	2.00
-20	Bottom Outlet Strainer (4" - P6080-B04-ST, 6" - P6080-B06-ST, 8" - P6080-B08-ST)	Type 304 Stainless Steel	\$422.00	2.00
-29	Type 316 Stainless Steel Channel	Type 316 Stainless Steel	Contact MIFAB	-
-45	45 Degree fabricated body	Type 304 Stainless Steel	\$3,761.00	-
-90	90 Degree fabricated body	Type 304 Stainless Steel	\$3,761.00	-
-CF	Cross fabricated body	Type 304 Stainless Steel	\$7,517.00	-
-FL	Anchor (Waterproofing) flange	Type 304 Stainless Steel	\$580.56 / Meter, \$177.00 / Foot	-
-FLC	Membrane clamp (includes anchor flange)	Type 304 Stainless Steel	\$875.76 / Meter, \$267.00 / Foot	-
-TEE	Tee fabricated body	Type 304 Stainless Steel	\$3,761.00	-

NOTE: Flow rate information per channel section is available on the www.mifab.com website

NOTE: Custom widths, depths, slopes and profiles available upon request. Contact MIFAB®.

Note: The neoprene gasket used to connect long runs of trench drain bodies is not recommended for use with caustic or harsh chemicals. In these cases, it is recommended that the trench drain channels be welded together on site.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.



LOAD CLASS A GRATES - EN 1433 - 3,372 LBS., 15kN, 70 P.S.I.

Grate Part #	Description		Length (MM)	List Price	List Price (Per Foot)	Weight (Lbs.)	
T200-PGA-3-SM	Class A Stainless Steel Mesh Grate, 1 meter		39.37" (1000)	\$1,856.30	\$565.95	13.13	
T200-PGA-3-SM-500	Class A Stainless Steel Mesh Grate, 1/2 meter		19.69" (500)	\$1,104.15	\$673.26	6.82	

LOAD CLASS B GRATES - EN 1433 - 28,100 LBS., 125kN, 580 P.S.I.

T200-PGB-3-WW	Class B Stainless Longitudinal, anti slip WW grate, 1 meter		39.37" (1000)	\$1,856.30	\$565.95	16.32	
T200-PGB-3-WW-500	Class B Stainless Longitudinal, anti slip WW grate, 1/2 meter		19.69" (500)	\$1,104.15	\$673.26	8.31	

LOAD CLASS C GRATES - EN 1433 - 56,200 LBS., 250kN, 1,160 P.S.I.

T200-PGC-3-SM	Class C Stainless Steel Mesh Grate, 1 meter		39.37" (1000)	\$2,282.20	\$695.79	24.33	
T200-PGC-3-SM-500	Class C Stainless Steel Mesh Grate, 1/2 meter		19.69" (500)	\$1,470.75	\$896.80	11.66	

T200-PGC-3-SD	Class C Stainless Steel Paverslot Grate, 1 meter		39.37" (1000)	\$776.75	\$236.81	47.08	
T200-PGC-3-SD-500	Class C Stainless Steel Paverslot Grate, 1/2 meter		19.69" (500)	\$584.37	\$356.32	23.54	
T200-PGC-3-MU-500	Class C Stainless Steel Maintenance Unit Paverslot, 1/2 meter		19.69" (500)	\$1,225.00	\$746.95	43.78	

T200-PGC-4	Class C Ductile Iron Slotted Grate, 1/2 meter		19.69" (500)	\$108.50	\$66.16	13.79	
-------------------	---	--	--------------	----------	---------	-------	--

T200-PGC-4-HP	Class C Ductile Iron, Heelproof Slotted Grate, 1/2 meter		19.69" (500)	\$215.25	\$131.25	13.79	
----------------------	--	--	--------------	----------	----------	-------	--

T200-PGC-4-WVY	Class C Ductile Iron, WAVE Grate, 1/2 meter		19.69" (500)	\$215.25	\$131.25	13.86	
-----------------------	---	--	--------------	----------	----------	-------	--

T200-PGC-4-BG	Class C Ductile Iron, Bavaria Grate, 1/2 meter		19.69" (500)	\$215.25	\$131.25	13.64	
----------------------	--	--	--------------	----------	----------	-------	--

LOAD CLASS E GRATES - EN 1433 - 134,800 LBS., 600kN, 2,785 P.S.I.

T200-PGE-4	Class E Ductile Iron Slotted Grate, 1/2 meter		19.69" (500)	\$186.00	\$113.41	19.25	
-------------------	---	--	--------------	----------	----------	-------	--

T200-PGE-4-HP	Class E Ductile Iron, Heelproof Slotted Grate, 1/2 meter		19.69" (500)	\$268.65	\$163.81	13.79	
----------------------	--	--	--------------	----------	----------	-------	--




T200-PGE-4-ADA	Class E Ductile Iron, Longitudinal Grate, 1/2 meter		19.69" (500)	\$268.65	\$163.81	21.25	
-----------------------	---	--	--------------	----------	----------	-------	--

T200-PGE-3-SBG	Class E Stainless Steel Bar Grate, 1 meter		39.37" (1000)	\$3,198.00	\$975.00	75.00	
T200-PGE-3-SBG-500	Class E Stainless Steel Bar Grate, 1/2 meter		19.69" (500)	\$1,918.80	\$1,170.00	40.00	

P6085 - Bottom Outlet Detail



P6081N-BO4 P6083N-BO4 P6085N-BO4



P6081N-BO8 P6083N-BO8 P6085N-BO8



See page 45 for explanation of ADA compliant grates




See page 45 for explanation of Heelproof compliant grates

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.


Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB's Terms and Warranties. Please refer to page 50.



5/8" X 1/2" RUBBER INSERT (60A)

Specifying engineer is responsible for concrete encasement and reinforcing based upon application and local codes.




SPECIFICATION:

MIFAB® Series P6120, 14" wide, 12" internal width, 16 gauge fabricated Type 304 stainless steel presloped trench drain (1% / 1/8" per foot). Channels are available in one and two meter lengths, have flanged ends to connect to each other with a neoprene rubber gasket in between. Bottom and end outlets are available in 6", 8" or 12" no hub outlet connections.

P6120-HDW - Universal gasket for connecting channels, end caps and end outlets with hardware included with every channel, end cap / end outlet ordered

CHANNEL#	LENGTH	WEIGHT (LESS GRATE) Lbs.	C1 (Shallow Invert)	C2 (Deep Invert)	END OUTLET #	END CAP SHALLOW END #	END CAP DEEP END #	List Price / Ea. Channel	List Price / Foot
P6121-PB	78.74" (2m)	42	6" (152.4)	6.78" (172)	P6121N-PEO6	P6121-PEC	P6121N-PEC	\$3,043.84	\$464.00
P6121N-PB	78.74" (2m)	44	6.78" (172)	6.78" (172)	P6121N-PEO6	P6121N-PEC	P6121N-PEC	\$3,043.84	\$464.00
P6121N-PB-B06	78.74" (2m) (w/6" BO)	44	6.78" (172)	6.78" (172)	-	P6121N-PEC	P6121N-PEC	\$3,043.84	\$464.00
P6121N-PB-B08	78.74" (2m) (w/8" BO)	44	6.78" (172)	6.78" (172)	-	P6121N-PEC	P6121N-PEC	\$3,043.84	\$464.00
P6121N-PB-B012	78.74" (2m) (w/12" BO)	44	6.78" (172)	6.78" (172)	-	P6121N-PEC	P6121N-PEC	\$3,043.84	\$464.00
P6121N-PB-1M	39.37" (1m)	23	6.78" (172)	6.78" (172)	P6121N-PEO6	P6121N-PEC	P6121N-PEC	\$1,521.92	\$464.00
P6122-PB	78.74" (2m)	45	6.78" (172)	7.56" (192)	P6122-PEO6	P6121N-PEC	P6122-PEC	\$3,043.84	\$464.00
P6122-PB-B08	78.74" (2m)	46	6.78" (172)	7.56" (192)	-	P6121N-PEC	P6122-PEC	\$3,043.84	\$464.00
P6123-PB	78.74" (2m)	47	7.56" (192)	8.34" (212)	P6123N-PEO6 / P6123N-PEO8	P6122-PEC	P6123-PEC	\$3,043.84	\$464.00
P6123N-PB	78.74" (2m)	48	8.34" (212)	8.34" (212)	P6123N-PEO6 / P6123N-PEO8	P6123-PEC	P6123-PEC	\$3,043.84	\$464.00
P6123N-PB-B06	78.74" (2m) (w/6" BO)	48	8.34" (212)	8.34" (212)	-	P6123-PEC	P6123-PEC	\$3,043.84	\$464.00
P6123N-PB-B08	78.74" (2m) (w/8" BO)	48	8.34" (212)	8.34" (212)	-	P6123-PEC	P6123-PEC	\$3,043.84	\$464.00
P6123N-PB-B012	78.74" (2m) (w/12" BO)	48	8.34" (212)	8.34" (212)	-	P6123-PEC	P6123-PEC	\$3,043.84	\$464.00
P6123N-PB-1M	39.37" (1m)	25	8.34" (212)	8.34" (212)	P6123N-PEO6 / P6123N-PEO8	P6123-PEC	P6123-PEC	\$1,521.92	\$464.00
P6124-PB	78.74" (2m)	50	8.34" (212)	9.12" (232)	P6124-PEO6 / P6124-PEO8	P6123-PEC	P6124-PEC	\$3,043.84	\$464.00
P6124-PB-B08	78.74" (2m)	51	8.34" (212)	9.12" (232)	-	P6123-PEC	P6124-PEC	\$3,043.84	\$464.00
P6125-PB	78.74" (2m)	52	9.12" (232)	9.9" (251)	P6125N-PEO6 / P6125N-PEO8	P6124-PEC	P6125-PEC	\$3,043.84	\$464.00
P6125N-PB	78.74" (2m)	53	9.9" (251)	9.9" (251)	P6125N-PEO6 / P6125N-PEO8	P6125-PEC	P6125-PEC	\$3,043.84	\$464.00
P6125N-PB-B06	78.74" (2m) (w/6" BO)	53	9.9" (251)	9.9" (251)	-	P6125-PEC	P6125-PEC	\$3,043.84	\$464.00
P6125N-PB-B08	78.74" (2m) (w/8" BO)	53	9.9" (251)	9.9" (251)	-	P6125-PEC	P6125-PEC	\$3,043.84	\$464.00
P6125N-PB-B012	78.74" (2m) (w/12" BO)	53	9.9" (251)	9.9" (251)	-	P6125-PEC	P6125-PEC	\$3,043.84	\$464.00
P6125N-PB-1M	39.37" (1m)	27	9.9" (251)	9.9" (251)	P6125N-PEO6 / P6125N-PEO8	P6125-PEC	P6125-PEC	\$1,521.92	\$464.00

(dimension) denotes mm



MODEL #	DESCRIPTION	MATERIAL	LIST PRICE	WEIGHT (Lbs.)
P6120-CB1220-S08	12" x 20" Catch Basin (includes end cap, transition plate and 8" no hub side outlet). (See Page 17 for Catch Basin dimensions and sediment bucket option)	Type 304 Stainless Steel	\$10,222.00	16.00
P6120-CB1220-S010	12" x 20" Catch basin (includes end cap, transition plate and 10" no hub side outlet). (See Page 17 for Catch Basin dimensions and sediment bucket option)	Type 304 Stainless Steel	\$10,222.00	16.00
P6120-CB1220-S012	12" x 20" Catch basin (includes end cap, transition plate and 12" no hub side outlet). (See Page 17 for Catch Basin dimensions and sediment bucket option)	Type 304 Stainless Steel	\$10,222.00	16.00
P6120-PEO8	8" No Hub End Outlet	Type 304 Stainless Steel	\$472.00	2.00
P6120-PEO12	12" No Hub End Outlet	Type 304 Stainless Steel	\$472.00	2.00
P6120-PEC	Closed End Cap	Type 304 Stainless Steel	\$472.00	2.00
-6	Vandal Proof, (Center Lockdown)	Type 304 Stainless Steel	\$14.00	1.00
-7MG	MI-GARD Trap Seal Protection Device	Silicone Rubber	\$89.00	2.00
-20	Bottom Outlet Strainer (6" - P6120-B06-ST, 8" - P6120-B08-ST, 12" - P6120-B012-ST)	Type 304 Stainless Steel	\$422.00	2.00
-29	Type 316 Stainless Steel Channel	Type 316 Stainless Steel	Contact MIFAB	-
-45	45 Degree fabricated body	Type 304 Stainless Steel	\$3,762.00	-
-90	90 Degree fabricated body	Type 304 Stainless Steel	\$3,762.00	-
-CF	Cross fabricated body	Type 304 Stainless Steel	\$7,517.00	-
-FL	Anchor (Waterproofing) flange	Type 304 Stainless Steel	\$580.56 / Meter, \$177.00 / Foot	-
-FLC	Membrane clamp (includes anchor flange)	Type 304 Stainless Steel	\$875.76 / Meter, \$267.00 / Foot	-
-TEE	Tee fabricated body	Type 304 Stainless Steel	\$3,762.00	-

NOTE: Flow rate information per channel section is available on the www.mifab.com website

NOTE: Custom widths, depths, slopes and profiles available upon request. Contact MIFAB®.

Note: The neoprene gasket used to connect long runs of trench drain bodies is not recommended for use with caustic or harsh chemicals. In these cases, it is recommended that the trench drain channels be welded together on site.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.



LOAD CLASS C GRATES - EN 1433 - 56,200 LBS., 250kN, 967 P.S.I.

Grate Part #	Description	Length (MM)	List Price	List Price (Per Foot)	Weight (Lbs.)	
T300-PGC-3-SM	Class C Stainless Steel Mesh Grate, 1 meter	39.37" (1000)	\$2,949.20	\$899.15	68.53	
T300-PGC-3-SM-500	Class C Stainless Steel Mesh Grate, 1/2 meter	19.69" (500)	\$2,326.30	\$1,418.48	36.82	
T300-PGC-4	Class C Ductile Iron Slotted Grate, 1/2 meter	19.69" (500)	\$136.00	\$82.93	29.23	
T300-PGC-4-HP	Class C Ductile Iron, Heelproof Slotted Grate, 1/2 meter	19.69" (500)	\$223.85	\$136.49	29.23	
T300-PGC-4-WVY	Class C Ductile Iron, WAVE Grate, 1/2 meter	19.69" (500)	\$412.85	\$251.74	34.10	


LOAD CLASS E GRATES - EN 1433 - 134,800 LBS., 600kN, 2,321 P.S.I.

T300-PGE-4	Class E Ductile Iron Slotted Grate, 1/2 meter	19.69" (500)	\$248.00	\$151.22	42.02	
T300-PGE-4-HP	Class E Ductile Iron, Heelproof Slotted Grate, 1/2 meter	19.69" (500)	\$372.00	\$226.83	42.02	
T300-PGE-4-ADA	Class E Ductile Iron, Longitudinal Slotted Grate, 1/2 meter	19.69" (500)	\$372.00	\$226.83	63.80	
T300-PGE-3-SBG	Class E Stainless Steel Bar Grate, 1 meter	39.37" (1000)	\$3,950.00	\$1,204.27	100.00	
T300-PGE-3-SBG-500	Class E Stainless Steel Bar Grate, 1/2 meter Grate, 1/2 meter	19.69" (500)	\$2,397.00	\$1,461.59	60.00	
T300-SCE-4	Class E Ductile Iron Solid Cover, 1/2 meter	19.69" (500)	\$372.50	\$227.13	66.00	


P6120 - Bottom Outlet Detail




P6121N-BO6 P6123N-BO6 P6125N-BO6



P6121N-BO8 P6123N-BO8 P6125N-BO8



P6121N-BO12 P6123N-BO12 P6125N-BO12



See page 45 for explanation of ADA compliant grates



See page 45 for explanation of Heelproof compliant grates

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB's Terms and Warranties. Please refer to page 50.



SCAN ME

SECONDARY STAINLESS STEEL FILTER SCREEN 5/16" PERFORATED HOLES

PRIMARY STAINLESS STEEL FILTER SCREEN 3/8" PERFORATED HOLES

78 11/16" (1999)

6 3/8" (162)

4 7/8" (124)

4" (102)

1 1/4" (32)

BOTTOM DOME
STRAINER COVERED
WITH 1/8" STAINLESS
STEEL MESH

5/8" X 1/2"
RUBBER
INSERT (60A)

SPECIFICATION:

MIFAB® Series P6060-LT, Type 304 stainless steel lint trough with removable stainless steel filter screens, perforated stainless steel bottom dome strainer and 3" or 4" no hub bottom outlet. Available in increments of one and two meter lengths.

CHANNEL#	LENGTH	WEIGHT (LESS GRATE) Lbs.	C1 (Shallow Invert)	C2 (Deep Invert)	END CAP SHALLOW END #	END CAP DEEP END #	List Price / Ea. Channel	List Price / Foot
P6061-LT	78.74" (2m)	25	4" (102)	4.78" (121)	P6061-PEC	P6061N-PEC	\$3,090.00	\$471.04
P6061N-LT	78.74" (2m)	26	4.78" (121)	4.78" (121)	P6061N-PEC	P6061N-PEC	\$3,090.00	\$471.04
P6061N-LT-B03	78.74" (2m) (w/3" BO)	26	4.78" (121)	4.78" (121)	P6061N-PEC	P6061N-PEC	\$3,090.00	\$471.04
P6061N-LT-B04	78.74" (2m) (w/4" BO)	27	4.78" (121)	4.78" (121)	P6061N-PEC	P6061N-PEC	\$3,090.00	\$471.04
P6061N-LT-1M	39.37" (1m)	13	4.78" (121)	4.78" (121)	P6061N-PEC	P6061N-PEC	\$1,545.00	\$471.04
P6062-LT	78.74" (2m)	27	4.78" (121)	5.56" (141)	P6061N-PEC	P6062-PEC	\$3,090.00	\$471.04
P6063-LT	78.74" (2m)	30	5.56" (141)	6.34" (161)	P6061N-PEC	P6062-PEC	\$3,090.00	\$471.04
P6063N-LT	78.74" (2m)	31	6.34" (161)	6.34" (161)	P6062-PEC	P6063-PEC	\$3,090.00	\$471.04
P6063N-LT-B03	78.74" (2m) (w/3" BO)	31	6.34" (161)	6.34" (161)	P6063-PEC	P6063-PEC	\$3,090.00	\$471.04
P6063N-LT-B04	78.74" (2m) (w/4" BO)	32	6.34" (161)	6.34" (161)	P6063-PEC	P6063-PEC	\$3,090.00	\$471.04
P6063N-LT-1M	39.37" (1m)	16	6.34" (161)	6.34" (161)	P6063-PEC	P6063-PEC	\$1,545.00	\$471.04
P6064-LT	78.74" (2m)	32	6.34" (161)	7.12" (181)	P6063-PEC	P6063-PEC	\$3,090.00	\$471.04
P6065-LT	78.74" (2m)	34	7.12" (181)	7.9" (201)	P6063-PEC	P6064-PEC	\$3,090.00	\$471.04
P6065N-LT	78.74" (2m)	35	7.9" (201)	7.9" (201)	P6064-PEC	P6065-PEC	\$3,090.00	\$471.04
P6065N-LT-B03	78.74" (2m) (w/3" BO)	36	7.9" (201)	7.9" (201)	P6065-PEC	P6065-PEC	\$3,090.00	\$471.04
P6065N-LT-B04	78.74" (2m) (w/4" BO)	37	7.9" (201)	7.9" (201)	P6065-PEC	P6065-PEC	\$3,090.00	\$471.04
P6065N-LT-1M	39.37" (1m)	18	7.9" (201)	7.9" (201)	P6065-PEC	P6065-PEC	\$1,545.00	\$471.04

P6060-CB620
(includes transition
plate and either
3" or 4" no hub
side outlet).



P6060-PEO End Outlet
(3" or 4")



P6060-PEC End Cap



Suffix -7MG
MI-GARD



Suffix -20
Bottom Outlet Strainer



MODEL #	DESCRIPTION	MATERIAL	LIST PRICE	WEIGHT (Lbs.)
P6060-CB620-S03	6" x 20" Catch Basin (includes end cap, transition plate and 3" no hub side outlet). (See Page 17 for Catch Basin dimensions and sediment bucket option)	Type 304 Stainless Steel	\$6,310.00	10.00
P6060-CB620-S04	6" x 20" Catch basin (includes end cap, transition plate and 4" no hub side outlet). (See Page 17 for Catch Basin dimensions and sediment bucket option)	Type 304 Stainless Steel	\$6,310.00	10.00
P6060-PEO3	3" No Hub End Outlet	Type 304 Stainless Steel	\$401.00	2.00
P6060-PEO4	4" No Hub End Outlet	Type 304 Stainless Steel	\$401.00	2.00
P6060-PEC	Closed End Cap	Type 304 Stainless Steel	\$401.00	2.00
-6	Vandal Proof, (Center Lockdown)	Type 304 Stainless Steel	\$14.00	1.00
-7MG	MI-GARD Trap Seal Protection Device	Silicone Rubber	\$89.00	2.00
-20	Bottom Outlet Strainer	Type 304 Stainless Steel	\$422.00	2.00
-29	Type 316 Stainless Steel Channel	Type 316 Stainless Steel	Contact MIFAB	-
-45	45 Degree fabricated body	Type 304 Stainless Steel	\$3,317.00	-
-90	90 Degree fabricated body	Type 304 Stainless Steel	\$3,317.00	-
-CF	Cross fabricated body	Type 304 Stainless Steel	\$6,631.00	-
-FL	Anchor (Waterproofing) flange	Type 304 Stainless Steel	\$478.88 / Meter, \$146.00 / Foot	-
-FLC	Membrane clamp (includes anchor flange)	Type 304 Stainless Steel	\$790.48 / Meter, \$241.00 / Foot	-
-TEE	Tee fabricated body	Type 304 Stainless Steel	\$3,317.00	-


NOTE: Flow rate information per channel section
is available on the www.mifab.com website

NOTE: Custom widths, depths, slopes and profiles
available upon request. Contact MIFAB®.





Note: The neoprene gasket used to connect long runs of trench drain bodies is not recommended for use with caustic or harsh chemicals. In these cases, it is recommended that the trench drain channels be welded together on site.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

OPTIONAL SEDIMENT BUCKETS			
MODEL NUMBER	USE WITH CATCH BASIN	WEIGHT (LESS GRATE) Lbs.	LIST PRICE
P6030-CB320-SB	P6030	21	\$360.00
P6060-CB620-SB	P6060	25	\$360.00
P6080-CB820-SB	P6080	29	\$520.00
P6120-CB1220-SB	P6120	33	\$873.00



1. Remove blank (disposable) side plate.
2. Attach the desired catch basin side outlet (use the already included gasket and hardware)
3. Attach the transition plate corresponding to the channel that needs to be connected to the catch basin.
(Ex: use P6083-CBTP to connect P6083-PB channel)
Transition plate is mounted through inside catch basin by using the hardware provided with transition plate. There is no transition plate for deepest channels.
4. Align provided gasket to the channel and trim the top of it to match the end flange of channel.
5. Attach channel to catch basin using provided hardware.
6. Attach the end cap to the other end of the catch basin by using the included gasket and hardware.
If another channel is required by trench layout configuration on the opposite side of catch basin, proceed with steps 3, 4 and 5 from above.
7. Optional sediment bucket



CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.


Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880


MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.

P6230 - 3" Wide, 2" Internal Width, Stainless Steel Frame and Grate System

P6230-F-EC
End Frame is
20" long.



Frames are manufactured
per order



Made in USA.
Meets the Buy
America Act.

**Note: Must
order in 20" long
increments.**



SCAN ME

SPECIFICATION:

MIFAB® Series P6230, 3" wide, 10 gauge, Type 304 stainless steel angle frame and anchor tabs with bead blasted finish.

ACCESSORIES

- 6 Vandal Proof grates (center lockdown)
- 29 Type 316 Stainless Steel
- 45 45 Degree fabricated frame
- 90 90 Degree fabricated frame
- CF Cross fabricated frame
- TEE Tee fabricated frame

**Note: See page 9 for
the grates available
and their List Prices**

**Note: Every order of this product is a special /
custom order fabrication. This product is non-
returnable and non-cancellable.**
NOTE: One, two and three meter sections available.

\$14.00
Contact MIFAB
\$1,579.00
\$1,579.00
\$3,158.00
\$1,579.00


LIST PRICE (ADD), TYPE 304 S.S.

P6260 - 6" Wide, 4" Internal Width, Stainless Steel Frame and Grate System

P6260-F-EC
End Frame is
20" long.



Frames are manufactured
per order



Made in USA.
Meets the Buy
America Act.


**Note: Must
order in 20" long
increments.**



SCAN ME


SPECIFICATION:

MIFAB® Series P6260, 6" wide, 10 gauge, Type 304 stainless steel angle frame and anchor tabs with bead blasted finish.



Poured in place, concrete encasement by others. Specifying engineer is responsible for concrete encasement and reinforcing based upon application and local codes.

MODEL NUMBER	DESCRIPTION	WEIGHT (LESS GRATE) Lbs.	LIST PRICE / FOOT
P6230	3" wide, Type 304 Stainless Steel Frame System	5	\$315.00



Poured in place, concrete encasement by others. Specifying engineer is responsible for concrete encasement and reinforcing based upon application and local codes.

MODEL NUMBER	DESCRIPTION	WEIGHT (LESS GRATE) Lbs.	LIST PRICE / FOOT
P6260	6" wide, Type 304 Stainless Steel Frame System	10	\$348.00

LIST PRICE (ADD), TYPE 304 S.S.

- 6 Vandal Proof grates (center lockdown)
- 29 Type 316 Stainless Steel
- 45 45 Degree fabricated frame
- 90 90 Degree fabricated frame
- CF Cross fabricated frame
- TEE Tee fabricated frame

**Note: See page 9 for
the grates available
and their List Prices**

**Note: Every order of this product is a special /
custom order fabrication. This product is non-
returnable and non-cancellable.**
NOTE: One, two and three meter sections available.

\$14.00
Contact MIFAB
\$1,579.00
\$1,579.00
\$3,158.00
\$1,579.00

NOTE: Custom widths and profiles available upon request. Contact MIFAB®.

Note: See page 11 for the grates available and their List Prices

CALIFORNIA PROPOSITION 65 WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

P6280 - 10" Wide, 8" Internal Width, Stainless Steel Frame and Grate System

P6280-F-EC
End Frame is
20" long.

End tabs
for frame
to frame
alignment

Frames are manufactured
per order

Anchor tabs

1" x 5/8" - 1/8" thick,
stainless steel frame

Made in USA.
Meets the Buy
America Act.

**Note: Must
order in 20" long
increments.**




SCAN ME

SPECIFICATION:

MIFAB® Series P6280, 10" wide, 10 gauge, Type 304 stainless steel angle frame and anchor tabs with bead blasted finish.

ACCESSORIES



Poured in place, concrete encasement by others. Specifying engineer is responsible for concrete encasement and reinforcing based upon application and local codes.

MODEL NUMBER	DESCRIPTION	WEIGHT (LESS GRATE) Lbs.	LIST PRICE / FOOT
P6280	10" wide, Type 304 Stainless Steel Frame System	10	\$869.00

LIST PRICE (ADD), TYPE 304 S.S.

- 6 Vandal Proof grates (center lockdown)
- 29 Type 316 Stainless Steel
- 45 45 Degree fabricated frame
- 90 90 Degree fabricated frame
- CF Cross fabricated frame
- TEE Tee fabricated frame

**Note: See page 9 for
the grates available
and their List Prices**

**Note: Every order of this product is a special /
custom order fabrication. This product is non-
returnable and non-cancellable.**
NOTE: One, two and three meter sections available.

\$14.00
Contact MIFAB
\$1,881.00
\$1,881.00
\$3,559.00
\$1,881.00

P6220 - 14" Wide, 12" Internal Width, Stainless Steel Frame and Grate System

P6220-F-EC
End Frame is
20" long.

End tabs
for frame
to frame
alignment

Frames are manufactured
per order

Anchor tabs

1" x 5/8" - 1/8" thick,
stainless steel frame

Made in USA.
Meets the Buy
America Act.


**Note: Must
order in 20" long
increments.**



SCAN ME

SPECIFICATION:

MIFAB® Series P6220, 14" wide, 10 gauge, Type 304 stainless steel angle frame and anchor tabs with bead blasted finish.



Poured in place, concrete encasement by others. Specifying engineer is responsible for concrete encasement and reinforcing based upon application and local codes.

MODEL NUMBER	DESCRIPTION	WEIGHT (LESS GRATE) Lbs.	LIST PRICE / FOOT
P6220	14" wide, Type 304 Stainless Steel Frame System	12	\$1,103.00

LIST PRICE (ADD), TYPE 304 S.S.

- 6 Vandal Proof grates (center lockdown)
- 29 Type 316 Stainless Steel
- 45 45 Degree fabricated frame
- 90 90 Degree fabricated frame
- CF Cross fabricated frame
- TEE Tee fabricated frame

**Note: See page 9 for
the grates available
and their List Prices**

**Note: Every order of this product is a special /
custom order fabrication. This product is non-
returnable and non-cancellable.**
NOTE: One, two and three meter sections available.

\$14.00
Contact MIFAB
\$1,991.00
\$1,991.00
\$4,310.00
\$1,991.00

NOTE: Custom widths and profiles available upon request. Contact MIFAB®.

Note: See page 15 for the grates available and their List Prices

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information.


Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880


MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.



SCAN ME



Testing performed on 36", 43" and 96" long trench drains with 4" bottom outlets to a 100 GPM flow rate.



MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P6090-ELTD-36	9" wide, 11 gauge Type 304 S.S., 36" long elevator drain with Load Class A slotted grate.	13	\$4,171.00
P6090-ELTD-43	9" wide, 11 gauge Type 304 S.S., 43" long elevator drain with Load Class A slotted grate.	15	\$5,402.00
P6090-ELTD-96	9" wide, 11 gauge Type 304 S.S., 96" long elevator drain with Load Class A slotted grate.	30	\$11,118.00

ANSI A112.21.1M Light Duty Load Rated - up to 2,000 Lbs.

SPECIFICATION:

MIFAB® Series P6090-ELTD Elevator Trench Drain, 9" wide, 7" Internal width, 11 gauge fabricated Type 304 stainless steel channels (conforming to ASTM A-240) and slotted, Load Class "A" stainless steel grates per DIN EN 1433 and 2,500 lbs. per ASME A112.6.3 with vandal proof lockdowns and bead blasted finish. Grates meet ADA and heel-proof requirements. Grate free area (grate intake) of 19 square inches per 1' section. Channels available in either 36", 43" or 96" lengths. Center outlets are standard in 4" no hub connections and fabricated as part of the trench drain system. 6" no hub outlet is available as an option. IAPMO tested and certified to a 100 GPM flow rate.

FUNCTION:

Used in Fire Service Access Elevators. Prevents water used to extinguish fires from entering the elevator shaft, protecting emergency personnel with egress and staging requirements. Installed in front of elevator door or elevator bank. ADA compliant, heel-proof grating construction meets City of San Francisco SFFC Code, Section 511.1 and California State Building Code sections 403.6.1, 403.6.2, 3007.4 and 3008.4.

OPTIONAL VARIATIONS


LIST PRICE (ADD), TYPE 304 S.S.

-6NH	6" No hub outlet connection	\$495.00
-7	1/2" Trap Seal Primer connection	\$483.00
-7MG	MI-GARD Trap Seal Protection device (4" or 6")	\$89.00
-29	Type 316 Stainless Steel	Contact MIFAB
-FLC	Anchor (waterproofing) flange and membrane clamp	\$437.00 / foot
-PC	Powder coated, (one color choice)	\$246.00 / foot
-PC2	Powder coated, (two tone color choice)	\$437.00 / foot


OPTIONAL GRATES

LIST PRICE (ADD), TYPE 304 S.S.

-AS	Fabricated, Type 304 Stainless Steel angle slotted, heel-proof and ADA compliant grate, Load Class A	No Add
-WW	Wedgewire, non-slip, Type 304 Stainless Steel heel-proof and ADA compliant grate, Load Class B	\$70.00 / foot



-WW - Wedgewire grate




Wedgewire grate
cross section view



-AS - Fabricated angle slotted grate



Note: The neoprene gasket used to connect long runs of trench drain channels is not recommended for use with caustic or harsh chemicals. In these cases, it is recommended that the trench drain channels be welded on site.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.



Testing performed on 36", 43" and 96" long trench drains with 4" bottom outlets to a 100 GPM flow rate.

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P6120-ELTD-36	12" wide, 11 gauge Type 304 S.S., 36" long elevator drain with Load Class A slotted grate.	26	\$4,612.00
P6120-ELTD-43	12" wide, 11 gauge Type 304 S.S., 43" long elevator drain with Load Class A slotted grate.	30	\$5,843.00
P6120-ELTD-96	12" wide, 11 gauge Type 304 S.S., 96" long elevator drain with Load Class A slotted grate.	60	\$12,128.00



SPECIFICATION:

MIFAB® Series P6120-ELTD Elevator Trench Drain, 12" wide, 10" internal width, 11 gauge fabricated Type 304 stainless steel channels (conforming to ASTM A-240) and slotted, Load Class "A" stainless steel grates per DIN EN 1433 and 2,500 lbs. per ASME A112.6.3 with vandal proof lockdowns and bead blasted finish. Grates meet ADA and heel-proof requirements. Grate free area (grate intake) of 28 square inches per 1' section. Channels available in either 36", 43" or 96" lengths. Center outlets are standard in 4" no hub connections and fabricated as part of the trench drain system. 6" no hub outlet is available as an option. IAPMO tested and certified to a 100 GPM flow rate.

FUNCTION:

Used in Fire Service Access Elevators. Prevents water used to extinguish fires from entering the elevator shaft, protecting emergency personnel with egress and staging requirements. Installed in front of elevator door or elevator bank. ADA compliant, heel-proof grating construction meets City of San Francisco SFFC Code, Section 511.1 and California State Building Code sections 403.6.1, 403.6.2, 3007.4 and 3008.4.

ANSI A112.21.1M Light Duty Load Rated - up to 2,000 Lbs.

OPTIONAL VARIATIONS

LIST PRICE (ADD), TYPE 304 S.S.

-6NH	6" No hub outlet connection
-7	1/2" Trap Seal Primer connection
-7MG	MI-GARD Trap Seal Protection device (4" or 6")
-29	Type 316 Stainless Steel
-FLC	Anchor (waterproofing) flange and membrane clamp
-PC	Powder coated, (one color choice)
-PC2	Powder coated, (two tone color choice)


\$495.00
\$483.00
\$89.00
Contact MIFAB
\$469.00 / foot
\$265.00 / foot
\$469.00 / foot

OPTIONAL GRATES


LIST PRICE (ADD), TYPE 304 S.S.

-AS	Fabricated, Type 304 Stainless Steel angle slotted, heel-proof and ADA compliant grate, Load Class A
-WW	Wedgewire, non-slip, Type 304 Stainless Steel heel-proof and ADA compliant grate, Load Class B

No Add
\$81.00 / foot



-WW - Wedgewire grate



Wedgewire grate
cross section view



-AS - Fabricated angle slotted grate



Note: The neoprene gasket used to connect long runs of trench drain channels is not recommended for use with caustic or harsh chemicals. In these cases, it is recommended that the trench drain channels be welded together on site.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.


Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB's Terms and Warranties. Please refer to page 50.



P6460-THTD cross section



P6480-THTD cross section

MODEL NUMBER	DESCRIPTION	GRATE FREE AREA (Sq. In.)	WEIGHT Lbs.	LIST PRICE
P6460-THTD-36	6" wide, 36" long, Wedgewire grate	126	24	\$2,000.00
P6460-THTD-48	6" wide, 48" long, Wedgewire grate	168	32	\$2,900.00
P6460-THTD-60	6" wide, 60" long, Wedgewire grate	210	39	\$3,800.00
P6460-THTD-72	6" wide, 72" long, Wedgewire grate	253	46	\$4,700.00
P6460-THTD-96	6" wide, 96" long, Wedgewire grate	337	62	\$6,500.00
P6460-THTD-108	6" wide, 108" long, Wedgewire grate	380	69	\$7,400.00

MODEL NUMBER	DESCRIPTION	GRATE FREE AREA (Sq. In.)	WEIGHT Lbs.	LIST PRICE
P6480-THTD-36	8" wide, 36" long, Wedgewire grate	195	30	\$2,750.00
P6480-THTD-48	8" wide, 48" long, Wedgewire grate	228	38	\$4,000.00
P6480-THTD-60	8" wide, 60" long, Wedgewire grate	285	48	\$5,400.00
P6480-THTD-72	8" wide, 72" long, Wedgewire grate	342	62	\$6,700.00
P6480-THTD-96	8" wide, 96" long, Wedgewire grate	457	79	\$9,200.00
P6480-THTD-108	8" wide, 108" long, Wedgewire grate	514	85	\$10,600.00

SPECIFICATION:

MIFAB® Series P6460-THTD / P6480-THTD Threshold Trench Drain, 6" / 8" wide, 11 gauge fabricated Type 304 stainless steel channels (conforming to ASTM A-240) and Load Class "B" stainless steel non-slip Wedgewire grates per DIN EN 1433 with vandal proof lockdowns and bead blasted finish. Grates meet ADA and heel-proof requirements. Channels available in either 36", 48", 60", 72", 96" or 108" lengths. Center outlets are standard in 4" no hub connections and fabricated as part of the trench drain system. 6" no hub outlet is available as an option.

FUNCTION:

Used in Fire Service Access Elevators. Prevents water used to extinguish fires from entering the elevator shaft, protecting emergency personnel with egress and staging requirements. Installed in front of elevator door or elevator bank.

**NOTE: Other widths are available.
Contact MIFAB® for details**

OPTIONAL VARIATIONS

LIST PRICE (ADD), TYPE 304 S.S.

-6NH	6" No hub outlet connection	\$495.00
-7	1/2" Trap Seal Primer connection	\$483.00
-7MG	MI-GARD Trap Seal Protection device (4" or 6")	\$89.00
-29	Type 316 Stainless Steel	Contact MIFAB
-FLC	Anchor (waterproofing) flange and membrane clamp	\$437.00 / foot
-PC	Powder coated, (one color choice)	\$246.00 / foot
-PC2	Powder coated, (two tone color choice)	\$437.00 / foot


OPTIONAL GRATES

LIST PRICE (ADD), TYPE 304 S.S.


-AS	Fabricated, Type 304 Stainless Steel angle slotted, heel-proof and ADA compliant grate, Load Class A	No Add
-FS	Fabricated, Type 304 Stainless Steel slotted, heel-proof and ADA compliant grate, Load Class A	No Add



Wedgewire grate (Standard)



**Wedgewire grate
cross section view**





-FS - Fabricated slotted grate



-AS - Fabricated angle slotted grate

Note: The neoprene gasket used to connect long runs of trench drain channels is not recommended for use with caustic or harsh chemicals. In these cases, it is recommended that the trench drain channels be welded on site.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.


Illustrated with Wedgewire grate
SPECIFICATION:

MIFAB® Series P6560-THTD Threshold Trench Drain, 12" wide, 11 gauge fabricated Type 304 stainless steel channels (conforming to ASTM A-240) and Load Class "B" stainless steel non-slip Wedgewire grates per DIN EN 1433 with vandal proof lockdowns and bead blasted finish. Grates meet ADA and heel-proof requirements. Channels available in either 36", 48", 60", 72", 96" or 108" lengths. Center outlets are standard in 4" no hub connections and fabricated as part of the trench drain system. 6" no hub outlet is available as an option.

FUNCTION:

Used in Fire Service Access Elevators. Prevents water used to extinguish fires from entering the elevator shaft, protecting emergency personnel with egress and staging requirements. Installed in front of elevator door or elevator bank.

MODEL NUMBER	DESCRIPTION	GRATE FREE AREA (Sq. In.)	WEIGHT Lbs.	LIST PRICE
P6560-THTD-36	12" wide, 36" long Wedgewire grate	250	36	\$3,500.00
P6560-THTD-48	12" wide, 48" long Wedgewire grate	335	46	\$5,200.00
P6560-THTD-60	12" wide, 60" long Wedgewire grate	419	57	\$7,000.00
P6560-THTD-72	12" wide, 72" long Wedgewire grate	503	72	\$8,800.00
P6560-THTD-96	12" wide, 96" long Wedgewire grate	672	93	\$12,000.00
P6560-THTD-108	12" wide, 108" long Wedgewire grate	756	104	\$13,800.00



**NOTE: Other widths are available.
Contact MIFAB® for details**

OPTIONAL VARIATIONS
LIST PRICE (ADD), TYPE 304 S.S.

-6NH	6" No hub outlet connection	\$495.00
-7	1/2" Trap Seal Primer connection	\$483.00
-7MG	MI-GARD Trap Seal Protection device (4" or 6")	\$89.00
-29	Type 316 Stainless Steel	Contact MIFAB
-FLC	Anchor (waterproofing) flange and membrane clamp	\$437.00 / foot
-PC	Powder coated, (one color choice)	\$246.00 / foot
-PC2	Powder coated, (two tone color choice)	\$437.00 / foot

OPTIONAL GRATES
LIST PRICE (ADD), TYPE 304 S.S.

-AS	Fabricated, Type 304 Stainless Steel angle slotted, heel-proof and ADA compliant grate, Load Class A	No Add
-FS	Fabricated, Type 304 Stainless Steel slotted, heel-proof and ADA compliant grate, Load Class A	No Add


Wedgewire grate (Standard)

**Wedgewire grate
cross section view**

-FS - Fabricated slotted grate

-AS - Fabricated angle slotted grate





Note: The neoprene gasket used to connect long runs of trench drain channels is not recommended for use with caustic or harsh chemicals. In these cases, it is recommended that the trench drain channels be welded on site.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.



MODEL NUMBER	DESCRIPTION	GRATE FREE AREA (Sq. In.)	WEIGHT Lbs.	LIST PRICE
P6130	18" wide, 16 gauge Type 304 S.S., trench drain with Load Class A slotted grate.	195	10, per foot	\$1,039.00 - up to 10" deep
			12, per foot	\$1,335.00 - +10" deep

ANSI A112.21.1M Light Duty Load Rated - up to 2,000 Lbs.

SPECIFICATION:

MIFAB® Series P6130 Trench Drain, 18" wide, 16" internal width, 16 gauge fabricated Type 304 stainless steel channels with anchor tabs and Load Class "A" stainless steel, fabricated slotted grates per DIN EN 1433 and 2,500 lbs. per ASME A112.6.3 with bead blasted finish. Channels and grates available to any length required. Center outlets are standard in 6" no hub outlet connections and fabricated as part of the trench drain.

OPTIONAL VARIATIONS

LIST PRICE (ADD), TYPE 304 S.S.

-6	Vandal proof grates (center lockdown)	\$14.00 , each grate
-20	Bottom outlet strainer (P6130-ST)	\$401.00 , each
-29	Type 316 Stainless Steel	Contact MIFAB
-45	45 Degree fabricated body	\$4,739.00 , each
-90	90 Degree fabricated body	\$4,739.00 , each
-CF	Cross fabricated body	\$9,473.00 , each
-EC	Closed end cap	\$691.00 , each
-EO	End outlet	\$691.00 , each
-FL	Anchor (waterproofing) flange	\$186.00 , each
-FLC	Membrane clamp (includes anchor flange)	\$280.00 , each
-TEE	Tee fabricated body	\$4,739.00 , each

OPTIONAL GRATES

LIST PRICE (ADD), TYPE 304 S.S.


-AS	Reinforced, Type 304 Stainless Steel angle slotted grate, Load Class A	\$1,737.00 / Foot
-FG	Fiberglass grate, Load Class A	\$350.00 / Foot
-FP	Reinforced, Type 304 Stainless Steel perforated grate, Load Class A	\$1,737.00 / Foot



-AS - Angle Slot grate





-FP - Fabricated perforated grate



-FG Fiberglass grate

Note: The neoprene gasket used to connect long runs of trench drain channels is not recommended for use with caustic or harsh chemicals. In these cases, it is recommended that the trench drain channels be welded together on site.



CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

**MIFAB®****P6140 – 24" Wide, 22" Internal Width,
Stainless Steel Trench Drain****TDSS - 2023****SCAN ME**

MODEL NUMBER	DESCRIPTION	GRATE FREE AREA (Sq. In.)	WEIGHT Lbs.	LIST PRICE
P6140	24" wide, 16 gauge Type 304 S.S., trench drain with Load Class A fabricated stainless steel slotted grate.	195	15, per foot	\$1,250.00 - up to 10" deep
			17, per foot	\$1,410.00 - +10" deep

ANSI A112.21.1M Light Duty Load Rated - up to 2,000 Lbs.**SPECIFICATION:**


MIFAB® Series P6140 Trench Drain, 24" wide, 22" internal width, 16 gauge fabricated Type 304 stainless steel channels with anchor tabs and Load Class "A" stainless steel, fabricated slotted grates per DIN EN 1433 and 2,500 lbs. per ASME A112.6.3 with bead blasted finish. Channels and grates available to any length required. Center outlets are standard in 6" no hub outlet connections and fabricated as part of the trench drain.

**OPTIONAL VARIATIONS****LIST PRICE (ADD), TYPE 304 S.S.**

-6	Vandal proof grates (center lockdown)	\$14.00 , each grate
-20	Bottom outlet strainer (P6130-ST)	\$401.00 , each
-29	Type 316 Stainless Steel	Contact MIFAB
-45	45 Degree fabricated body	\$4,226.00 , each
-90	90 Degree fabricated body	\$4,226.00 , each
-CF	Cross fabricated body	\$8,445.00 , each
-EC	Closed end cap	\$381.00 , each
-EO	End outlet	\$381.00 , each
-FL	Anchor (waterproofing) flange	\$186.00 , each
-FLC	Membrane clamp (includes anchor flange)	\$281.00 , each
-TEE	Tee fabricated body	\$4,226.00 , each

OPTIONAL GRATES**LIST PRICE (ADD), TYPE 304 S.S.**

-AS	Reinforced, Type 304 Stainless Steel angle slotted grate, Load Class A	\$1,939.00 / Foot
-FG	Fiberglass grate, Load Class A	\$639.00 / Foot
-FP	Reinforced, Type 304 Stainless Steel perforated grate, Load Class A	\$1,939.00 / Foot

**-AS - Angle Slot grate****-FP - Fabricated perforated grate****-FG - Fiberglass grate**

Note: The neoprene gasket used to connect long runs of trench drain channels is not recommended for use with caustic or harsh chemicals. In these cases, it is recommended that the trench drain channels be welded together on site.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.


Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.

25



SCAN ME



Special duty round slotted grate with finger holes (-RS)
(Grate part # - P3060-PG-RS)

Special duty solid cover with perimeter drain gap (-PD)
(Grate part # - P3060-PG-PD)

SPECIFICATION:


MIFAB® Series P3060, 6" round floor drain manufactured out of 16 gauge, Type 316 stainless steel with anchor flange and slotted special duty stainless steel grate with bead blasted finish and sediment bucket. Grate free area of 14 square inches. Bottom outlets are available in 2" or 3" no hub outlet connections and fabricated as part of the floor drain.

FUNCTION:

Used in industrial, commercial, kitchen and other hygienic areas. Type 316 stainless steel construction provides for ease of cleaning, maintenance and sanitary installation. All grate openings are polished to a smooth finish. Deep sump ideal for installations that require a sediment bucket to receive debris. Adjustable top assembly for easier installation.



Optional -90 side outlet
(with non-adjustable top)



MODEL	A	B
P3062-90	4"[102]	2" No-Hub
P3063-90	5"[127]	3" No-Hub

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P3062 P3063	6" Round, Type 316 Stainless Steel Fabricated Floor Drain and Sediment Bucket, (16 Gauge Body and special duty grate with 2" or 3" No Hub outlet).	3	\$654.00


**ANSI A112.21.1M Point Drain Special Duty
Load Rated - Over 10,000 Lbs.**

OPTIONAL VARIATIONS

LIST PRICE (ADD)

-6	Vandal Proof	\$407.00
-7	1/2" Trap Seal Primer connection	\$89.00
-7MG	MI-GARD Trap Seal Protection device (2" or 3")	\$89.00
-90	No Hub side outlet connection (specify 2" or 3")	\$105.00
-150	1/2 Grate	No Add
-175	3/4 Grate	No Add
-BW	Butt weld outlet connection (2" or 3")	No Add
-FLC	Membrane Clamp (includes anchor flange)	\$263.00
-NS	Anti-slip grate	\$100.00
-PD	1/2" thick, heavy duty solid cover with perimeter drain gap	\$268.00
-RS	1/2" thick, heavy duty, round slotted grate with finger holes	\$268.00
-T	Threaded outlet	\$523.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

**MIFAB®****P3080 - 8" Round, Adjustable Depth,
Type 316 Stainless Steel Fabricated Floor Drain****TDSS - 2023**

SCAN ME

Special duty solid cover with perimeter drain gap (-PD)
(Grate part # - P3080-PG-PD)Special duty round slotted grate with finger holes (-RS)
(Grate part # - P3080-PG-RS)**SPECIFICATION:**


MIFAB® Series P3080, 8" round floor drain manufactured out of 16 gauge, Type 316 stainless steel with anchor flange and slotted special duty stainless steel grate with bead blasted finish and sediment bucket. Grate free area of 18 square inches. Bottom outlets are available in 4" or 6" no hub outlet connections and fabricated as part of the floor drain.

FUNCTION:

Used in industrial, commercial, kitchen and other hygienic areas. Type 316 stainless steel construction provides for ease of cleaning, maintenance and sanitary installation. All grate openings are polished to a smooth finish. Deep sump ideal for installations that require a sediment bucket to receive debris. Adjustable top assembly for easier installation.

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P3084	8" Round, Type 316 Stainless Steel Fabricated Floor Drain and Sediment Bucket, (16 Gauge Body and special duty grate with 4" No Hub outlet).	5	\$856.00
P3086	6" No Hub Outlet	5	\$995.00

**ANSI A112.1.1M Point Drain Special Duty
Load Rated - Over 10,000 Lbs.**



MODEL	A	B
P3084-90	5" (127)	4" No Hub
P3086-90	6" (152)	6" No Hub

Optional -90 side outlet
(with non-adjustable top)**OPTIONAL VARIATIONS**

		LIST PRICE (ADD)
-6	Vandal Proof	\$407.00
-7	1/2" Trap Seal Primer connection	\$89.00
-7MG	MI-GARD Trap Seal Protection device (4" or 6")	\$89.00
-90	No Hub side outlet connection (specify 4" or 6")	\$105.00
-150	1/2 Grate	No Add
-175	3/4 Grate	No Add
-BW	Butt weld outlet connection (4" or 6")	No Add
-C	Membrane Clamp (includes anchor flange)	\$263.00
-NS	Anti-slip grate	\$100.00
-PD	1/2" thick, heavy duty solid cover with perimeter drain gap	\$268.00
-RS	1/2" thick, heavy duty, round slotted grate with finger holes	\$268.00
-T	Threaded outlet	\$523.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.


Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.



Special duty round slotted grate with finger holes (-RS)
(Grate part # - P3080-PG-RS)




Special duty solid cover with perimeter drain gap (-PD)
(Grate part # - P3080-PG-PD)

SPECIFICATION:

MIFAB® Series P3080-S, 8" x 8" square floor drain manufactured out of 16 gauge, Type 316 stainless steel with anchor flange and slotted special duty stainless steel grate with bead blasted finish and sediment bucket. Grate free area of 26 square inches. Bottom outlets are available in 3" or 4" no hub outlet connections and fabricated as part of the floor drain.

FUNCTION:

Used in industrial, commercial, kitchen and other hygienic areas. Type 316 stainless steel construction provides for ease of cleaning, maintenance and sanitary installation. All grate openings are polished to a smooth finish. Deep sump ideal for installations that require a sediment bucket to receive debris. Adjustable top assembly for easier installation.



Optional -90 side outlet
(with non-adjustable top)

MODEL	A	B
P3083-S-90	4" (102)	3" No Hub
P3084-S-90	5" (127)	4" No Hub

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P3083-S P3084-S	8" x 8" square, Type 316 Stainless Steel Fabricated Floor Drain and Sediment Bucket, (16 Gauge Body and special duty grate with 3" or 4" No Hub outlet).	6	\$1152.00


**ANSI A112.21.1M Point Drain Special Duty
Load Rated - Over 10,000 Lbs.**

OPTIONAL VARIATIONS

LIST PRICE (ADD)

-6	Vandal Proof	\$407.00
-7	1/2" Trap Seal Primer connection	\$89.00
-7MG	MI-GARD Trap Seal Protection device (3" or 4")	\$89.00
-90	No Hub side outlet connection (specify 3" or 4")	\$105.00
-150	1/2 Grate	No Add
-175	3/4 Grate	No Add
-BW	Butt weld outlet connection (3" or 4")	No Add
-C	Membrane Clamp (includes anchor flange)	\$500.00
-NS	Anti-slip grate	\$100.00
-PD	1/2" thick, heavy duty solid cover with perimeter drain gap	\$268.00
-RS	1/2" thick, heavy duty, round slotted grate with finger holes	\$268.00
-T	Threaded outlet	\$523.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.



Special duty solid cover with perimeter drain gap (-PD)
(Grate part # - P3100-PG-PD)



Special duty round slotted grate with finger holes (-RS)
(Grate part # - P3100-PG-RS)

SPECIFICATION:


MIFAB® Series P3100, 12" round, adjustable depth floor drain manufactured out of 16 gauge, Type 316 stainless steel with anchor flange, and slotted special duty stainless steel grate with bead blasted finish and sediment bucket. Grate free area of 22 square inches. Bottom outlets are available in 4", 6" or 8" no hub outlet connections and fabricated as part of the floor drain.

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P3104	12" Round, adjustable depth Type 316 Stainless Steel Fabricated Floor Drain and Sediment Bucket, (16 Gauge Body and special duty grate with 4" No Hub outlet).	29	\$1652.00
P3106 P3108	6" or 8" No Hub Outlet	29	\$1791.00

**ANSI A112.21.1M Point Drain Special Duty
Load Rated - Over 10,000 Lbs.**

FUNCTION:

Used in industrial, commercial, kitchen and other hygienic areas. Type 316 stainless steel construction provides for ease of cleaning, maintenance and sanitary installation. All grate openings are polished to a smooth Adjustable top assembly for easier installation. Deep sump ideal for installations that require a sediment bucket to receive debris. Adjustable top assembly for easier installation.



Optional -90 side outlet
(with non-adjustable top)

MODEL	A	B
P3104-90	6" [152]	4" No-Hub
P3106-90	8" [203]	6" No-Hub

OPTIONAL VARIATIONS

		LIST PRICE (ADD)
-6	Vandal Proof	\$407.00
-7	1/2" Trap Seal Primer connection	\$89.00
-7MG	MI-GARD Trap Seal Protection device (4" or 6")	\$89.00
-90	No Hub side outlet connection (specify 4" or 6")	\$105.00
-100	10" Sump Depth	\$89.00
-150	1/2 Grate	No Add
-175	3/4 Grate	No Add
-BW	Butt weld outlet connection (4", 6" or 8")	No Add
-C	Membrane Clamp (includes anchor flange)	\$945.00
-NS	Anti-slip grate	\$100.00
-PD	1/2" thick, heavy duty solid cover with perimeter drain gap	\$268.00
-RS	1/2" thick, heavy duty, round slotted grate with finger holes	\$268.00
-T	Threaded outlet	\$523.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.


Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB's Terms and Warranties. Please refer to page 50.



Special duty round slotted grate with finger holes (-RS)
(Grate part # - P3100-PG-RS)



Special duty solid cover with perimeter drain gap (-PD)
(See page 29, P3120)
(Grate part # - P3100-PG-PD)

SPECIFICATION:


MIFAB® Series P3100-S, 12" x 12" square, adjustable depth floor drain manufactured out of 16 gauge, Type 316 stainless steel with anchor flange and slotted special duty stainless steel grate with bead blasted finish and sediment bucket. Grate free area of 22 square inches. Bottom outlets are available in 4", 6" or 8" no hub outlet connections and fabricated as part of the floor drain.

FUNCTION:

Used in industrial, commercial, kitchen and other hygienic areas. Type 316 stainless steel construction provides for ease of cleaning, maintenance and sanitary installation. All grate openings are polished to a smooth finish. Deep sump ideal for installations that require a sediment bucket to receive debris. Adjustable top assembly for easier installation.



Optional -90 side outlet
(with non-adjustable top)



MODEL	A	B
P3104-S-90	6" [152]	4" No-Hub
P3106-S-90	8" [203]	6" No-Hub

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P3104-S	12" x 12" square, adjustable depth, Type 316 Stainless Steel Fabricated Floor Drain and Sediment Bucket, (16 Gauge Body and special duty grate with 4" No Hub outlet).	33	\$1652.00
P3106-S P3108-S	6" or 8" No Hub Outlet	33	\$1792.00


**ANSI A112.21.1M Point Drain Special Duty
Load Rated - Over 10,000 Lbs.**

OPTIONAL VARIATIONS

LIST PRICE (ADD)

-6	Vandal Proof	\$407.00
-7	1/2" Trap Seal Primer connection	\$89.00
-7MG	MI-GARD Trap Seal Protection device (4" or 6")	\$89.00
-90	No Hub side outlet connection (specify 4" or 6")	\$105.00
-150	1/2 Grate	No Add
-175	3/4 Grate	No Add
-BW	Butt weld outlet connection (4", 6" or 8")	No Add
-C	Membrane Clamp (includes anchor flange)	\$945.00
-NS	Anti-slip grate	\$100.00
-RS	1/2" thick, heavy duty, round slotted grate with finger holes	\$268.00
-T	Threaded outlet	\$523.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.



SCAN ME



Special duty slotted grate
(-LS) (See page 30, P3100-S)
(Grate part # - P3120-PG-LS)



Special duty round slotted grate with finger holes
(-RS) (See page 30, P3100-S)
(Grate part # - P3120-PG-RS)

SPECIFICATION:


MIFAB® Series P3120, 12" x 12" heavy duty floor drain with solid, perimeter drainage cover, bead blasted finish and sediment bucket. Body is manufactured out of 12 gauge, Type 316 stainless steel. Solid cover is a 1/2" thick Type 316 stainless steel, special duty load rated. Grate free area of 8 square inches. Bottom outlets are available in (4", 6" or 8") no hub outlet connections and fabricated as part of the floor drain.

FUNCTION:

Used in industrial, commercial, kitchen and other hygienic areas such as dairies. Type 316 stainless steel construction provides for ease of cleaning, maintenance and sanitary installation. All grate openings are polished to a smooth finish. Adjustable top assembly for easier installation.

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P3124	12" x 12", Type 316 Stainless Steel Fabricated Floor Drain and Sediment Bucket, with special duty Solid Cover and Perimeter Drainage, 12 Gauge Body with 4" No Hub outlet.	34	\$2001.00
P3126 P3128	6" or 8" No Hub Outlet	34	\$2174.00

**ANSI A112.21.1M Point Drain Special Duty
Load Rated - Over 10,000 Lbs.**



Optional -90 side outlet
(with non-adjustable top)

MODEL	A	B
P3124-90	4" [152]	4" NO-HUB
P3126-90	6" [203]	6" NO-HUB

OPTIONAL VARIATIONS

		LIST PRICE (ADD)
-6	Vandal Proof	\$409.00
-7	1/2" Trap Seal Primer connection	\$89.00
-7MG	MI-GARD Trap Seal Protection device (4" or 6")	\$89.00
-90	No Hub side outlet connection (specify 4" or 6")	\$105.00
-60	6" Deep Sump	No Add
-90	No Hub side outlet connection (specify 4" or 6")	\$105.00
-10D	10" Deep Sump	\$89.00
-12D	12" Deep Sump	\$251.00
-150	1/2 Grate	No Add
-175	3/4 Grate	No Add
-BW	Butt weld outlet connection (4", 6" or 8")	No Add
-C	Membrane Clamp (includes anchor flange)	\$945.00
-NS	Anti-slip grate	\$100.00
-T	Threaded outlet	\$523.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.


Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.

P4120-4D - 12" x 12" x 4" Stainless Steel Fabricated Floor Sink



SCAN ME



SPECIFICATION:

MIFAB® Series P4120-4D, 12" x 12" x 4" deep floor sink manufactured out of 16 gauge, Type 304 stainless steel with anchor flange, sediment bucket, and heavy duty stainless steel grate with bead blasted finish. Grate free area of 51 square inches. Bottom outlets are available in 3" or 4" no hub outlet connections and fabricated as part of the floor sink.

FUNCTION:

Used in industrial, commercial, kitchen and other hygienic areas. Type 304 stainless steel construction provides for ease of cleaning, maintenance and sanitary installation. All grate openings are polished to a smooth finish.

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P4123-4D P4124-4D	12" x 12" x 4" Deep, Type 304 Stainless Steel Fabricated Floor Sink, Sediment Bucket, 16 Gauge body and heavy duty load rated grate with 3" or 4" No Hub outlet.	27	\$2400.00
P4126-4D	6" No Hub Outlet	27	\$2616.00


ANSI A112.21.1M Point Drain Heavy Duty Load Rated - 5,000 - 7,499 Lbs.

P4120-6D

12" x 12" x 6" Stainless Steel Fabricated Floor Sink



SCAN ME



SPECIFICATION:

MIFAB® Series P4120-6D, 12" x 12" x 6" deep floor sink manufactured out of 16 gauge, Type 304 stainless steel with anchor flange, sediment bucket, and heavy duty stainless steel grate with bead blasted finish. Grate free area of 51 square inches. Bottom outlets are available in 3" or 4" no hub outlet connections and fabricated as part of the floor sink.

FUNCTION:

Used in industrial, commercial, kitchen and other hygienic areas. Type 304 stainless steel construction provides for ease of cleaning, maintenance and sanitary installation. All grate openings are polished to a smooth finish.

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P4123-6D P4124-6D	12" x 12" x 6" Deep, Type 304 Stainless Steel Fabricated Floor Sink, Sediment Bucket, 16 Gauge body and heavy duty load rated grate with 3" or 4" No Hub outlet.	28	\$2501.00
P4126-6D	6" No Hub Outlet	28	\$2717.00

ANSI A112.21.1M Point Drain Heavy Duty Load Rated - 5,000 - 7,499 Lbs.


OPTIONAL VARIATIONS

LIST PRICE (ADD), TYPE 304 S.S.

-6	Vandal Proof	\$407.00
-7	1/2" Trap Seal Primer connection	\$167.00
-7MG	MI-GARD Trap Seal Protection device (3" or 4")	\$89.00
-29	Type 316 Stainless Steel	Contact MIFAB
-150	1/2 Grate	No Add
-175	3/4 Grate	No Add
-BW	Butt weld outlet connection (3" or 4")	No Add
-C	Membrane Clamp (includes anchor flange)	\$690.00
-F4	4" Round Type 304 Stainless Steel funnel	\$236.00
-G	4" x 9" Oval Type 304 Stainless Steel funnel	\$452.00
-NS	Anti-slip grate	\$100.00
-T	Threaded outlet	\$523.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

P4120-8D - 12" x 12" x 8" Stainless Steel Fabricated Floor Sink



SCAN ME



SPECIFICATION:

MIFAB® Series P4120-8D, 16" x 12" x 8" deep floor sink manufactured out of 16 gauge, Type 304 stainless steel with anchor flange, sediment bucket, and heavy duty stainless steel grate with bead blasted finish. Grate free area of 51 square inches. Bottom outlets are available in 3" or 4" no hub outlet connections and fabricated as part of the floor sink.


FUNCTION:

Used in industrial, commercial, kitchen and other hygienic areas. Type 304 stainless steel construction provides for ease of cleaning, maintenance and sanitary installation. All grate openings are polished to a smooth finish.

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P4123-8D P4124-8D	12" x 12" x 8" Deep, Type 304 Stainless Steel Fabricated Floor Sink, Sediment Bucket, 16 Gauge body and heavy duty load rated grate with 3" or 4" No Hub outlet.	29	\$2619.00
P4126-8D	6" No Hub Outlet	29	\$2847.00

P4120-10D

12" x 12" x 10" Stainless Steel Fabricated Floor Sink



SCAN ME



SPECIFICATION:

MIFAB® Series P4120-10D, 12" x 12" x 10" deep floor sink manufactured out of 16 gauge, Type 304 stainless steel with anchor flange, sediment bucket, and heavy duty stainless steel grate with bead blasted finish. Grate free area of 51 square inches. Bottom outlets are available in 3" or 4" no hub outlet connections and fabricated as part of the floor sink.

FUNCTION:

Used in industrial, commercial, kitchen and other hygienic areas. Type 304 stainless steel construction provides for ease of cleaning, maintenance and sanitary installation. All grate openings are polished to a smooth finish.

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P4123-10D P4124-10D	12" x 12" x 10" Deep, Type 304 Stainless Steel Fabricated Floor Sink, Sediment Bucket, 16 Gauge body and heavy duty load rated grate with 3" or 4" No Hub outlet.	30	\$2837.00
P4126-10D	6" No Hub Outlet	30	\$3082.00

OPTIONAL VARIATIONS

LIST PRICE (ADD), TYPE 304 S.S.

-6	Vandal Proof	\$407.00
-7	1/2" Trap Seal Primer connection	\$167.00
-7MG	MI-GARD Trap Seal Protection device (3", 4" or 6")	\$89.00
-29	Type 316 Stainless Steel	Contact MIFAB
-150	1/2 Grate	No Add
-175	3/4 Grate	No Add
-BW	Butt weld outlet connection (3" or 4")	No Add
-C	Membrane Clamp (includes anchor flange)	\$690.00
-F4	4" Round Type 304 Stainless Steel funnel	\$236.00
-G	4" x 9" Oval Type 304 Stainless Steel funnel	\$452.00
-NS	Anti-slip grate	\$100.00
-T	Threaded outlet	\$523.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.


Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.



SCAN ME



SPECIFICATION:

MIFAB® Series P4080, 8" x 8" x 8" deep floor sink manufactured out of 16 gauge, Type 304 stainless steel with anchor flange and slotted heavy duty stainless steel grate with bead blasted finish and sediment bucket. Grate free area of 26 square inches. Bottom outlets are available in 3" or 4" no hub outlet connections and fabricated as part of the floor sink.

FUNCTION:

Used in industrial, commercial, kitchen and other hygienic areas. Type 304 stainless steel construction provides for ease of cleaning, maintenance and sanitary installation. All grate openings are polished to a smooth finish. Deep sump ideal for installations that require a sediment bucket to receive debris.

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P4083 P4084	8" x 8" x 8" Deep, Type 304 Stainless Steel Fabricated Floor Sink and Sediment Bucket, 16 Gauge body and heavy duty load rated grate with 3" or 4" No Hub outlet.	17	\$1152.00


**ANSI A112.21.1M Point Drain Heavy Duty
Load Rated 5,000 - 7,499 Lbs.**

OPTIONAL VARIATIONS

LIST PRICE (ADD)

-6	Vandal Proof	\$407.00
-7	1/2" Trap Seal Primer connection	\$167.00
-7MG	MI-GARD Trap Seal Protection device (3" or 4")	\$89.00
-29	Type 316 Stainless Steel	Contact MIFAB
-150	1/2 Grate	No Add
-175	3/4 Grate	No Add
-BW	Butt weld outlet connection (3" or 4")	No Add
-C	Membrane Clamp (includes anchor flange)	\$690.00
-F4	4" Round Type 304 Stainless Steel funnel	\$236.00
-G	4" x 9" Oval Type 304 Stainless Steel funnel	\$452.00
-NS	Anti-slip grate	\$100.00
-T	Threaded outlet	\$523.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

**MIFAB®****P3210 - 8" Round, 3 1/2" Deep,
Type 316 Stainless Steel Fabricated, Funnel Drain****TDSS - 2023**Special duty solid cover with perimeter drain gap (-PD)
(Grate part # - P3210-PG-PD)Special duty round slotted grate with finger holes (-RS)
(Grate part # - P3210-PG-RS)**SPECIFICATION:**

MIFAB® P3210, 8" diameter, 3 1/2" deep, 12 gauge Type 316 stainless steel area drain with funnel type body design without any inside seams or welds to eliminate hidden areas for bacteria growth. Standard with loose set special duty round slotted grate (1/2" thick plate) with finger holes, 9/16" thick top frame, sediment bucket and bead blasted finish. The P3210 meets the U.S. FDA Standards for corrosion resistance. Manufactured with either 3" or 4" no hub outlet connections.

FUNCTION:

Used in industrial, commercial, kitchen and other hygienic areas. Type 316 stainless steel construction provides for ease of cleaning, maintenance and sanitary installation. Heavy duty 12 gauge body construction and 1/2" thick grates are ideal for industrial / food processing applications. All grate openings are polished to a smooth finish. Funnel design ensures efficient drainage of waste water with no sharp edges to capture bacteria / debris.

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P3213 P3214	8" Round, Type 316 stainless Steel Fabricated Funnel Drain, 12 Gauge Body, sediment bucket and special duty grate with 3" or 4" No Hub outlet.	12	\$856.00

**ANSI A112.21.1M Point Drain Special Duty
Load Rated - Over 10,000 Lbs.**

OPTIONAL VARIATIONS**LIST PRICE (ADD)**


-6	Vandal Proof	\$407.00
-7	1/2" Trap Seal Primer connection	\$89.00
-7MG	MI-GARD Trap Seal Protection device (3" or 4")	\$89.00
-150	1/2 Grate	No Add
-175	3/4 Grate	No Add
-BW	Butt weld outlet connection (3" or 4")	No Add
-C	Membrane Clamp (includes anchor flange)	\$263.00
-NS	Anti-slip grate	\$100.00
-PD	1/2" thick, heavy duty solid cover with perimeter drain gap	\$268.00
-RS	1/2" thick, heavy duty, round slotted grate with finger holes	\$268.00
-T	Threaded outlet	\$523.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.



Special duty round slotted grate with finger holes (-RS)
(Grate part # - P3230-PG-RS)

Special duty solid cover with perimeter drain gap (-PD)
(Grate part # - P3230-PG-PD)

SPECIFICATION:

MIFAB® P3230, 12" diameter, 5" deep, 12 gauge Type 316 stainless steel area drain with funnel type body design without any inside seams or welds to eliminate hidden areas for bacteria growth. Standard with loose set special duty round slotted grate (1/2" thick plate) with finger holes, 9/16" thick top frame and bead blasted finish and sediment bucket. The P3230 meets the U.S. FDA Standards for corrosion resistance. Manufactured with either 3", 4" or 6" no hub outlet connections.

FUNCTION:

Used in industrial, commercial, kitchen and other hygienic areas. Type 316 stainless steel construction provides for ease of cleaning, maintenance and sanitary installation. Heavy duty 12 gauge body construction and 1/2" thick grates are ideal for industrial / food processing applications. All grate openings are polished to a smooth finish. Funnel design ensures efficient drainage of waste water with no sharp edges to capture bacteria / debris.

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P3233 P3234	12" Round, Type 316 stainless Steel Fabricated Funnel Drain, 12 Gauge Body, sediment bucket and special duty grate with 3" or 4" No Hub outlet.	26	\$1652.00
P3236	6" No Hub Outlet	26	\$1792.00


**ANSI A112.21.1M Point Drain Special Duty
Load Rated - Over 10,000 Lbs.**

OPTIONAL VARIATIONS

LIST PRICE (ADD)

-6	Vandal Proof	\$407.00
-7	1/2" Trap Seal Primer connection	\$89.00
-7MG	MI-GARD Trap Seal Protection device (3", 4" or 6")	\$89.00
-150	1/2" Grate	No Add
-175	3/4" Grate	No Add
-BW	Butt weld outlet connection (3", 4" or 6")	No Add
-C	Membrane Clamp (includes anchor flange)	\$945.00
-PD	1/2" thick, heavy duty solid cover with perimeter drain gap	\$268.00
-RS	1/2" thick, heavy duty, round slotted grate with finger holes	\$268.00
-NS	Anti-slip grate	\$100.00
-T	Threaded outlet	\$523.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

**MIFAB®****P3230-S - 12" Square, 5 1/4" Deep,
Type 316 Stainless Steel Fabricated, Funnel Drain****TDSS - 2023**

Special duty solid cover with perimeter drain gap (-PD)
(Grate part # - P3220-PG-PD)



Special duty round slotted grate with finger holes (-RS)
(Grate part # - P3220-PG-RS)

SPECIFICATION:

MIFAB® P3230-S, 12" square, 5 1/4" deep, 12 gauge Type 316 stainless steel area drain with funnel type body design without any inside seams or welds to eliminate hidden areas for bacteria growth. Standard with loose set special duty round slotted grate (1/2" thick plate) with finger holes, 9/16" thick top frame, and bead blasted finish and sediment bucket. The P3230-S meets the U.S. FDA Standards for corrosion resistance. Manufactured with either 3", 4" or 6" no hub outlet connections.

FUNCTION:

Used in industrial, commercial, kitchen and other hygienic areas. Type 316 stainless steel construction provides for ease of cleaning, maintenance and sanitary installation. Heavy duty 12 gauge body construction and 1/2" thick grates are ideal for industrial / food processing applications. All grate openings are polished to a smooth finish. Funnel design ensures efficient drainage of waste water with no sharp edges to capture bacteria / debris.

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P3233-S P3234-S	12" Square, Type 316 stainless Steel Fabricated Funnel Drain, 12 Gauge Body, sediment bucket and special duty grate with 3" or 4" No Hub outlet.	30	\$1652.00
P3236-S	6" No Hub Outlet	30	\$1792.00

**ANSI A112.21.1M Point Drain Special Duty
Load Rated - Over 10,000 Lbs.**

OPTIONAL VARIATIONS**LIST PRICE (ADD)**

-6	Vandal Proof	\$333.00
-7	1/2" Trap Seal Primer connection	\$89.00
-7MG	MI-GARD Trap Seal Protection device (3", 4" or 6")	\$89.00
-150	1/2 Grate	No Add
-175	3/4 Grate	No Add
-BW	Butt weld outlet connection (3", 4" or 6")	No Add
-C	Membrane Clamp (includes anchor flange)	\$945.00
-NS	Anti-slip grate	\$100.00
-PD	1/2" thick, heavy duty solid cover with perimeter drain gap	\$268.00
-RS	1/2" thick, heavy duty, round slotted grate with finger holes	\$268.00
-T	Threaded outlet	\$523.00


CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.

P7060 - 6" Round, Type 316 Stainless Steel Fabricated, Industrial Floor Cleanout



SPECIFICATION:

MIFAB® P7060, 6 5/8" diameter, 12 gauge Type 316 stainless steel, round industrial sanitary floor cleanout with special duty load rated gasketed cover (1/2" thick plate) PVC secondary plug and bead blasted finish. Cleanout meets the U.S. FDA Standards for corrosion resistance. Manufactured with either 3" or 4" no hub outlet connections.

MODEL NUMBER	DESCRIPTION ⁴⁸	WEIGHT Lbs.	LIST PRICE
P7063 P7064	6 5/8" round, 12 gauge Type 316 stainless steel floor cleanout with special duty load rated gasketed cover with 3" or 4" No Hub outlet.	10	\$1028.00

ANSI A112.21.1M Special Duty Load Rated - Over 10,000 Lbs.


OPTIONAL VARIATIONS

LIST PRICE (ADD)

-BW	Butt weld outlet connection (3" or 4")	No Add
-NS	Anti-slip grate	\$100.00
-SC	O-ring seal cover with no screws (remove with suction cup)	\$150.00
-T	Threaded outlet	\$523.00
-34B	Secondary brass plug	\$100.00
-34SS	Secondary Type 304 stainless steel plug	\$125.00

P7060-S

6" Square, Type 316 Stainless Steel Fabricated, Industrial Floor Cleanout



SPECIFICATION:

MIFAB® P7060-S, 6" square, 12 gauge Type 316 stainless steel, industrial sanitary floor cleanout with special duty load rated gasketed cover (1/2" thick plate) PVC secondary plug and bead blasted finish. Cleanout meets the U.S. FDA Standards for corrosion resistance. Manufactured with either 3" or 4" no hub outlet connections.

MODEL NUMBER	DESCRIPTION ⁴⁸	WEIGHT Lbs.	LIST PRICE
P7063-S P7064-S	6" square, 12 gauge Type 316 stainless steel floor cleanout with special duty load rated gasketed cover with 3" or 4" No Hub outlet.	10	\$1220.00

ANSI A112.21.1M Special Duty Load Rated - Over 10,000 Lbs.


OPTIONAL VARIATIONS

LIST PRICE (ADD)

-BW	Butt weld outlet connection (3" or 4")	No Add
-NS	Anti-slip grate	\$100.00
-SC	O-ring seal cover with no screws (remove with suction cup)	\$150.00
-T	Threaded outlet	\$523.00
-34B	Secondary brass plug	\$100.00
-34SS	Secondary Type 304 stainless steel plug	\$125.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

P7080 - 8" Round, Type 316 Stainless Steel Fabricated, Industrial Floor Cleanout



SCAN ME



SPECIFICATION:

MIFAB® P7080, 8 5/8" diameter, 12 gauge Type 316 stainless steel, round industrial sanitary floor cleanout with special duty load rated gasketed cover (1/2" thick plate) PVC secondary plug and bead blasted finish. Cleanout meets the U.S. FDA Standards for corrosion resistance. Manufactured with either 3", 4" or 6" no hub outlet connections.

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P7083	8 5/8" round, 12 gauge Type 316 stainless steel floor cleanout with special duty load rated gasketed cover with 3", 4" or 6" No Hub outlet.	13	\$1827.00
P7084			
P7086			

ANSI A112.21.1M Special Duty Load Rated - Over 10,000 Lbs.


OPTIONAL VARIATIONS

LIST PRICE (ADD)

-BW	Butt weld outlet connection (3" or 4")	No Add
-NS	Anti-slip grate	\$100.00
-SC	O-ring seal cover with no screws (remove with suction cup)	\$150.00
-T	Threaded outlet	\$523.00
-34B	Secondary brass plug	\$100.00
-34SS	Secondary Type 304 stainless steel plug	\$125.00

P7080-S

8" Square, Type 316 Stainless Steel Fabricated, Industrial Floor Cleanout



SCAN ME



SPECIFICATION:

MIFAB® P7080-S, 8" square, 12 gauge Type 316 stainless steel, industrial sanitary floor cleanout with special duty load rated gasketed cover (1/2" thick plate) PVC secondary plug and bead blasted finish. Cleanout meets the U.S. FDA Standards for corrosion resistance. Manufactured with either 3", 4" or 6" no hub outlet connections.

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P7083-S	8" square, 12 gauge Type 316 stainless steel floor cleanout with special duty load rated gasketed cover with 3", 4" or 6" No Hub outlet.	16	\$2001.00
P7084-S			
P7086-S			

ANSI A112.21.1M Special Duty Load Rated - Over 10,000 Lbs.

OPTIONAL VARIATIONS

LIST PRICE (ADD)


-BW	Butt weld outlet connection (3" or 4")	No Add
-NS	Anti-slip grate	\$100.00
-SC	O-ring seal cover with no screws (remove with suction cup)	\$150.00
-T	Threaded outlet	\$523.00
-34B	Secondary brass plug	\$100.00
-34SS	Secondary Type 304 stainless steel plug	\$125.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880


MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.


SPECIFICATION:

MIFAB® Series P5010, kettle drain manufactured out of 16 gauge, Type 304 stainless steel with anchor tabs and slotted Load Class "A" Light duty stainless steel loose set full grate with bead blasted finish. Bottom outlets are centered and available in 4", 6" or 8" no hub outlet connections and fabricated as part of the drain. Also available with an optional anchor flange (Suffix -FL) and B, or C load rated grates.

FUNCTION:

Used in kitchen, restaurant and food processing areas for placement under or within close proximity to the kettles that they will serve. A variety of grate designs are available for the various applications or locations in the cooking area. Type 304 stainless steel construction provides for ease of cleaning, maintenance and sanitary installation. All grate openings are polished to a smooth finish.



Specifying engineer is responsible for concrete encasement and reinforcing based upon application and local codes.

**ANSI A112.21.1M Point Drain Light Duty
Load Rated - up to 2,000 Lbs.**

Note: Every order of this product is a special / custom order fabrication. This product is non-returnable and non-cancellable.

-FSSC Type 304 Stainless Steel Slotted Grate, Load Class C

-FSPC Type 304 Stainless Steel Perforated Grate, Load Class C

The P5000-LCB is NSF certified with a load classification of Medium Duty.

MODEL NUMBER	SIZE	LIST PRICE, TYPE 304 S.S.	Add For: -FSSC, -FSPC
P5001	12" x 24"	\$4,571.00	\$590.00
P5002	12" x 30"	\$6,110.00	\$737.00
P5003	12" x 36"	\$6,110.00	\$885.00
P5004	12" x 48"	\$6,297.00	\$1,176.00
P5004-60	12" x 60"	\$7,837.00	\$1,469.00
P5004-72	12" x 72"	\$9,355.00	\$1,762.00
P5004-84	12" x 84"	\$10,857.00	\$2,056.00
P5004-96	12" x 96"	\$11,726.00	\$2,349.00
P5004-108	12" x 108"	\$13,515.00	\$2,642.00
P5004-120	12" x 120"	\$13,515.00	\$2,935.00
P5005	18" x 18"	\$6,600.00	\$700.00
P5006	18" x 24"	\$6,843.00	\$727.00
P5007	18" x 30"	\$10,974.00	\$909.00
P5008	18" x 36"	\$10,974.00	\$1,089.00
P5009	18" x 48"	\$11,290.00	\$1,357.00
P5009-60	18" x 60"	\$14,909.00	\$1,814.00
P5009-72	18" x 72"	\$17,165.00	\$2,176.00
P5009-84	18" x 84"	\$19,180.00	\$2,538.00


MODEL NUMBER	SIZE	LIST PRICE, TYPE 304 S.S.	Add For: -FSSC, -FSPC
P5009-96	18" x 96"	\$19,221.00	\$2,902.00
P5009-108	18" x 108"	\$23,506.00	\$3,262.00
P5009-120	18" x 120"	\$23,506.00	\$3,623.00
P5010	24" x 24"	\$10,203.00	\$3,875.00
P5011	24" x 30"	\$10,779.00	\$4,843.00
P5012	24" x 36"	\$10,779.00	\$5,810.00
P5013	24" x 48"	\$14,236.00	\$7,746.00
P5013-60	24" x 60"	\$14,615.00	\$9,684.00
P5013-72	24" x 72"	\$18,380.00	\$11,618.00
P5013-84	24" x 84"	\$22,428.00	\$13,554.00
P5013-96	24" x 96"	\$23,255.00	\$15,489.00
P5013-108	24" x 108"	\$26,712.00	\$17,425.00
P5013-120	24" x 120"	\$29,395.00	\$19,362.00
P5014	30" x 30"	\$10,779.00	\$5,810.00
P5015	30" x 36"	\$12,500.00	\$6,500.00
P5016	30" x 48"	\$14,236.00	\$7,746.00
P5017	36" x 36"	\$14,236.00	\$7,746.00
P5018	36" x 48"	\$14,615.00	\$9,683.00

OPTIONAL ARIATIONS	DESCRIPTION	LIST PRICE (ADD), TYPE 304 S.S.
-C	Membrane Clamp (includes anchor flange) (Two pieces)	\$313.00
-F4	4" Round Stainless Steel Funnel	\$236.00
-FL	Anchor Flange	\$263.00
-NS	Anti-slip grate	\$100.00
-6	Vandal proof grates (center lockdown)	\$407.00
-7	1/2" Trap seal primer connection	\$167.00
-7MG	MI-GARD trap seal protection device (2", 3", 4" or 6")	\$89.00
-20	Bottom outlet strainer (P5000-ST)	\$210.00
-22	Less Grate (P5001 to P5009)	Deduct \$368.00
-22	Less Grate (P5010 to P5018)	Deduct \$630.00
-29	Type 316 Stainless Steel	Contact MIFAB
-90	Specify suffix -2NH, -3NH, -4NH or -6NH after the model # to indicate the side outlet connection size and add suffix -90. E.g. P5001-4NH-90 for a 4" side outlet.	2" - \$105.00 3" - \$116.00 4" - \$126.00 6" - \$137.00
-150	Half Grate	No Add
-175	Three Quarter Grate	No Add

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

P8300 - Type 316 Stainless Steel Fabricated Hub Drain

MODEL NUMBER	DESCRIPTION	LIST PRICE
P8302 P8303 P8304	Type 316 stainless steel hub drain, 2", 3" or 4" no hub outlet.	\$523.00
P8306	6" no hub outlet	\$612.00



SPECIFICATION:

MIFAB® P8300, 12 gauge Type 316 stainless steel hub drain with bead blasted finish. Drain meets the U.S. FDA corrosion resistance requirements. Manufactured with either 2", 3", 4" or 6" no hub outlet connections.

Model Number	No Hub Outlet Connection (F)	Top Opening (A)	D1	D2	D3	E	Weight (lbs.)
P8302	2" (52)	3" (76)	2 1/2" (64)	3" (76)	9" (229)	3 1/2" (89)	2
P8303	3" (76)	4" (102)	3" (76)	3" (76)	10" (254)	4" (102)	4
P8304	4" (102)	6" (152)	3" (76)	3 1/2" (89)	12" (305)	5 1/2" (140)	6
P8306	6" (152)	8" (205)	3" (76)	3 1/2" (89)	12" (305)	5 1/2" (140)	10


P8500

Type 316 Stainless Steel Fabricated P-Trap

SPECIFICATION:

MIFAB® P8500, 12 gauge Type 316 stainless steel P-trap with bead blasted finish. P-trap meets the U.S. FDA corrosion resistance requirements. Manufactured with either 2", 3", 4", 6", 8" or 10" no hub outlet connections.

MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P8502	Type 316 stainless steel p-trap, 2" no hub outlet	4	\$639.00
P8503 P8504	3" or 4" no hub outlet	10 14	\$944.00
P8506	6" no hub outlet	29	\$2,622.00
P8508	8" no hub outlet	52	\$4,796.00
P8510	10" no hub outlet	83	\$7,221.00



Model Number	No Hub Outlet Connection (F)	E	D	A	C
P8502	2" (52)	2" (50.8)	11 1/4" (284)	2 5/8" (88.8)	10" (254)
P8503	3" (76)	3" (76)	17 1/4" (438)	3 5/8" (92)	16" (406)
P8504	4" (102)	4" (102)	18 1/4" (464)	4 5/8" (118)	17 1/2" (446)
P8506	6" (152)	6" (152)	27 3/8" (694)	4 3/4" (119)	23 3/4" (603)
P8508	8" (203)	8" (203)	36 1/8" (919)	7 5/8" (195)	32" (813)
P8510	10" (254)	10" (254)	45 3/4" (1,160)	9 3/8" (240)	40" (1,016)

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.

SPECIFICATION:

MIFAB® Series (specify P8100 Series for square outlet and P8200 Series for round outlet) downspout boot manufactured out of 16 gauge, Type 304 stainless steel with mounting tabs.

FUNCTION:

Used as a transition piece to connect sheet metal exposed downspouts or interior roof drainage leaders to underground soil pipe or exterior splash blocks. Stainless steel construction provides an anti-microbial finish.

(P8186-24 illustrated)





SCAN ME

Note: Every order of this product is a special / custom order fabrication. This product is non-returnable and non-cancellable.


P8100 Series

(Square Outlet)



P8200 Series

(Round Outlet)



MODEL NUMBER	DIMENSIONS					WEIGHT Lbs.	LIST PRICE (ADD), TYPE 304 S.S.
	A	B	C	D	E		
P8166-18	6"	6"	18"	4" x 4"	1"	8	\$3,310.00
P8166-24	6"	6"	24"	4" x 4"	1"	10	\$3,420.00
P8186-18	8"	6"	18"	6" x 6"	1"	10	\$3,530.00
P8186-24	8"	6"	24"	6" x 6"	1"	12	\$3,640.00
P8254-18	5 1/4"	4 1/4"	18"	4" dia.	1"	6	\$3,420.00
P8254-24	5 1/4"	4 1/4"	24"	4" dia.	1"	8	\$3,530.00
P8266-18	6"	6"	18"	4" dia.	1"	8	\$3,640.00
P8266-24	6"	6"	24"	4" dia.	1"	10	\$3,750.00
P8286-18	8"	6"	18"	6" dia.	1"	10	\$3,860.00
P8286-24	8"	6"	24"	6" dia.	1"	12	\$3,970.00

OPTIONAL VARIATIONS	DESCRIPTION	LIST PRICE (ADD), TYPE 304 S.S.
-29	Type 316 Stainless Steel	Contact MIFAB
-90	90 Degree Outlet	\$368.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.


SPECIFICATION:

MIFAB® Series P8400 washing machine box manufactured out of 16 gauge, Type 304 stainless steel with mounting tabs and 2" NPT bottom outlet (Specify -90 for side inlet and -91 for top inlet). MIFAB Series P8400-DO is manufactured with chrome plated brass 1/2" shut off valves.

FUNCTION:

Used to house the controls required to operate washing machines. Stainless steel construction provides an anti-microbial finish.

P8400




Note: Every order of this product is a special / custom order fabrication. This product is non-returnable, and non-cancellable.




SCAN ME


P8400-DO



P8400



P8400-DO



MODEL NUMBER	DESCRIPTION	WEIGHT Lbs.	LIST PRICE
P8400	Type 304, Stainless Steel Washing Machine Box	6	\$1,215.00
P8400-DO	Type 304, Stainless Steel Washing Machine Box with Shut Off Valves	6	\$2,000.00

OPTIONAL VARIATIONS	DESCRIPTION	LIST PRICE (ADD), TYPE 304 S.S.
-29	Type 316 Stainless Steel	Contact MIFAB
-90	90 Degree Outlet	\$368.00
-91	Inlet on the top	\$368.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.

TRENCH DRAINS **COMMON** **QUESTIONS AND ANSWERS**

- WHERE SHOULD YOU USE A STAINLESS STEEL TRENCH DRAIN INSTEAD OF A PLASTIC ONE?**
 Stainless steel trench drains should be installed in food preparation, pharmaceutical and other high sanitary areas because of the sanitary benefits of stainless steel material.
- WHAT ARE SOME FIELD CONSIDERATIONS FOR INSTALLATION OF STAINLESS STEEL TRENCH DRAINS?**
 Handle the Stainless Steel channels with care so that they are not bent or dented while handling and installing. This would include ensuring other trades do not step on them before they are fully encased in concrete.
- WHEN INSTALLING A TRENCH DRAIN, WHICH END DO YOU START FROM?**
 Always start at the outlet end with the deepest channel or preferably a catch basin. The flanged end profiles of the channels makes this an easy process.
- DO STAINLESS STEEL TRENCHES REQUIRE THE SAME DEPTH AND WIDTH OF CONCRETE ENCASEMENT AS OTHER TRENCH DRAIN MATERIALS?**
 All trench drains require a minimum (actual depth to be determined by engineers designing the surrounding slab) of 4" on both sides and under the trench drain.
- IF A SYSTEM SEEMS TO NOT BE GOING TOGETHER WHAT COULD BE TWO REASONS?**
 - 1) The channels are not in numerical sequence
 - 2) The arrows showing direction of flow are pointing away from the outlet pipe. This will give the impression that every piece is out by 5/16" of an inch. Turn the system so the arrows point to the outlet to correct this.
- WHAT CONSIDERATIONS GO INTO CHOOSING THE GRADE OF STAINLESS STEEL TO BE USED ON A PARTICULAR APPLICATION?**
 The selection of which grade SS (304, 316 or other exotic grades) is a process and a compromise between the desired properties of the finished product. Elements such as corrosion resistance and heat resistance are typical considerations. Also, ease of fabrication. The objective is to select the product best suited to provide a product that will ensure a long, trouble free service life.
- WHAT ARE TYPICAL APPLICATIONS?**
 Typical applications include but are not limited to: Food and beverage plants, pharmaceutical facilities, chemical plants or at least plants with some chemicals that could be in contact with the trench drains. Also, hospitals, food preparation areas, and any situation that requires a sanitary environment.
- IS TEMPERATURE A FACTOR IN CHOOSING STAINLESS STEEL AS A PREFERRED MATERIAL?**
 Virtually all other materials including HDPE, MDPE, Polypropylene and Polymer Concrete have a 180-degree Fahrenheit high limit for operating safely. MIFAB's GRP product is the sole material besides Stainless Steel that can handle the 212-degree environment. However, that selection would take into consideration the introduction of various chemicals.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

- **SHOULD YOU PUT THE GRATES IN WHEN POURING THE CONCRETE SURROUND?**
All systems that do not have a frame with cross bars should have something in the top of the channel during installation. This can be either plywood, pour boards or grates wrapped in plastic and turned upside down. Span them across the end of two channels to help with alignment. This also helps keep concrete out of the grate seat area.
- **HOW DO I CONNECT A 4" BOTTOM OUTLET TO AN 8" DRAINAGE PIPE?**
By using the MIFAB® Series of MI-FLEX flexible couplings.
- **SHOULD YOU INSTALL TRENCH DRAINS ON DIRT OR ROAD BASE?**
Never. You should always install trench drain in a concrete surround.
- **IF A GRATE IS LOAD TESTED TO CLASS C, DOES ADDING A HEAVY DUTY FRAME GET THE SYSTEM TO A CLASS E?**
No; putting a lower rated grate (example C) on a channel and frame that is rated E will not allow for the system to rate at load class E. Consult MIFAB to clarify any questions.
- **WHEN DO YOU USE CATCH BASINS INSTEAD OF BOTTOM OUTLETS?**
Catch basins are preferred. This can be at the end of a run or if there are two runs meeting in the middle. The catch basin has a sediment bucket internally. It is preferred as that bucket will capture any debris so it cannot enter the piping system and cause clogging. Catch basins do not inhibit or restrict the flow of the water.
- **WHY DO YOU LOCK DOWN GRATES?**
1) So the grates cannot be stolen.
2) As these systems can take extreme loads; locking the grates makes the system more integral and aids with longevity.
- **CAN GALVANIZED GRATES BE INSTALLED WITH STAINLESS STEEL CHANNELS?**
This is never recommended as there is a chemical reaction between galvanized steel and stainless steel that can adversely affect the performance of both metals. There are infrequent occasions when a ductile iron grate is used in conjunction with a stainless steel trench body. This is typically when the grate will take a heavy load and small wheel forklift traffic.
- **WHAT IS THE DIFFERENCE BETWEEN AN EXPANSION JOINT AND A CONTROL JOINT?**
A control joint is the groove you see in a concrete slab. If the concrete cracks, and it will, it is encouraged to crack there. An expansion joint is a full depth (from top to bottom of pour) insert that is designed to absorb horizontal expansion and contraction of the surrounding concrete slab. Expansion joints are recommended in slab construction exposed to moderate to severe temperature variations. Most external applications will meet this criteria.
- **THE STAINLESS STEEL CHANNEL DOES NOT LOOK THAT STRONG. WILL IT TAKE THE LOAD?**
The Stainless Steel trench drain load capacity is based on material properties in conjunction with following the recommended installation criteria set forth by the manufacturer in addition to a quality concrete encasement.
- **DO NON SLOPING CHANNELS DRAIN WATER?**
Yes, non sloping channels do drain water. Maybe at a slightly slower rate, but typically this is not an issue during normal operation.
- **DO DUCTILE IRON GRATES RUST?**
Grates are delivered with a temporary coating on them. Over a period, the coating comes off and the grates start to transform into their neutral state. Like a manhole cover they turn a dull brown/black color. This is a "PATINA" finish which is created by the surface oxidation of the iron grate.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.



Custom Fabrication

• WELDING



At MIFAB®'s Chicago warehouse, we manufacture custom and standard interceptors, access doors, trench drains, dialysis boxes, custom drainage products and more. We are equipped with welding stations that process both MIG and TIG welding for clean and sharp welds.

• LASER CUTTING



Our laser machine has 60" x 120" dual tables that are auto switching to allow one sheet to be cut while the other is unloaded, providing maximum efficiency in processing different cuts. We have press brakes that have both auto tooling clamping and seating to save production time.

• EPOXY COATING



Once products are lasered and welded, they go to the epoxy coating line. We use a powder spray booth with electrostatic spraying, so products have a consistent thickness and ensure all components are fully covered. The acid resistant powder epoxy coating we use protects the steel and increases the life of our products.

• IN HOUSE ENGINEERING TEAM



MIFAB®'s all-star engineering team can quickly and accurately assist with any of your custom fabrication needs. Our in-house engineering team is composed of eight full-time team members who have experience in a multitude of different areas.

MIFAB®'s engineers are trained to provide custom fabrication designs and our Technical Support Engineering Team is available to assist with any custom fabrication inquiries. However simple or complex your project is, we got you.

LEARN MORE: www.mifab.com

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Stainless steel material has greatly increased corrosion resistance over conventional mild and low alloy steels. Stainless steel has enhanced corrosion resistance because of the addition of at least 11% of chromium. Most stainless steels are made with 18% chromium. Other significant materials included within stainless steel are nickel and molybdenum.

Stainless steel has the following advantages:

- High corrosion resistance
- Non-porous – easy to clean and disinfect
- Aesthetically pleasing
- Resistant to extreme temperatures and thermal shock
- Coefficient of linear expansion similar to concrete
- 100% recyclable

MIFAB® stainless steel products are made with standard Type (AISI) 304 stainless steel and are ideal for applications such as food processing, dairy, leisure, brewery, wineries, pharmaceutical, chemical and petrochemical projects.



ADA grates are designed to have open slots no greater than 0.5 inches (13mm) wide in one direction. If the length of the slot is greater than 0.5 inches, the opening shall run perpendicular to the main direction.



Heelproof grates are designed to resist entry of pointed high heel shoes from entering the trench drain grate opening. ASME Standard A112.6.3, Section 7.12 defines Heel Proof as: "A grate designed to resist entry of high-heeled shoes, in which the maximum grate hole size in least dimension shall be 5/16" (8mm)" (0.31").

TRAPPING OF SEDIMENT

There are few, if any, floors and areas that are free of sediment, debris and bits of non-liquid waste that will gravitate to the floor areas. Such materials, if permitted to enter drains unchecked will lead to messy stoppage of the lines. Therefore, preventive measures should be taken to ensure free drainage without stoppage. MIFAB® offers a complete range of sediment buckets for all applications. Sediment buckets (-5) may be used with MIFAB®'s floor drains and trench in areas such as washrooms and showers to intercept valuables and hair. Choose Suffix -5 for the specification of sediment buckets.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.

There are two main grate definitions in the trench drain industry to help engineers select the appropriate grate. EN 1433 / DIN19580 and ANSI A112.21.1M Standards.

ANSI A112.21.1M		
Grates shall be designed to meet the following load classifications in a static condition		
	Light Duty	All grates having safe live load (as calculated in paragraph 6.1.6 of the ANSI Standard) under 2,000 lbs. (900 kg.) For pedestrian foot traffic only.
	Medium Duty	All grates having safe live load (as calculated in paragraph 6.1.6 of the ANSI Standard) between 2,000 lbs. (900 kg.) and 4,999 lbs. (2,250 kg.) For light pneumatic tire traffic only. Sidewalks and residential parking.
	Heavy Duty	All grates having safe live load (as calculated in paragraph 6.1.6 of the ANSI Standard) between 5,000 lbs. (2,250 kg.) and 7,499 lbs. (3,375 kg.) For Commercial Pneumatic tire traffic patterns and tractor trailers.
	Extra Heavy Duty	All grates having safe live load (as calculated in paragraph 6.1.6 of the ANSI Standard) between 7,500 lbs. (3,375 kg.) and 10,000 lbs. (4,500 kg.) For forklift traffic. Roads and Highways. H-20 Load Rated.
	Special Duty	All grates having safe live load (as calculated in paragraph 6.1.6 of the ANSI Standard) over 10,000 lbs. (4,500 kg.) For airport traffic.

EN1433 / DIN19580		
Grates shall be designed to meet the following load classifications in a static condition		
	Load Class A	Light Duty Grate design load up to or exceeding 3,372 lbs. (15 kN). For pedestrian foot traffic only.
	Load Class B	Medium Duty Grate design load of at least 28,100 lbs. (125 kN). For light pneumatic tire traffic only. Sidewalks and residential parking.
	Load Class C	Heavy Duty Grate design load of at least 56,200 lbs. (250 kN). Commercial Applications.
	Load Class D	Grate design load of at least 89,920 lbs. (400 kN). For pneumatic forklift traffic. Extra Heavy Duty. Roads and Highways. H-20 Load Rated.
	Load Class E	Grate design load of at least 134,800 lbs. (600 kN). For Commercial Solid tire traffic patterns, and impacts from steel struts or metal wheels (forklifts). Extreme Heavy Duty.
	Load Class F	Grate design load of at least 202,320 lbs. (900 kN). For airport traffic.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

CHEMICAL RESISTANCE CHART

CHEMICALS	MATERIALS				CHEMICALS	MATERIALS			
	AISI 316L S.S.	AISI 304 S.S.	EPDM	NBR		AISI 316L S.S.	AISI 304 S.S.	EPDM	NBR
1) Very good resistance					1) Very good resistance				
2) Moderate resistance					2) Moderate resistance				
3) Limited or variable resistance					3) Limited or variable resistance				
4) Unsatisfactory					4) Unsatisfactory				
Acetone	1	1	1	4	Magnesium chloride	2	2	1	1
Acetic acid (diluted) 30%	1	1	1	2	Magnesium sulfate	1	2	1	1
Acetic acid 100%	1	1	1	3	Mercury	1	1	1	1
Acetic acid anhydride	1	1	2	3	Methanol	1	1	1	1
Aluminum chloride	4	4	1	1	Methyl chloride	1	1	3	4
Aluminum sulfate	1	4	1	1	Methylene chloride	2	2	4	4
Ammonium carbonate	1	1	1	4	Naphthalene	1	1	4	4
Ammonium chloride	2	3	1	1	Nickel chloride	2	2	1	1
Ammonium hydroxide	1	1	1	4	Nickel sulfate	1	1	1	1
Amyl chloride	1	1	-	-	Nitric acid	3	3	3	4
Aniline	1	1	2	4	Oxalic acid	3	3	1	2
Aniline hydrochloride	4	4	2	2	Perchloric acid	4	4	2	-
Barium chloride	2	2	1	1	Phosphoric Acid	1	1	2	4
Barium hydroxide	1	1	1	1	Picric acid	1	1	2	2
Benzaldehyde	1	1	1	4	Potassium bromide	1	1	-	-
Benzene	1	1	4	4	Potassium carbonate	1	1	-	-
Benzoic acid	1	1	-	-	Potassium chlorate	1	1	-	-
Borax	1	1	1	2	Potassium cyanide	1	1	1	1
Boric acid	1	1	1	1	Potassium hydroxide	1	1	1	2
Bromine	4	4	-	-	Potassium nitrate	1	1	1	1
Bromine chloride acid	4	4	1	4	Potassium permanganate	1	1	-	-
Bromine hydrogen acid	4	4	1	4	Potassium sulfate	1	1	1	1
Bromoethylene	1	1	-	-	Potassium sulfide	1	1	-	-
Butanol	1	1	4	1	Potassium chloride	2	2	1	1
Butyl acetate	1	1	2	-	Propylene dichloride	1	1	-	-
Butyric acid	1	1	-	-	Sal ammoniac	2	3	1	1
Calcium bisulfate el sulfite	1	1	4	1	Silver nitrate	1	1	1	2
Calcium chloride	2	2	1	1	Soda (ash)	1	1	-	-
Calcium hypochlorite	1	1	1	1	Sodium acetate	1	1	1	2
Carbon disulfide	2	3	1	3	Sodium bicarbonate	1	1	1	1
Carbon tetrachloride	1	1	-	-	Sodium bisulfate	1	3	-	-
Chloroacetic acid (mono)	1	1	4	3	Sodium bisulfite	1	1	1	1
Chloride	4	4	2	-	Sodium bromide	2	2	-	-
Chloric acid	4	4	-	-	Sodium chlorate	1	1	-	-
Chloril acid	4	4	-	-	Sodium chloride	4	4	-	-
Chlorine (dry)	1	1	-	-	Sodium cyanide	1	1	1	1
Chlorobenzene	1	1	4	4	Sodium fluoride	1	1	-	-
Chloroform	2	2	4	4	Sodium hydroxide	1	1	1	2
Chlorosulfonic acid	2	3	4	4	Sodium hypochlorite	4	4	2	2
Copper chloride	2	2	1	1	Sodium nitrate	1	1	1	2
Copper nitrate	1	1	-	-	Sodium sulfate	1	1	1	1
Copper sulfate	1	1	1	1	Sodium sulfide	1	1	-	-
Ether	1	1	-	-	Sodium sulfite	1	1	1	1
Ethyl chloride	1	1	1	1	Stannous chloride	2	3	2	1
Fatty acid	1	1	4	2	Sulfur	1	1	1	4
Fluorine (dry)	1	1	-	-	Sulfur chloride	1	1	4	3
Fluorine hydrogen acid	4	4	2	4	Sulfur dioxide	1	2	1	4
Formaldehyde	1	1	1	2	Sulfuric acid	4	4	2	4
Formic acid	1	1	1	2	Sulfurous acid	1	3	2	2
Furfural	1	1	2	4	Thionyl chloride	1	1	4	-
Gallic acid	1	1	2	2	Toluene (toluol)	1	1	4	4
Hydrochloric acid	4	4	1	4	Trichloroethylene	1	1	4	1
Hydrogen peroxide	1	1	3	4	Turpentine	1	1	4	1
Iodine (wet)	4	4	-	-	Xylene (xylol)	1	1	-	-
Lead acetate	1	1	1	2	Zinc sulfate	1	1	-	-

Note: Concentration levels and length of exposure have a direct influence on the resistance of stainless steel to certain chemicals. Each application should therefore be carefully reviewed to determine the suitability of stainless steel.

Assumptions: Data presented are used as a guide only, for detailed information please contact our Sales/Technical department.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.

WHOLESALE DISCOUNT:

Contact MIFAB® or your local representative for your applicable discount structure.

FREIGHT ALLOWANCE: Ex Works, MIFAB®'s Chicago, Illinois Factory or Manufacturer Representative's warehouse with full motor freight allowed on shipments of \$5000.00 Net or more, within the continental U.S.A. and Canada, except Alaska, Hawaii and Puerto Rico. MIFAB® reserves the right to choose the carrier and route of shipment. Alaska: Ex Works, Seattle, WA. Hawaii: Freight allowed on shipments of \$5,000.00 or more only when shipped from West Coast, U.S. Puerto Rico: Ex Works, Miami, Florida. There is no allowance for United Parcel Service, Federal Express or Shipment by air service. Full motor freight is allowed on shipments of \$5,000.00 Net or more, within the continental U.S.A. and Canada for any combination of BEECO, Counterline, No Hub Coupling, Trench Drain, Access Door and Trap Seal Primer products. Shipping dates are estimates and time of delivery is not the essence of the sale of the contract. Therefore, under no circumstances will MIFAB® have any responsibility on account of any delays in manufacture, transportation, or otherwise. Additional freight services such as construction site delivery, lift gate delivery service, re-consigned freight or notification charges, are not included in full freight allowance terms, and will result in additional freight charges.

QUOTATION TERMS: List Price and discount protected for 30 days from date issued by MIFAB®. Orders received within this period must be released for shipment within 30 days from date of purchase order, otherwise, prices will be those that are in effect at the time of shipment.

PAYMENT TERMS: Terms of payment are Net 30 days from the date of the invoice. All pricing in United States currency except for sales to Canadian customers which are priced in Canadian dollars. The Buyer shall pay all sales, consumers, and / or any other applicable taxes. Past due accounts will be subject to a 2% per month service charge from the date of the invoice. If any proceedings be instructed by or against Buyer under any bankruptcy or insolvency law, or if Buyer shall fail to make timely payment on this or any other order, or if, in MIFAB®'s judgment, Buyer's financial situation justifies such action, MIFAB® may, at its election, require payment in advance or cancel the order as to any unshipped item and require payment of its reasonable cancellation charges. If Buyer delays completion of manufacture, MIFAB® may elect to require payment according to percentage of completion. Equipment held for Buyer shall be at Buyer's risk and expense. In all cases, regardless of partial payment, title to the Products shall remain with MIFAB® until payment for the Products (including any notes given therefore) has been made in full. Should legal action be necessary to enforce payment of an unpaid invoice, the Buyer will assume full responsibility for any court costs and reasonable attorney fees. All orders subject to credit check and approval prior to shipment. Confirmed irrevocable letter of credit or cash in advance of shipment is required for accounts without an established line of credit. Minimum invoice amount is \$100.00. MIFAB® reserves the right to apply a minimum order charge to equal \$100.00. MIFAB®'s Accounting Department must be notified of potential pricing errors within 30 days of the invoice date. Any terms and conditions stated on Buyer's orders which are inconsistent with MIFAB®'s quotation and Terms and Warranties shall be of no effect.

RETURNED GOODS RESTOCKING CHARGE: Standard product may be returned within a one year period only with written permission from MIFAB®. All products in catalog are not considered Standard. Standard product to be determined by MIFAB®. Returned goods are subject to a 25% restocking charge, plus cost of reconditioning, if necessary, to make material saleable. Material must be returned to MIFAB® freight prepaid only after written permission from MIFAB® to accept the returned material. Buyer must provide copy of the original invoice on which the material was charged. The original outgoing freight cost to ship the order will be deducted from the credit. Credit allowance will be in the form of merchandise credit only-not cash credit which must be used within 12 months of the date of issue. The value of a return must total \$100.00 to qualify for credit allowance. No credit will be allowed for auxiliary tappings, discontinued, or made to order items. Products designated non stock and / or that have been specially made are not subject to return or cancellation.

LIMITED WARRANTY: MIFAB® warrants each product against defects in material and workmanship for a period of one year from the date of original shipment. In the event of such defects within the warranty period, MIFAB® will, at its option, replace or recondition the product without charge. This shall constitute the exclusive remedy for breach of warranty, and MIFAB® shall not be responsible for any incidental or consequential damages, including, without limitation, damages or other costs resulting from labor charges, delays, vandalism, negligence, fouling caused by foreign material, damage from adverse water conditions, chemicals, or any other circumstances over which MIFAB® has no control. This warranty shall be invalidated by any abuse, misuse, misapplication or improper installation of the product.

MIFAB® MAKES NO OTHER WARRANTIES EXPRESSED OR IMPLIED AS PROVIDED IN THIS LIMITED WARRANTY.

ILLUSTRATIONS OR TYPICAL INSTALLATIONS: The typical installations for various products in each product section are intended to illustrate the products and their options. Under no circumstances are they to be construed as recommended installation procedures. Consult local codes and project specifications for proper installation instructions.

ALL SALES SUBJECT TO MIFAB®'s TERMS AND WARRANTIES.

NOTE: Prices and terms are subject to change without notice and supersede all previous quotations. The right is reserved to change or modify product design or construction without prior notice and without incurring any obligation to make similar changes and modifications to product previously or subsequently sold. Contact MIFAB® for any clarification.

CONTENTS © MIFAB® INC. Copyright 2023

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

ZURN / STAINLESS STEEL DRAINS.COM	PAGE	MIFAB®
Z891	(Page 7)	P6335
Z899	(Page 21)	P6120-ELTD
ZS890	(Page 10)	P6060
Z893	(Page 40)	P5000
Z894	(Page 25)	P6140
ZS895	(Page 14)	P6120
Z897	(Pages 8, 10, 12, 14)	Catch Basins
Z898	(Page 24)	P6130
Z899-100	(Page 21)	P6120-ELTD
Z899-THR-76	(Pages 22, 23)	P6460-THTD, P6480-THTD, P6560-THTD
Z1832	(Page 26)	P3060
ZM1832	(Page 26)	P3060
Z1810-12B	(Page 29)	P3100
ZM1810-12B	(Page 29)	P3100
Z1810-12S	(Page 31)	P3120
ZM1810-12S	(Page 31)	P3120
Z1820-8B	(Page 29)	P3100-90
ZM1820-8B	(Page 29)	P3100-90
Z1820-12B	(Page 29)	P3100-90
ZM1820-12B	(Page 29)	P3100-90
Z1820-12S	(Page 31)	P3120-90
ZM1820-12S	(Page 31)	P3120-90

ZURN / STAINLESS STEEL DRAINS.COM	PAGE	MIFAB®
Z1800-12B	(Page 36)	P3230
ZM1800-12B	(Page 36)	P3230
Z1800-12S	(Page 37)	P3230-S
ZM1800-12S	(Page 37)	P3230-S
Z1830-12B	(Page 29)	P3100
ZM1830-12B	(Page 29)	P3100
Z1830-12S	(Page 31)	P3120
ZM1830-12S	(Page 31)	P3120
Z1840-6B	(Page 38)	P7060
ZM1840-6B	(Page 38)	P7060
Z1840-6S	(Page 38)	P7060-S
ZM1840-6S	(Page 38)	P7060-S
Z1840-8B	(Page 39)	P7080
ZM1840-8B	(Page 39)	P7080
Z1840-8S	(Page 39)	P7080-S
ZM1840-8S	(Page 39)	P7080-S
Z1850	(Page 32)	P4120-6D
ZM1850	(Page 32)	P4120-6D
Z1870	(Page 41)	P8300
ZM1870	(Page 41)	P8300
Z1890	(Page 41)	P8500
ZM1890	(Page 41)	P8500


CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.


Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.

PROJECT REFERENCES



P6060



P6060

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

PROJECT REFERENCES



P6120-ELTD

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880


MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB®'s Terms and Warranties. Please refer to page 50.



Brown- Forman Distillery Project - Kentucky



Brown- Forman Distillery Project - Kentucky



Brown- Forman Distillery Project - Kentucky



Brown- Forman Distillery Project - Kentucky

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

MIFAB CATALOGS



**MPB-2022-USA
SPECIFICATION
DRAINAGE
(LIT-067)**



**CLPB-2022
LIGHT COMMERCIAL
PRODUCTS
(LIT-048)**



**AD-2022-USA
ACCESS DOORS
(LIT-043)**



**BEECO-2022
BACKFLOW PREVENTERS
AND ACCESSORIES
(LIT-071)**



**NH-2022-06
NO HUB COUPLINGS
(LIT-044)**



**TDP-2023
POLYMER CONCRETE
TRENCH DRAINS
(LIT-076)**



**TD-2023
GRP & STEEL
TRENCH DRAINS
(LIT-046)**



**TDS-2023
SHOWER DRAINS
(LIT-077)**



**TDSS-2023
STAINLESS STEEL
TRENCH DRAINS
(LIT-072)**



**ROOFGUARD-2020
ROOFGUARD ROOF
DOMES
(LIT-058)**



**C-PORT-2023
ROOFTOP RUBBER
PIPE SUPPORTS
(LIT-047)**



**DB-2022
DIALYSIS BOXES
(LIT-070)**



**HYDROMAX-2020
SIPHONIC ROOF
DRAINAGE SYSTEMS
(LIT-082)**



**INT-2023
INTERCEPTORS & ACID
NEUTRALIZATION TANKS
(LIT-095)**



**TSP-2022-08
TRAP SEAL
PRIMERS
(LIT-062)**



CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Visit www.mifab.com for the most recent product information. Design and dimensions are subject to modification. Prices do not include applicable taxes.

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049
sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA
All sales subject to MIFAB's Terms and Warranties. Please refer to page 50.




TDSS-2023

2023

STAINLESS STEEL DRAINS CATALOG

TRENCH, FLOOR AND KETTLE
DRAINS, CLEANOUTS AND
ACCESSORIES



4", 8", 12" INTERNAL WIDTHS - SHALLOW CHANNELS - CATCH BASINS
(6", 10" AND 14" OVERALL WIDTHS)

LIT-072