



**ULTIMATE WARMTH.
ALL DAY COMFORT.**



EN388 STANDARDS						
Abrasion	1	2	3	4	—	—
Cut Resistance (Coup Test)	1	2	3	4	5	X*
Tearing	1	2	3	4	—	—
Puncture	1	2	3	4	—	—
Cut Resistance (TDM Test)	A	B	C	D	E	F

*If the coupe test provides a 3 or above it is marked as an "X" for not applicable and uses the TDM 100 test instead

High Dexterity 15
Gauge Outer Liner

10 Gauge Inner Liner

1/2 Double
Dipped Latex
Water resistance

Breathable
Back

Warm Acrylic
Terry Liner

Secure Dual Liner

Color-Coded Bands
Easy cut level
identification



SPECIFICATIONS	
Gauge	10 & 15
Liner Material	Secure Dual Liner
Dip Material	Double Latex 1/2 Dip
Cuff Style	Elasticated Knit

RECOMMENDED APPLICATIONS	
- High-Dexterity Applications - Light Material Handling - Finish Carpentry - Yard Maintenance - Plumbing	

CARE INSTRUCTIONS	
Machine wash warm water (105°F), mild detergent, no bleach. Line dry.	

SIZE	1 PAIR	12 PAIR (Contractor Pack)
S	48-73-7920	48-73-7920B
M	48-73-7921	48-73-7921B
L	48-73-7922	48-73-7922B
XL	48-73-7923	48-73-7923B
XXL	48-73-7924	48-73-7924B

**SEE
MORE
PPE**



or visit <https://qr.mke.tt/2qm6s>



