




**ULTIMATE WARMTH.
ALL DAY COMFORT.**



EN388 STANDARDS						
Abrasion	1	2	3	4	—	—
Cut Resistance (Coup Test)	1	2	3	4	5	X*
Tearing	1	2	3	4	—	—
Puncture	1	2	3	4	—	—
Cut Resistance (TDM Test)	A	B	C	D	E	F

*If the coupe test provides a 3 or above it is marked as an "X" for not applicable and uses the TDM 100 test instead

High Dexterity 15
Gauge Outer Liner

10 Gauge Inner Liner

3/4 Double
Dipped Latex
Water resistance

Breathable
Back

Warm Acrylic
Terry Liner

Secure Dual Liner

Color-Coded Bands
Easy cut level
identification



SPECIFICATIONS		RECOMMENDED APPLICATIONS	CARE INSTRUCTIONS
Gauge	10 & 15	■ Duct & Sheet Metal Work ■ Concrete Work ■ Tile Cutting ■ Pipe Threading ■ Wire Stripping ■ Demolition	Machine wash warm water (105°F), mild detergent, no bleach. Line dry.
Liner Material	Secure Dual Liner		
Dip Material	Double Latex 3/4 Dip		
Cuff Style	Elasticated Knit		

SIZE	1 PAIR	12 PAIR (Contractor Pack)
S	48-73-7940	48-73-7940B
M	48-73-7941	48-73-7941B
L	48-73-7942	48-73-7942B
XL	48-73-7943	48-73-7943B
XXL	48-73-7944	48-73-7944B

**SEE
MORE
PPE**



or visit <https://qr.mke.tl/2qm6s>



