




ULTIMATE WARMTH.
ALL DAY COMFORT.



EN388 STANDARDS						
Abrasion	1	2	3	4	–	–
Cut Resistance (Coup Test)	1	2	3	4	5	X*
Tearing	1	2	3	4	–	–
Puncture	1	2	3	4	–	–
Cut Resistance (TDM Test)	A	B	C	D	E	F

*If the coupe test provides a 3 or above it is marked as an "X" for not applicable and uses the TDM 100 test instead



SPECIFICATIONS		RECOMMENDED APPLICATIONS	CARE INSTRUCTIONS
Gauge	10 & 13	■ Duct & Sheet Metal Work ■ Concrete Work ■ Tile Cutting ■ Pipe Threading ■ Wire Stripping ■ Demolition	Machine wash warm water (105°F), mild detergent, no bleach. Line dry.
Liner Material	Secure Dual Liner		
Dip Material	Double Latex 3/4 Dip		
Cuff Style	Elasticated Knit		

SIZE	1 PAIR	12 PAIR (Contractor Pack)
S	48-73-7950	48-73-7950B
M	48-73-7951	48-73-7951B
L	48-73-7952	48-73-7952B
XL	48-73-7953	48-73-7953B
XXL	48-73-7954	48-73-794B

SEE MORE PPE

or visit <https://qr.mke.tt/2qm6s>



