



2011 New & Featured Products



 **MOEN**[®]
COMMERCIAL
www.moencommercial.com

Built for the real world.

Moen® Commercial understands the demanding environments of commercial and institutional facilities.

Just as importantly, we understand what satisfies demanding professionals like you.

That's why we go beyond manufacturing durable, reliable products that are both vandal-resistant and energy-efficient.

Our products offer lower lifetime costs to help you meet financial goals too. Plus, we stand behind everything with a best-in-class warranty and outstanding customer service so you can have confidence in your decision to choose Moen Commercial. Real-world performance. Real-world reliability.


BRASS POSI-TEMP® CARTRIDGE & ROUGH-IN VALVES

NEW! 1222HD Brass Posi-Temp Cartridge

- Designed for the high demands of heavy-use applications, the heavy-duty brass 1222HD cartridge features superior durability, boasting exceptional strength and resistance to heat.
- The substantial cartridge construction features a large, custom-seal design that prevents freeze-up in the valve body, making serviceability easy if ever needed.
- Well-built design can be reused after maintenance.

Posi-Temp

Since its introduction more than 25 years ago, the Moen Posi-Temp valve continues to be the leading choice of the industry—with more than 40 million installations in the last 15 years alone.



Safe, Consistent Operation: Pressure-Balancing Design

Posi-Temp valves balance pressure to maintain temperature within $\pm 3.6^\circ\text{F}$ ($\pm 2.0^\circ\text{C}$)—eliminating shower shock caused by pressure fluctuation in the supply system. Moen Commercial flow-optimized showerheads and hand showers, paired with Moen Posi-Temp valves containing graphite composite spools, meet the performance requirements for pressure and temperature variation of ASSE 1016 when tested as low as 1.5 gpm/5.7 lpm.

NEW! Brass Posi-Temp Rough-In Valves

Installation Flexibility: Inlet Connection Options

Order your valve to match your supply lines for quick, hassle-free installation. Choose from IPS, CC, PEX and CPVC inlet connection options.

Faster, Easier Maintenance: Integral Stops

Allows you to shut off the water supply at the valve for quick and easy maintenance.

	Model No.	Description	List Price
	1222HD	Brass Posi-Temp Cartridge Single-handle replacement cartridge Graphite composite pressure-balancing spool design Meets ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and hand showers with flow rates as low as 1.5 gpm (5.7 lpm)	79.80
	Model No.	Description	List Price
	8370HD	Brass Posi-Temp Rough-In Valve M•PACT® Common Valve System 1/2" CC connection without integral stops 4-port cycling valve Adjustable temperature limit stop Graphite composite pressure-balancing spool design Meets ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and hand showers with flow rates as low as 1.5 gpm (5.7 lpm)	108.15

Model No.	Description	List Price
8371HD	Brass Posi-Temp® Rough-In Valve M•PACT Common Valve System 1/2" CC connection with integral stops 4-port cycling valve Adjustable temperature limit stop Graphite composite pressure-balancing spool design Meets ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and hand showers with flow rates as low as 1.5 gpm (5.7 lpm)	130.15



Model No.	Description	List Price
8372HD	Brass Posi-Temp Rough-In Valve M•PACT Common Valve System 1/2" IPS connection with integral stops 4-port cycling valve Adjustable temperature limit stop Graphite composite pressure-balancing spool design Meets ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and hand showers with flow rates as low as 1.5 gpm (5.7 lpm)	130.15



Model No.	Description	List Price
8373HD	Brass Posi-Temp Rough-In Valve M•PACT Common Valve System 1/2" PEX connection with integral stops Adjustable temperature limit stop Graphite composite pressure-balancing spool design Meets ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and hand showers with flow rates as low as 1.5 gpm (5.7 lpm)	130.15



Model No.	Description	List Price
8374HD	Brass Posi-Temp Rough-In Valve M•PACT Common Valve System 1/2" CPVC connection with integral stops Adjustable temperature limit stop Graphite composite pressure-balancing spool design Meets ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and hand showers with flow rates as low as 1.5 gpm (5.7 lpm)	140.30



Model No.	Description	List Price
3360	Three-Function Transfer Valve 1/2" CC connection 3 discrete functions Ceramic disk cartridge	158.80



ALL-METAL TRIM KITS

- Now available as trim-only kits for greater installation flexibility. Pair with our new brass Posi-Temp® rough-in valves for a durable commercial tub/shower system.
- Heavy-duty, all-metal trim components are designed to handle the harsh demands of commercial and institutional use.
- Vandal-resistant features prevent accidental damage and theft.
- Chrome finish stands up to harsh industrial cleaners.

	Model No.	Description	List Price
	T8350	NEW! Moentrol® Pressure-Balancing Valve Trim Kit	44.20
		Push-pull operation Volume control Pair with the Moentrol valve	

	Model No.	Description	List Price
	T8360	NEW! Three-Function Transfer Valve Trim Kit	37.60
		Operates 3 distinct functions Can be plumbed for 2 distinct functions Pair with the 3360 three-function transfer valve (found on page 3)	

	Model No.	Description	List Price
	T8370	NEW! Posi-Temp Valve Trim Kit	29.40
		Pair with the new brass Posi-Temp rough-in valve (choose from connection options found on pages 2–3)	

	Model No.	Description	List Price
	T8375	NEW! Posi-Temp Shower System Trim Kit 2.5 gpm (9.5 lpm) max. vandal-resistant showerhead Pair with the new brass Posi-Temp rough-in valve (choose from connection options found on pages 2-3)	42.80
			

	Model No.	Description	List Price
	T8375EP15	NEW! Posi-Temp Eco-Performance Shower System Trim Kit 1.5 gpm (5.7 lpm) max. vandal-resistant showerhead Pair with the new brass Posi-Temp rough-in valve (choose from connection options found on pages 2-3)	37.80
	  		

	Model No.	Description	List Price
	T8389	NEW! Posi-Temp Tub/Shower System Trim Kit 2.5 gpm (9.5 lpm) max. vandal-resistant showerhead Diverter spout Pair with the new brass Posi-Temp rough-in valve (choose from connection options found on pages 2-3)	77.80
			

	Model No.	Description	List Price
	T8389EP15	NEW! Posi-Temp Eco-Performance Tub/Shower System Trim Kit 1.5 gpm (5.7 lpm) max. vandal-resistant showerhead Diverter spout Pair with the new brass Posi-Temp rough-in valve (choose from connection options found on pages 2-3)	71.80
	  		

ALL-METAL TRIM KITS

CONTINUED

	Model No.	Description	List Price
	T8343	NEW! Posi-Temp® Tub/Shower System Trim Kit 2.5 gpm (9.5 lpm) max. vandal-resistant showerhead and hand shower 3-function transfer valve trim kit 30" slide bar* 69" double swivel metal hose Vacuum breaker and drop elbow Diverter spout Pair with the new brass Posi-Temp rough-in valve (choose from connection options found on pages 2-3) Also requires a 3360 3-function transfer valve	298.00
	Model No.	Description	List Price
	T8341	NEW! Posi-Temp Tub/Shower System Trim Kit 2.5 gpm (9.5 lpm) max. vandal-resistant showerhead and hand shower 3-function transfer valve trim kit 30" slide bar* 69" double swivel hose Vacuum breaker and drop elbow Diverter spout Pair with the new brass Posi-Temp rough-in valve (choose from connection options found on pages 2-3) Also requires a 3360 3-function transfer valve	277.00
	Model No.	Description	List Price
	T8342	NEW! Posi-Temp Shower System Trim Kit 2.5 gpm (9.5 lpm) max. vandal-resistant showerhead and hand shower 3-function transfer valve trim kit 30" slide bar* 69" double swivel hose Vacuum breaker and drop elbow Pair with the new brass Posi-Temp rough-in valve (choose from connection options found on pages 2-3) Also requires a 3360 3-function transfer valve	282.00



*Bar is not a grab bar. Not to be used as support.

	Model No.	Description	List Price
	T8342EP15	NEW! Posi-Temp Eco-Performance Shower System Trim Kit    1.5 gpm (5.7 lpm) max. vandal-resistant showerhead and hand shower with non-positive pause function 3-function transfer valve trim kit 30" slide bar* 69" double swivel hose Vacuum breaker and drop elbow Pair with the new brass Posi-Temp rough-in valve (choose from connection options found on pages 2-3) Also requires a 3360 3-function transfer valve	269.00

	Model No.	Description	List Price
	T8346	NEW! Posi-Temp Shower System Trim Kit  2.5 gpm (9.5 lpm) max. hand shower 30" slide bar* 69" double swivel hose Vacuum breaker and drop elbow Pair with the new brass Posi-Temp rough-in valve (choose from connection options found on pages 2-3)	251.80

	Model No.	Description	List Price
	T8346EP15	NEW! Posi-Temp Eco-Performance Shower System Trim Kit    1.5 gpm (5.7 lpm) max. hand shower with non-positive pause function 30" slide bar* 69" double swivel hose Vacuum breaker and drop elbow Pair with the new brass Posi-Temp rough-in valve (choose from connection options found on pages 2-3)	260.80

	Model No.	Description	List Price
	T8348	NEW! Posi-Temp Shower System Trim Kit  2.5 gpm (9.5 lpm) max. hand shower 69" double swivel hose Vacuum breaker and drop elbow Pair with the new brass Posi-Temp rough-in valve (choose from connection options found on pages 2-3)	187.80



*Bar is not a grab bar. Not to be used as support.

SLIDE BAR SHOWER SYSTEMS

	Model No.	Description	List Price
	52710	Hand Shower with Slide Bar  2.5 gpm (9.5 lpm) max. hand shower 30" slide bar* 69" double swivel metal hose Vacuum breaker and drop elbow	245.40
	Model No.	Description	List Price
	52710EP15	Eco-Performance Hand Shower with Slide Bar    1.5 gpm (5.7 lpm) max. hand shower with non-positive pause function 30" slide bar* 69" double swivel metal hose Vacuum breaker and drop elbow	248.50
	Model No.	Description	List Price
	52740EP17	NEW! ENVI™ Eco-Performance Three-Function Hand Shower with Slide Bar    1.75 gpm (6.6 lpm) max. hand shower 30" slide bar* 69" double swivel metal hose Vacuum breaker and drop elbow	255.40
	Model No.	Description	List Price
	52715	Hand Shower with Slide Bar  2.5 gpm (9.5 lpm) max. hand shower 36" slide bar* 69" double swivel metal hose Vacuum breaker and drop elbow	267.40

*Bar is not a grab bar. Not to be used as support.

SLIDE BAR/GRAB BAR SHOWER SYSTEMS

Systems include a chrome hand shower and an ADA-compliant stainless steel grab bar offering installation flexibility and safety for users.

- Heavy-duty 1-1/2" diameter ADA-compliant stainless steel grab bars are available in 24" or 36" lengths.
- For added ease and flexibility during installation, optional SecureMount™ anchors are designed to support up to 500 lbs., with no studs required.
- Eco-Performance models offer flow rates as low as 1.5 gpm (5.7 lpm).
- Choose from metal or plastic hose options.

	Model No.	Description	List Price
	52224GBM15	NEW! Slide Bar/Grab Bar Eco-Performance Shower System    1-1/2" x 24" stainless steel ADA-compliant grab bar 1.5 gpm (5.7 lpm) max. hand shower with non-positive pause function 69" double swivel metal hose Vacuum breaker and drop elbow	225.50
	Model No.	Description	List Price
	52224GBM17*	NEW! Slide Bar/Grab Bar Eco-Performance Shower System    1-1/2" x 24" stainless steel ADA-compliant grab bar 1.75 gpm (6.6 lpm) max. hand shower with non-positive pause function 69" double swivel metal hose Vacuum breaker and drop elbow	225.50
	* Available February 2012		
	Model No.	Description	List Price
	52224GBM25	NEW! Slide Bar/Grab Bar Shower System  1-1/2" x 24" stainless steel ADA-compliant grab bar 2.5 gpm (9.5 lpm) max. hand shower with non-positive pause function 69" double swivel metal hose Vacuum breaker and drop elbow	225.50



ADA-compliant



WaterSense®-certified



Eco-Performance icon denotes products contributing to water conservation and energy efficiency. Learn more at moen.com/eco-performance.

SLIDE BAR/GRAB BAR SHOWER SYSTEMS

CONTINUED

	Model No.	Description	List Price
	52224GBP25 	NEW! Slide Bar/Grab Bar Shower System 1-1/2" x 24" stainless steel ADA-compliant grab bar 2.5 gpm (9.5 lpm) max. hand shower with non-positive pause function 59" plastic hose Vacuum breaker and drop elbow	195.50

	Model No.	Description	List Price
	52236GBM15   	NEW! Slide Bar/Grab Bar Eco-Performance Shower System 1-1/2" x 36" stainless steel ADA-compliant grab bar 1.5 gpm (5.7 lpm) max. hand shower with non-positive pause function 69" double swivel metal hose Vacuum breaker and drop elbow	245.50

	Model No.	Description	List Price
	52236GBM17*   	NEW! Slide Bar/Grab Bar Eco-Performance Shower System 1-1/2" x 36" stainless steel ADA-compliant grab bar 1.75 gpm (6.6 lpm) max. hand shower with non-positive pause function 69" double swivel metal hose Vacuum breaker and drop elbow	245.50

* Available February 2012

	Model No.	Description	List Price
	52236GBM25	NEW! Slide Bar/Grab Bar Shower System	245.50
		1-1/2" x 36" stainless steel ADA-compliant grab bar 2.5 gpm (9.5 lpm) max. hand shower with non-positive pause function 69" double swivel metal hose Vacuum breaker and drop elbow	

	Model No.	Description	List Price
	52236GBP25	NEW! Slide Bar/Grab Bar Shower System	215.50
		1-1/2" x 36" stainless steel ADA-compliant grab bar 2.5 gpm (9.5 lpm) max. hand shower with non-positive pause function 59" plastic hose Vacuum breaker and drop elbow	

SHOWERHEADS & HAND SHOWERS

A variety of durable wallmount and hand-held options to meet your needs.

	Model No.	Description	List Price
	8290	Vandal-Resistant Showerhead 2.5 gpm (9.5 lpm) max. showerhead 1/2" IPS connection Single-function spray pattern Adjustable spray angle Mounting hardware included	101.45
	Model No.	Description	List Price
	8290EP15	  Vandal-Resistant Eco-Performance Showerhead 1.5 gpm (5.7 lpm) max. showerhead 1/2" IPS connection Single-function spray pattern Adjustable spray angle Mounting hardware included	105.45
	Model No.	Description	List Price
	8292	Vandal-Resistant Showerhead 2.5 gpm (9.5 lpm) max. showerhead 1/2" IPS connection Single-function spray pattern Extended spray nozzle Adjustable spray angle Mounting hardware included	114.45
	Model No.	Description	List Price
	12894	Vandal-Resistant Showerhead, Arm, Flange 2.5 gpm (9.5 lpm) max. showerhead 1/2" IPS connection Adjustable spray pattern	39.45

Model No.	Description	List Price
Vandal-Resistant Eco-Performance Showerheads		
1/2" IPS connection Easy-clean nozzles		
	52716EP15  	1.5 gpm (5.7 lpm) max. showerhead 37.50
	52716EP17 	NEW! 1.75 gpm (6.6 lpm) max. showerhead 37.50
	52716EP20 	NEW! 2.0 gpm (7.6 lpm) max. showerhead 37.50

Model No.	Description	List Price
	Hand Shower	62.00
	2.5 gpm (9.5 lpm) max. hand shower Easy-clean nozzles Single-function spray pattern	

Model No.	Description	List Price
	8349EP17*	64.00
	NEW! Eco-Performance Hand Shower   1.75 gpm (6.6 lpm) max. hand shower with non-positive pause function Easy-clean nozzles Single-function spray pattern	
* Available February 2012		

Model No.	Description	List Price
	8349EP15	64.00
	  1.5 gpm (5.7 lpm) max. hand shower with non-positive pause function Easy-clean nozzles Single-function spray pattern	

ACCESSORIES

	Model No.	Description	List Price
	104465	High-Flow Thermostatic Mixing Valve 1/2" FIP (3/8" compression adapters) Listed to ASSE Standard 1070 Max. flow rate at 45 psi = 10 gpm Tub application	125.50

Part Number	Finish	Description	List Price
15856	Chrome	Diverter tub spout, 1/2" slip fit, vandal-resistant	51.00
100686	Chrome	Slide bar swivel bracket for hand shower	42.50
101629	Chrome	30" adjustable slide bar with attaching hardware (This bar is not a grab bar. Not to be used for support.)	117.50
104414	Chrome	Wallmount bracket for hand shower	43.00
52703	Chrome	Deluxe vacuum breaker for hand shower 1/2" IPS connection	56.50
52706	Chrome	Shower arm diverter 1/2" IPS connection	57.50
52711		NEW! Slide bar/Grab bar bracket	19.00
52712		SecureMount™ Anchors	27.50
A726	Chrome	69" metal hose (vacuum breaker sold separately)	77.40
A723	Chrome	NEW! 59" plastic hose (vacuum breaker sold separately)	24.00
A780	Chrome	NEW! 80" metal hose (vacuum breaker sold separately)	89.00

FAUCETS


Installation flexibility to an already broad offering of heavy-duty faucets.

- **NEW!** One-handle single supply lavatory faucet with an anti-rotational mounting system
- **NEW!** Wallmount bar faucet coordinates with any S-Series spout

	Model No.	Description	List Price
	8161	NEW! One-Handle Eco-Performance Single Supply Lavatory Faucet	120.00
		 2-1/2" lever handle Vandal-resistant aerator .5 gpm (1.9 lpm) max. Anti-rotational mounting system	

	Model No.	Description	List Price
	99550	NEW! Optional Deckplate	25.10

	Model No.	Description	List Price
	8286	NEW! Wallmount Bar Faucet without Spout	205.95
		Coordinates with any S-Series spout 2-1/2" lever handles	



Scan this tag with your mobile device to view additional details on Moen Commercial products.

Download the free Microsoft Tag reader at <http://gettag.mobi>

Moen Commercial has AutoDesk Revit® Building Information Models (BIM) available for this line of products. Visit www.moencommercial.com.



www.moencommercial.com

For more information, call
Moen at 1-800-BUY-MOEN or
e-mail specmoen@moen.com

Moen Incorporated
25300 Al Moen Drive
North Olmsted, OH 44070-8022