

PARTS BREAKDOWN SHEET

OLYMPIA

ELITE SINGLE HANDLE KITCHEN PULLOUT FAUCET



Model #:

Specific Features:

Project Name:

Submitted For:

Date:

- Metal Lever Handle
- Pullout Head with 2 Spray Patterns
- 9-15/16" Reach, 5-3/16" From Deck to Aerator
- Ceramic Disc Cartridge with Temperature Limit Stop
- 1 or 3-Hole 8" Installation
- Integral Vacuum Breaker
- SS Flex Connectors

K-5030 SHOWN

ADA



Model #	Features	Finish	
K-5030		CP	
K-5030-BN		PVD BN	
K-5030-MZ		MZ	
K-5030-ORB		ORB	

Olympia products are engineered and manufactured to meet the following standards and codes:

ASME A112.18.1

ANSI A117.1

ANSI / NSF 61, SECTION 9

IAPMO LISTED


CONTAINS NO MORE THAN 0.025% WEIGHTED AVERAGE LEAD CONTENT

* Aerator limited to 2.0 GPM Flow Rate

Note:-There is more than 1 version of this model. Page down to identify the version you have.

* Note- Part M and N includes only on the Products purchased after April 2011.

	ITEM #	DESCRIPTION
A	OP-120001*	Metal Lever Handle
B	OP-420008*	Cap
C	OP-420009	Retainer Nut
D	OP-320001	Ceramic Disc Cartridge
E	OP-420011	Spray head support
F	OP-420013*	Deck Plate & Base Gasket
G	OP-520003	Mounting Bolts & Nuts
H	OP-520004	Locknut
I	OP-590001	Supply Nut
J	OP-420016*	Pullout Spray head
K	OP-420014	Weight
L	OP-420015	Spray Hose
M	OP-520006*	1-Hole Mounting Assembly
N	OP-520007	Mounting Tool
1	OP-490005	Button
2	OP-490029	Allen Screw
3	OP-420010	O-Ring
4	OP-420017	Spray head Button



* Note- Please Specify finish/color code while ordering.

Antioch, TN
www.olympiafaucets.com
Olympia Faucets, Inc. © 2018
A Pioneer Industries Inc. Brand
DMPBK-5030/REV. 02.11

PARTS BREAKDOWN SHEET

OLYMPIA

ELITE SINGLE HANDLE KITCHEN PULLOUT FAUCET



Model #:

Specific Features:

Project Name:

Submitted For:

Date:

- Metal Lever Handle
- Pullout Head with 2 Spray Patterns
- 9-15/16" Reach, 5-3/16" From Deck to Aerator
- Ceramic Disc Cartridge with Temperature Limit Stop
- 3-Hole 8" Installation
- 30" SS Flex Connectors With 3/8" Connections

K-5030 SHOWN

ADA



Model #	Features	Finish	
K-5030		CP	
K-5030-BN		PVD BN	
K-5030-MZ		MZ	
K-5030-ORB		ORB	

Olympia products are engineered and manufactured to meet the following standards and codes:

ASME A112.18.1

ANSI A117.1

ANSI / NSF 61, SECTION 9


IAPMO LISTED

CONTAINS NO MORE THAN 0.25% WEIGHTED AVERAGE LEAD CONTENT

Aerator limited to 1.8 GPM Flow Rate

Note:-There is more than 1 version of this model. Page down to identify the version you have.

ITEM #	DESCRIPTION
A OP-120001*	Metal Lever Handle
B OP-420008*	Cap
C OP-420009	Retainer Nut
D OP-320001	Ceramic Disc Cartridge
E OP-420011	Spray head support
F OP-420013*	Deck Plate & Base Gasket
G OP-520003	Mounting Bolts & Nuts
H OP-520004	Locknut
I OP-420063*	Pullout Spray head
J OP-420014	Weight
K OP-420015	Spray Hose
L OP-520006	1-Hole Mounting Assembly
M OP-520012	Mounting Tool
1 OP-490005	Button
2 OP-490029	Allen Screw
3 OP-420010	Spout O-Ring
4 OP-420017	Spray head Button



* Note- Please Specify finish/color code while ordering.

Nashville, TN
www.olympiafaucets.com
Olympia Faucets, Inc. © 2018
A Pioneer Industries Inc. Brand
DMPBK-5030/REV. 09.16

PARTS BREAKDOWN SHEET

OLYMPIA

ELITE SINGLE HANDLE KITCHEN PULLOUT FAUCET



Model #: _____

Specific Features: _____

Project Name: _____

Submitted For: _____

Date: _____

- Metal Lever Handle
- Pullout Head with 2 Spray Patterns
- 9" Reach, 5-1/8" From Deck to Aerator
- Ceramic Disc Cartridge with Temperature Limit Stop
- 3-Hole 8" Installation
- 26" SS Flex Connectors With 3/8" Connections

K-5030 SHOWN

ADA



Model #	Features	Finish	
K-5030		CP	
K-5030-BN		PVD BN	
K-5030-MZ		MZ	
K-5030-ORB		ORB	

Olympia products are engineered and manufactured to meet the following standards and codes:

ASME A112.18.1


ANSI A117.1

ANSI / NSF 61, SECTION 9

IAPMO LISTED

CONTAINS NO MORE THAN 0.25% WEIGHTED AVERAGE LEAD CONTENT

Aerator limited to 1.8 GPM Flow Rate



ITEM #	DESCRIPTION
A OP-120005*	Metal Lever Handle
B OP-420028*	Cap
C OP-420042	Retainer Nut
D OP-320002	Ceramic Disc Cartridge
E OP-420063*	Pull-out Spray Head
F X-4200111	Spray Hose
G OP-420011	Spray Head Support
H OP-420013*	Deck Plate
I OP-520003	Mounting Bolts & Nuts
J OP-520004	Locknut
K OP-520006*	1-Hole Mounting Assembly
L OP-520014	Mounting Tool
M OP-420062	Weight
1 OP-490005	Button
2 OP-490029	Allen Screw
3 OP-420010	Spout O-Ring
4 OP-420017	Spray head Button

* Note- Please Specify finish/color code while ordering.

Nashville, TN
www.olympiafaucets.com
Olympia Faucets, Inc. © 2018
A Pioneer Industries Inc. Brand
DMPBK-5030/REV. 02.18


PARTS BREAKDOWN SHEET



Model Number: K-5030

* Note: Please specify finish/color when ordering.

* Note - Parts K and L includes only on the product purchased after March 2019.



	ITEM #	DESCRIPTION
A	OP-120005	Metal Lever Handle
B	OP-420043	Cap
C	OP-420042	Retainer Nut
D	OP-320002	Ceramic Disc Cartridge
E	OP-420063	1.8 GPM Spray Head
	OP-420012	1.5 GPM Spray Head
F	X-4200197	Spray Hose
G	OP-420011	Spray Head Support
H	OP-420013	Deck Plate & Base Gasket
I	OP-520003	Mounting Bolts & Nuts
J	OP-520016	Escutcheon & Gasket
K	X-4200199	Quick Connect
L	OP-520015	Locknut with Screws
M	OP-420070	Weight
1	OP-490005	Hole Cover
2	OP-490029	Allen Screw
3	OP-420010	O-Ring
4	OP-420017	Spray Head Button
5	OP-420075	Washer


PARTS BREAKDOWN SHEET



Model Number: K-5030

* Note: Please specify finish/color when ordering.

* Note: 1.8 GPM Spray Head replaced by 1.5 GPM Spray Head for product purchased after March 2020.



	ITEM #	DESCRIPTION
A	OP-120005*	Metal Lever Handle
B	OP-420043*	Cap
C	OP-420042	Retainer Nut
D	OP-320002	Ceramic Disc Cartridge
E	OP-420012*	1.5 GPM Spray Head
F	X-4200197	Spray Hose
G	OP-420011	Spray Head Support
H	OP-420013*	Deck Plate & Base Gasket
I	OP-520003	Mounting Bolts & Nuts
J	OP-520016*	Escutcheon & Gasket
K	X-4200199	Quick Connect
L	OP-520015	Locknut with Screws
M	OP-420070	Weight
1	OP-490005	Hole Cover
2	OP-490029	Allen Screw
3	OP-420010	O-Ring
4	OP-420017	Spray Head Button
5	OP-420075	Washer