






**RELIABLE
REPLACEMENTS**
Fort Smith, Arkansas 72917-7010

REPLACEMENT PARTS LIST

MODEL [-]RGG ROOFTOP

SERIES G

**SIZES 04E THRU 15E
05N THRU 10N**





**R/R RELIABLE
REPLACEMENTS**
Fort Smith, Arkansas 72917-7010

REPLACEMENT PARTS LIST

EXPLANATION OF MODEL NUMBER

MODEL NUMBER

[-] RG G — 05E 18

GAS - ELECTRIC RESIDENTIAL ROOFTOP

MODEL DESIGNATION
R, U

G = DESIGN SERIES

NOMINAL COOLING CAPACITY

18 = 18,000 BTU/HR
24 = 24,000 BTU/HR
25 = 24,000 BTU/HR
30 = 30,000 BTU/HR
31 = 30,000 BTU/HR
36 = 36,000 BTU/HR
37 = 36,000 BTU/HR
42 = 42,000 BTU/HR
43 = 42,000 BTU/HR
48 = 48,000 BTU/HR
49 = 48,000 BTU/HR
60 = 60,000 BTU/HR
61 = 60,000 BTU/HR

HEATING CAPACITY (INPUT)

W/ELECTRIC IGNITION		W/ELECT. IGN NOx MODELS		BTUH
05E	=	05N	=	50,000
07E	=	07N	=	75,000
10E	=	10N	=	100,000
12E	=		=	125,000
15E	=		=	150,000

CANADA (CGA) MODELS

W/ELECTRIC IGNITION		BTUH
04E	=	50,000
06E	=	69,000
09E	=	92,000
11E	=	115,000
13E	=	138,000

TYPE

J K R

TYPE OF GAS

R = NATURAL U.S. MODELS
B = NATURAL CANADA

DRIVE PACKAGE

K - DIRECT DRIVE
L - BELT DRIVE

ELECTRICAL DESIGNATION

C = 208-230/3/60
D = 460/3/60
J = 208-230/1/60
Y = 575/3/60

**AIR CONDITIONING DIVISIONS
PARTS CENTER LOCATIONS**
P.O. Box 17010
Fort Smith, AR 72917-7010
501-646-4311

TABLE OF CONTENTS

Panels & S/M Parts	Page 4	Blower Assembly Group	Pages 10-11
Coil Group	Page 4	Heat Group	Page 12
Condenser Fan Group	Page 5	Gas Controls	Pages 13-16
Combustion Vent Group	Page 5	Accessories	Page 17
Compressor Group	Pages 6-8	Serial Number Example	Page 19
Electric Group	Page 9	Notes	Page 19
Fan & Limit Group	Page 9-10		



R/R RELIABLE
REPLACEMENTS
Fort Smith, Arkansas 72917-7010


REPLACEMENT PARTS LIST

MODEL [-]RGG ROOFTOP

SERIES G

**SIZES 04E THRU 15E
05N THRU 10N**

Item No.	Model Heating Capacity Nominal Cooling Capacity	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG		
			04/05	04/05/06	11/12	06/07/09	06/07/11		
			06/07	07/09/10		10/11/12	12/13/15		
			18	30/31	36	42/43	48/49		
			24/25	36/37			60/61		
<u>PANELS & S/M PARTS</u>									
▲	Base Rail	㊦	AS-57878-01	AS-57878-02	AS-57878-03	AS-57878-03	AS-57878-04		
▲	Heat Section Base	㊦	AS-57884-01	AS-57884-02	AS-57884-03	AS-57884-03	AS-57884-04		
▲	Condenser Section Base	㊦	AS-57892-01	AS-57892-02	AS-57892-03	AS-57892-03	AS-57892-04		
▲	Evaporator Drain Pan	㊦	AS-56726-01	AS-56726-02	AS-56726-03	AS-56726-03	AS-56726-04		
1	Electric Access Panel	㊦	AE-56828-01	AE-56828-01	AE-56828-01	AE-56828-01	AE-56828-02		
2	Service Connection Panel	㊦	AE-56775-02	AE-56775-02	AE-56775-02	AE-56775-02	AE-56775-02		
3	Upper Front Access Panel	㊦	AS-56807-83	AS-56807-84	AS-56807-85	AS-56807-85	AS-56807-86		
4	Lower Front Access Panel	㊦	AS-57618-05	AS-57618-06	AS-57618-07	AS-57618-07	AS-57618-08		
5	Right Side Panel	㊦	AS-57897-01	AS-57897-02	AS-57897-03	AS-57897-03	AS-57897-04		
6	Supply Air Cover	㊦	AE-56730-01	AE-56730-02	AE-56730-03	AE-56730-03	AE-56730-04		
7	Center Duct Flange	㊦	AE-56762-01	AE-56762-01	AE-56762-01	AE-56762-01	AE-56762-02		
8	Return Air Cover	㊦	AE-56730-05	AE-56730-06	AE-56730-07	AE-56730-07	AE-56730-08		
▲	Rear Duct Flange	㊦	AS-57880-01	AS-57880-02	AS-57880-03	AS-57880-03	AS-57880-04		
9	Rear Panel	㊦	AS-56759-01	AS-56759-02	AS-56759-03	AS-56759-03	AS-56759-04		
10	Left Side Panel	㊦	AS-57873-01	AS-57873-01	AS-57873-01	AS-57873-01	AS-57873-02		
11	Inside Panel	㊦	AS-57888-01	AS-57888-02	AS-57888-03	AS-57888-03	AS-57888-04		
12	Condenser Coil Panel	㊦	AE-56774-05	AE-56774-06	AE-56774-07	AE-56774-07	AE-56774-08		
13	Venturi	㊦	AS-56804-01	AS-56804-02	AS-56804-03	AS-56804-03	AS-56804-04		
14	Grille	㊦	AS-56783-01	AS-56783-02	AS-56783-03	AS-56783-03	AS-56783-04		
15	Top Access Panel	㊦	AS-56830-01	AS-56830-02	AS-56830-03	AS-56830-03	AS-56830-04		
16	Top Panel	㊦	AS-56777-01	AS-56777-02	AS-56777-03	AS-56777-03	AS-56777-04		
Item No.	Model Heating Capacity Nominal Cooling Capacity Electrical Designation	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG
			04/05	04/05	04/05/06	04/05/06	11/12	04/05/06	04/05/06
				06/07	07/09/10	07/09/10		07/09/10	07/09/10
			18	24/25	30/31	36	36	37	37
			J	J	J	J/C/D	J/C/D	J	C/D
<u>COIL AND REFRIGERATION GROUP</u>									
17	Evaporator Coil With Cap Tube or Flowcheck Distributor/Piston	㊦	AS-56748-15	AS-56748-02	AS-56748-09	AS-56748-10	AS-56748-12	AS-56748-10	AS-56748-23
▲	Cap Tube Assembly	㊦	AS-57354-09	AS-57354-02	AS-57354-03	AS-57354-04	AS-57354-05	AS-57354-04	DNA
▲	Flowcheck Distributor Without Piston	□	DNA	DNA	DNA	DNA	DNA	DNA	61-23413-06
▲	Piston Kit	□	DNA	DNA	DNA	DNA	DNA	DNA	61-23414-15
18	Condenser Coil	㊦	AS-56768-01	AS-56768-01	AS-56769-01	AS-56859-01	AS-56860-01	AS-56859-01	AS-56859-01
▲	Expansion Valve	□	DNA	DNA	DNA	DNA	DNA	DNA	61-21922-23
Item No.	Model Heating Capacity Nominal Cooling Capacity Electrical Designation	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG		
			06/07/09	06/07/11	06/07/11	09/10/11	09/10/11		
			10/11/12	12/13/15	12/13/15	12/13/15	12/13/15		
			42/43	48	49	60	61		
			J/C/D	J/C/D	J/C/D	J/C/D	J/C/D		
<u>COIL AND REFRIGERATION GROUP</u>									
17	Evaporator Coil With Cap Tube	㊦	AS-56748-11	AS-56748-17	AS-56748-19	AS-56748-18	AS-56748-20		
▲	Cap Tube Assembly	㊦	AS-57354-06	AS-57354-11	AS-57354-13	AS-57354-10	AS-57354-12		
18	Condenser Coil	㊦	AS-56861-01	AS-56862-01	AS-56862-01	AS-56862-01	AS-56862-01		
▲	Expansion Valve		DNA	DNA	DNA	DNA	DNA		



REPLACEMENT PARTS LIST

MODEL [-]RGG ROOFTOP

SERIES G

**SIZES 04E THRU 15E
05N THRU 10N**

Fort Smith, Arkansas 72917-7010									
Item No.	Model Heating Capacity	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	
			04/05	04/05/06	04/05/06	06/07/11	06/07/11	06/11/13	
			06/07	07/09/10	07/09/10	12/13/15	12/13/15		
				11/12	11/12				
	Nominal Cooling Capacity		18/24	30/31/36	36/37	48/49/60	48/49/60	48/49/60	
			25	37/42/43		61	61	61	
	Electrical Designation		J	J/C	D	J/C	D	Y	
19	CONDENSER FAN GROUP Fan Motor: 1/5 HP, 208-230 Volt, 1 Speed 1/3 HP, 208-230 Volt, 1 Speed 1/3 HP, 460 Volt, 1 Speed 1/4 HP, 575 Volt, 1 Speed	☒ ☒ ☒ ☒	51-23055-11	51-23055-11		51-23053-11			
20	Fan Motor Capacitor: 3/370 MFD/Volts, Oval 5/370 MFD/Volts, Oval	☐ ☐		43-20847-02	43-20847-02		51-21853-84		51-21569-01
21	Fan Blade: 18" Dia., 28° Pitch, CCW 20" Dia., 28° Pitch, CCW 22" Dia., 27° Pitch, CCW	☒ ☒ ☒	70-21859-01						
▲	Motor Mounting Bracket	☒	AS-55306-02	AS-55306-02	AS-55306-02	AS-55306-02	AS-55306-02	AS-55306-02	AS-55306-02
Item No.	Model Nominal Cooling Capacity	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG		
			18/24/25	30/31/36	42/43	48/49	60/61		
				37					
22	COMBUSTION VENT GROUP Vent Motor With Blades	☒	51-21964-11	51-21964-11	51-21964-11	51-21964-11	51-21964-11		
23	Vent Motor Fan Blades: 70-21937-01 70-21937-02 70-21937-03	☐ ☐ ☐	Heating Capacity 04 - 07	Heating Capacity 04 - 07 09 - 10 11 - 12	Heating Capacity 06 - 07 09 - 10 11 - 12	Heating Capacity 06 - 07 11 - 15	Heating Capacity 10 09, 11 - 15		
▲	Vent Fan Orifice Plate AE-56765-01 AE-56765-03 AE-56765-05 AE-56765-06 AE-56765-07 * DO NOT USE AN ORIFICE PLATE	☒ ☐ ☐ ☐ ☐ ☐ ☐	Heating Capacity 04 - 07	Heating Capacity 04 - 07 09 - 10	Heating Capacity 06 - 07 09 - 10	Heating Capacity 06 - 07 13 - 15	Heating Capacity 10 13-15		
▲	Vent Fan Blade Plate Heat Capacity	☒	AE-56796-01 04 - 07	AE-56796-02 04 - 10	AE-56796-03 06 - 12	AE-56796-04 06 - 15	AE-56796-04 09 - 15		
▲	Vent Fan Blade Plate Heat Capacity	☒		AE-56796-03 11 - 12					



R/R RELIABLE
REPLACEMENTS
Fort Smith, Arkansas 72917-7010

REPLACEMENT PARTS LIST

MODEL [-]RGG ROOFTOP

SERIES G

**SIZES 04E THRU 15E
05N THRU 10N**

Item No.	Model Nominal Cooling Capacity Electrical Designation	Notes	[-]RGG		[-]RGG		[-]RGG		[-]RGG		[-]RGG	
			18		24		25		30		31	
			J		J		J		J		J	
THE ORIGINAL COMPRESSORS LISTED ARE THE PRIMARY PARTS USED IN THESE UNITS. OTHER COMPRESSORS MAY SOMETIMES BE USED THE REPLACEMENT COMPRESSORS LISTED SHOULD BE USED TO REPLACE THESE ORIGINAL COMPRESSORS. IF YOUR UNIT HAS A DIFFERENT COMPRESSOR, REFER TO YOUR COMPRESSOR STANDARDIZATION LEAFLET AND COMPRESSOR ID SHEETS.												
COMPRESSOR GROUP												
ORIGINAL COMPRESSOR												
24	Compressor	⊙	55-21924-37	55-22319-03	55-21737-07	55-22319-05	55-21737-04					
25	Capacitor:											
	25/370 MFD/Volts, Round	□	43-21298-19									
	35/370 MFD/Volts, Round	□		43-21298-20	43-21298-20	43-21298-20	43-21298-20	43-21298-20				
▲	Start Kit:	□3	SK-B1-1	SK-B2-2	NOT REQ.	SK-B2-2	NOT REQ.					
	Start Relay	□	42-18282-11	42-18282-11		42-18282-11						
	Start Capacitor	□	43-17075-04	43-17075-03		43-17075-03						
▲	Discharge Temperature											
	Thermostat Switch	□	DNA	DNA	47-21809-81	DNA	47-21809-81					
REPLACEMENT COMPRESSOR												
24	Compressor	✓	55-21379-42	55-22319-03	55-21737-07	55-22319-05	55-21737-04					
25	Capacitor:											
	25/370 MFD/Volts, Round	□	43-21298-19									
	35/370 MFD/Volts, Round			43-21298-20	43-21298-20	43-21298-20	43-21298-20	43-21298-20				
▲	Start Kit:	□3	SK-B1-1	SK-B2-2	NOT REQ.	SK-B2-2	NOT REQ.					
	Start Relay	□	42-18282-11	42-18282-11		42-18282-11						
	Start Capacitor	□	43-17075-04	43-17075-03		43-17075-03						
▲	Discharge Temperature											
	Thermostat Switch	□	DNA	DNA	47-21809-81	DNA	47-21809-81					

Item No.	Model Heating Capacity Nominal Cooling Capacity	Notes	[-]RGG		[-]RGG		[-]RGG		[-]RGG		[-]RGG	
			36		36		36		37		37	
			J		C		D		J		C	
ORIGINAL COMPRESSOR												
24	Compressor	⊙	55-21365-03	55-21365-02	55-21365-19	55-21737-06	55-22973-46	55-22973-47				
25	Capacitor 35/370 MFD/Volts, Round	□	43-21298-22	DNA	DNA	43-21298-22	DNA	DNA				
▲	Start Kit:	□3	SK-D2-2	DNA	DNA	NOT REQ.	DNA	DNA				
	Start Relay	□	42-18282-19									
	Start Capacitor	□	43-17075-03									
▲	Discharge Temperature											
	Thermostat Switch	□	DNA	DNA	DNA	47-21809-81	DNA	DNA				
REPLACEMENT COMPRESSOR												
24	Compressor	✓	55-22974-41	55-21471-08	55-21471-17	55-21737-06	55-22973-46	55-22973-47				
25	Capacitor 35/370 MFD/Volts, Round	□	43-21298-22	DNA	DNA	43-21298-22	DNA	DNA				
▲	Start Kit:	□3	SK-D2-2	DNA	DNA	NOT REQ.	DNA	DNA				
	Start Relay	□	42-18282-19									
	Start Capacitor	□	43-17075-03									
▲	Discharge Temperature											
	Thermostat Switch	□	DNA	DNA	DNA	47-21809-81	DNA	DNA				



REPLACEMENT PARTS LIST

MODEL [-]RGG ROOFTOP

SIZES 04E THRU 15E
05N THRU 10N

SERIES G

Port Smith, Arkansas 72917-7010									
Item No.	Model Nominal Cooling Capacity Electrical Designation	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG
			42	42	43	48	48	48	48
			J	C	J	J	C	D	Y
THE ORIGINAL COMPRESSORS LISTED ARE THE PRIMARY RECOMMENDATION FOR THESE UNITS. OTHER COMPRESSORS MAY SOMETIMES BE USED THE REPLACEMENT COMPRESSORS LISTED SHOULD BE USED FOR THESE ORIGINAL COMPRESSORS. IF YOUR UNIT HAS A DIFFERENT COMPRESSOR, REFER TO OUR COMPRESSOR STANDARDIZATION AND COMPRESSOR ID SHEETS.									
COMPRESSOR GROUP									
ORIGINAL COMPRESSOR									
24	Compressor	⊙	55-20892-71	55-20892-74	55-21737-06	55-20892-96	55-20892-94	55-20892-95	55-21924-28
25	Capacitor:			DNA			DNA	DNA	DNA
	35/440 MFD/Volts, Round	☐			43-21298-22				
▲	40/440 MFD/Volts, Round	☐	43-21298-25			43-21298-25			
	Start Kit:	☐ 3	SK-D3-2	DNA	NOT REQ.	SK-D3-2	DNA	DNA	DNA
	Start Relay	☐	42-18282-19			42-18282-19			
	Start Capacitor	☐	43-17075-05			43-17075-05			
▲	Discharge Temperature Thermostat Switch	☐	DNA	DNA	47-21809-81	DNA	DNA	DNA	DNA
REPLACEMENT COMPRESSOR									
24	Compressor	✓	55-20892-70	55-20892-74	55-21737-06	55-20892-96	55-20892-94	55-20892-95	55-21924-28
25	Capacitor:			DNA			DNA	DNA	DNA
	35/440 MFD/Volts, Round	☐			43-21298-22				
	40/440 MFD/Volts, Round	☐	43-21298-25			43-21298-25			
▲	Start Kit:	☐ 3	SK-D3-2	DNA	NOT REQ.	SK-D3-2	DNA	DNA	DNA
	Start Relay	☐	42-18282-19			42-18282-19			
	Start Capacitor	☐	43-17075-05			43-17075-05			
▲	Discharge Temperature Thermostat Switch	☐	DNA	DNA	47-21809-81	DNA	DNA	DNA	DNA
Item No.	Model Nominal Cooling Capacity Electrical Designation	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG
			49	49	49	49	60	60	60
			J	C	D	Y	J	C	D
ORIGINAL COMPRESSOR									
24	Compressor	⊙	55-21737-08	55-21737-15	55-21737-16	55-21737-17	55-21924-22	55-21924-23	55-22319-15
25	Capacitor:			DNA	DNA	DNA		DNA	DNA
	40/440 MFD/Volts, Round	☐	43-21298-25						
	55/440 MFD/Volts, Round	☐					43-21298-30		
▲	Start Kit:	☐ 3	NOT REQ.	NOT REQ.	NOT REQ.	NOT REQ.	SK-D2-2	DNA	DNA
	Start Relay	☐					42-18282-19		
	Start Capacitor	☐					43-17075-03		
REPLACEMENT COMPRESSOR									
24	Compressor	✓	55-21737-08	55-21737-15	55-21737-16	55-21737-17	55-21924-22	55-20626-06	55-22319-15
25	Capacitor:			DNA	DNA	DNA		DNA	DNA
	40/440 MFD/Volts, Round	☐	43-21298-25						
	55/440 MFD/Volts, Round	☐					43-21298-30		
▲	Start Kit:	☐ 3	NOT REQ.	NOT REQ.	NOT REQ.	NOT REQ.	SK-D2-2	DNA	DNA
	Start Relay	☐					42-18282-19		
	Start Capacitor	☐					43-17075-03		



R/R RELIABLE
REPLACEMENTS

Fort Smith, Arkansas 72917-7010

REPLACEMENT PARTS LIST

MODEL [-]RGG ROOFTOP

SERIES G

**SIZES 04E THRU 15E
05N THRU 10N**

Item No.	Model Nominal Cooling Capacity Electrical Designation	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG		
			60	61	61	61	61		
			Y	J	C	D	Y		
THE ORIGINAL COMPRESSORS LISTED ARE THE PRIMARY RECOMMENDATION. IN SOME UNITS, OTHER COMPRESSORS MAY SOMETIMES BE USED. THE REPLACEMENT COMPRESSORS LISTED SHOULD BE USED TO REPLACE THE ORIGINAL COMPRESSORS IF YOUR UNIT HAS A DIFFERENT COMPRESSOR. REFER TO YOUR COMPRESSOR STANDARDIZATION SHEETS.									
COMPRESSOR GROUP									
ORIGINAL COMPRESSOR									
24	Compressor	⊙	55-21924-26	55-21737-09	55-21737-22	55-21737-23	55-21737-24		
25	Capacitor: 55/440 MFD/Volts, Round	□	DNA	43-21298-30	DNA	DNA	DNA		
REPLACEMENT COMPRESSOR									
24	Compressor	✓	55-20626-24	55-21737-09	55-21737-22	55-21737-23	55-21737-24		
25	Capacitor: 55/440 MFD/Volts, Round	□	DNA	43-21298-30	DNA	DNA	DNA		

REPLACEMENT PARTS LIST

MODEL [-]RGG ROOFTOP

SERIES G

**SIZES 04E THRU 15E
05N THRU 10N**

Item No.	Model Heating Capacity Nominal Cooling Capacity Electrical Designation Drive Package	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	
			04/05	04/05/06	04/05/06	04/05/06	06/07/09	09/10/11	
				07	07/09/10	07/09/10	10/11/12	12/13/15	
			18	24/25	30/31	36/37/42/43	48/49	60/61	
			J	J	J	J	J	J	
			K	K	K	K	K	K	
26	<u>ELECTRIC GROUP</u>	☐	46-18788-05	46-18788-05	46-18788-05	46-18788-05	46-18788-05	46-18788-05	
27	Control Transformer	☐	42-20044-02	42-20044-02	42-20044-02	42-20044-02	42-20044-03		
	Compressor Contactor:	☐							
	25 AMP/ 1 Pole	☐							
	35 AMP/ 1 Pole	☐							
	40 AMP/ 1 Pole	☒							
28	Blower Relay	☒	42-19423-01	42-19423-01	42-19423-01	42-19423-01	42-19423-01	42-19423-01	42-42139-11
29	Vent Motor Relay	☒	42-19423-04	42-19423-04	42-19423-04	42-19423-04	42-19423-04	42-19423-04	42-19423-01
▲	Overtemperature Switch - U.S. Models	☒	47-22712-82	47-22712-82	47-22712-82	47-22712-82	47-22712-82	47-22712-82	42-19423-04
▲	Compressor Time Delay Relay	☐	DNA	42-22756-01	42-22756-01	42-22756-01	DNA	DNA	47-22712-82
Item No.	Model Heating Capacity Nominal Cooling Capacity Electrical Designation Drive Package	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG		
			04/05/06	04/05/06	05/07/10	04/06/09	06/09/11		
			07/09/10	07/09/10	12/15	11/13	13		
			11/12/13	11/12/13					
			15	15					
			36/42/48	36/37/42	36/37/48	36/37/48	48/49/50		
			40/60/61	48/49/60	49/60/61	49/60/61	61		
				61					
				C	C	D	D	Y	
	K	L	L	L	L				
26	<u>ELECTRIC GROUP</u>	☐	46-18788-05	46-18788-05	46-20479-01	46-18788-05	46-18788-05		
▲	Vent Motor Transformer	☐	DNA	DNA	46-21939-01	46-22198-02	46-22198-03		
27	Compressor Contactor	☒	42-17810-83	42-17810-83	42-17810-83	42-17810-83	42-17810-83		
▲	Blower Motor Contactor	☒	DNA	42-17810-83	42-17810-83	42-17810-83	42-17810-83		
28	Blower Relay	☒	42-19423-01	42-19423-04	42-19423-04	42-19423-04	42-19423-04		
29	Vent Motor Relay	☒	42-19423-04	42-19423-04	42-19423-04	42-19423-04	42-19423-04		
▲	Overtemperature Switch - U.S. Models	☒	47-22712-82	47-22712-82	47-22712-82	47-22712-82	47-22712-82		
▲	Compressor Time Delay Relay		DNA	DNA	DNA	DNA	DNA		
Item No.	Model Heating Capacity Nominal Cooling Capacity	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	
			04/05/06	04/05	06/07/09	11/12	06/07/09	06/07/09	
			07		10		10/11/12	10/11/12	
			18/24/25	30/31/36	30/31/36	36	42/43	48/49/60	
				37	37			61	
30	<u>FAN & LIMIT GROUP</u>	☒							
	Fan & Limit Control:	☒							
	H/W L4064A2048	☒							
	H/W L4064A2030	☒							
	H/W L4063A2055	☒							
▲	Fan & Limit Gasket	☐	47-20545-82	47-20545-81	47-20545-82	47-20545-82	47-20545-82	47-20545-82	
			68-18724-01	68-18724-01	68-18724-01	68-18724-01	47-20545-83 68-18724-01	68-18724-01	



R/R RELIABLE
REPLACEMENTS
Fort Smith, Arkansas 72917-7010


REPLACEMENT PARTS LIST

MODEL [-]RGG ROOFTOP

SERIES G

**SIZES 04E THRU 15E
05N THRU 10N**

Item No.	Model Heating Capacity Nominal Cooling Capacity Electrical Designation Drive Package	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG			
			13	13	15	13/15			
			48/49	48/49	48/49	60/61			
			J/C	C/D/Y	ALL	ALL			
			K	L	K & L	K & L			
30	FAN & LIMIT GROUP Fan & Limit Control: H/W L4064A2048 H/W L4064A2030 Fan & Limit Gasket	☐ ✓ ☐ ✓ ☐	47-20545-82 68-18724-01	47-20545-81 68-18724-01	47-20545-82 68-18724-01	47-20545-81 68-18724-01			
Item No.	Model Heating Capacity Nominal Cooling Capacity Electrical Designation Drive Package	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG
			04/05/06	04/05/06	04/05/06	11/12	04/05/06	11/12	06/07/09
			07	07/09/10	07/09/10		07/09/10		10/11/12
			18/24/25	30/31	36/37	36	36	36	42
			J	J	J/C	J/C	C/D	C/D	J/C
Item No.	Model Heating Capacity Nominal Cooling Capacity Electrical Designation Drive Package	Notes	K	K	K	K	L	L	K
31	BLOWER GROUP Blower Assembly Consisting Of:	AS	AS-56816-08	AS-56816-09	AS-56816-10	AS-56816-11	AS-56817-08	AS-56817-09	AS-56816-12
32	Housing	AS	AS-56818-01	AS-56818-01	AS-56818-02	AS-56818-03			AS-56818-03
▲	Housing With Bearing Mount						AS-56818-08	AS-56818-06	
▲	Bearing Mount (2)						AS-56930-03	AS-56930-01	
▲	Cut-Off	AE	AE-64401-10	AE-64401-10	AE-64401-07	AE-64401-06	AE-64401-07	AE-64401-06	AE-64401-06
33	Motor:								
	1/4 HP, 208-230 Volt, 2 Speed	☐ ✓	51-20896-01	51-20896-01					
	1/3 HP, 208-230 Volt, 2 Speed	☐ ✓			51-20902-01	51-20902-01			51-20902-01
	1/2 HP, 208-230/460 Volt, 1 Spd.	☐ ✓					51-21911-01	51-21911-01	
34	Motor Mounting Bracket	AS	AS-53148-03	AS-53148-03	AS-53148-03	AS-53148-03	AE-60445-01	AE-60445-02	AS-53148-03
35	Capacitor:						DNA	DNA	
	5/370 MFD/Volt, Oval	☐	43-20847-04	43-20847-04					
	7.5/370 MFD/Volt, Oval	☐			43-20847-11	43-20847-11			43-20847-11
36	Blower Wheel:								
	9" x 7" x 1/2", CW	☐ ✓	70-18631-01	70-18631-01					
	10" x 7" x 1/2", CW	☐ ✓			70-18633-01				
	10" x 7" x 3/4", CW	☐					70-18623-03		
	10" x 9" x 1/2", CW	☐ ✓				70-18625-01			70-18625-01
	10" x 9" x 3/4", CW	☐							
▲	Bearing With Cushion	☐ ✓					70-21036-05	70-21036-05	
▲	Shaft 3/4" O.D.	☐ ✓					70-21933-02	70-21933-02	
▲	Blower Sheave:								
	5.4" Pitch Dia., 3/4" Bore	☐					71-21932-01		
	5.7" Pitch Dia., 3/4" Bore	☐						71-21932-02	
▲	Motor Pulley, 4" Dia., 5/8" Bore	☐					71-40427-29	71-40427-29	
▲	V-Belt, 39" x 1/2"	☐					71-17033-39	71-17033-39	



R/R RELIABLE
REPLACEMENTS
Fort Smith, Arkansas 72917-7010


REPLACEMENT PARTS LIST

MODEL [-]RGG ROOFTOP

SERIES G

**SIZES 04E THRU 15E
05N THRU 10N**

Item No.	Model Heating Capacity Nominal Cooling Capacity Electrical Designation Drive Package	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG
			06/07/09	06/07/11	06/07/11	06/11/13	09/10/11	09/10/11	09/11/13
			10/11/12	12/13/15	12/13/15		12/13/15	12/13/15	
			42	48/49	48/49	48/49	60/61	60/61	60/61
			C	J/C	C/D	Y	J/C	C/D	Y
			L	K	L	L	K	L	L
BLOWER GROUP									
31	Blower Assembly Consisting Of:	☛	AS-56817-10	AS-56816-13	AS-56817-11	AS-56817-13	AS-56816-14	AS-56817-12	AS-56817-14
32	Housing	☛		AS-56818-04			AS-56818-04		
▲	Housing With Bearing Mount	☛	AS-56818-06		AS-56818-07	AS-56818-07		AS-56818-07	AS-56818-07
▲	Bearing Mount (2)	☛	AS-56930-01		AS-56930-02	AS-56930-02		AS-56930-02	AS-56930-02
▲	Cut-Off	☛	AE-64401-06	AE-64401-18	AE-64401-18	AE-64401-18	AE-64401-18	AE-64401-18	AE-64401-18
33	Motor:								
	1/2 HP, 208-230/460 Volt, 1 Spd.	☒	51-21911-01						
	1/2 HP, 208-230 Volt, 2 Speed	☐		51-21793-01					
	3/4 HP, 208-230/460 Volt, 1 Spd.	☒			51-21912-01				
	3/4 HP, 208-230 Volt, 2 Speed	☒					51-21898-01		
	1 HP, 208-230/460 Volt, 1 Speed	☒						51-42177-01	
	1 HP, 575 Volt, 1 Speed	☒				51-22241-01			51-22241-01
34	Motor Mounting Bracket	☛	AE-60445-02	AS-53148-01	AE-60445-03	AE-60445-03	AS-53148-01	AE-60445-03	AE-60445-03
35	Capacitor:		DNA		DNA	DNA		DNA	DNA
	10/370 MFD/Volt, Oval	☐					43-20847-12		
	15/370 MFD/Volt, Oval	☐		43-20847-17					
36	Blower Wheel:								
	10" x 9" x 3/4", CW	☐	70-21771-01						
	11" x 10" x 1/2", CW	☐		70-20602-01			70-20602-01		
	10" x 10" x 3/4", CW	☐			70-21773-01	70-21773-01		70-21773-01	70-21773-01
▲	Bearing With Cushion	☒	70-21036-05		70-21036-05	70-21036-05		70-21036-05	70-21036-05
▲	Shaft 3/4" O.D.	☐	70-21933-02		70-21933-02	70-21933-02		70-21933-02	70-21933-02
▲	Blower Sheave:								
	5.4" Pitch Dia., 3/4" Bore	☐	71-21932-01						
	6.4" Pitch Dia., 3/4" Bore	☐						71-21932-03	71-21932-03
	6.9" Pitch Dia., 3/4" Bore	☐			71-21932-04	71-21932-04			
▲	Motor Pulley, 4" Dia., 5/8" Bore	☐	71-40427-29						
▲	Motor Pulley, 4-3/4" Dia., 5/8" Bore	☐			71-40427-25	71-40427-25		71-40427-25	71-40427-25
▲	V-Belt:								
	39" x 1/2"	☐	71-17033-39						
	45" x 1/2"	☐						71-40235-43	71-40235-43
	46" x 1/2"	☒			71-40235-44	71-40235-44			



REPLACEMENT PARTS LIST

MODEL [-]RGG ROOFTOP

SERIES G

**SIZES 04E THRU 15E
05N THRU 10N**

Item No.	Model Heating Capacity Nominal Cooling Capacity	Notes	[-]RGG		[-]RGG		[-]RGG		[-]RGG		[-]RGG		[-]RGG	
			04/05		04/05		04/05		06/07		06/07		06/07	
			18/24/25		30/31/36/37		31		24/25		30/31/36/37		42/43	
	HEAT GROUP													
	* Number of Heat Cells, order the quantity listed in the appropriate column.		Quantity 2	Quantity 2	Quantity 2	Quantity 2	Quantity 2	Quantity 2	Quantity 3	Quantity 3	Quantity 3	Quantity 3	Quantity 3	Quantity 3
37	* Heat Cell With Gasket	☒	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83
▲	* Heat Cell Gasket	☒	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81
37	* Heat Cell - Porc. Canada Only	☐	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01
38	Center Panel With Insulation	☒	AS-58214-01	AS-58214-03	AS-58214-03	AS-58214-03	AS-58214-02	AS-58214-02	AS-58214-04	AS-58214-04	AS-58214-07	AS-58214-07	AS-58214-09	AS-58214-09
▲	Center Panel Insulation	☒	68-21687-01	68-21687-13	68-21687-13	68-21687-13	68-21687-02	68-21687-02	68-21687-07	68-21687-07	68-21687-10	68-21687-10	68-21687-12	68-21687-12
▲	* Flue Baffle	☒	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01
39	Burners - Stainless Steel	☐	75-22164-02	75-22164-02	75-22164-02	75-22164-02	75-22164-03	75-22164-03	75-22164-03	75-22164-03	75-22164-03	75-22164-03	75-22164-03	75-22164-03
39	NOx Burners With Rods & Clips	☒	AS-56823-02	AS-56823-02	AS-56823-02	AS-56823-02	AS-56823-03	AS-56823-03	AS-56823-03	AS-56823-03	AS-56823-03	AS-56823-03	AS-56823-03	AS-56823-03
40	Manifold Less Orifice	☒	AS-56790-01	AS-56790-03	AS-56790-03	AS-56790-03	AS-56790-02	AS-56790-02	AS-56790-04	AS-56790-04	AS-56790-06	AS-56790-06	AS-56790-09	AS-56790-09
▲	Burner Orifice - Natural:													
	* U.S. Models	☐	62-22175-42	62-22175-42	62-22175-42	62-22175-42	62-22175-42	62-22175-42	62-22175-42	62-22175-42	62-22175-42	62-22175-42	62-22175-42	62-22175-42
	* Canadian Models	☐ 5	62-22175-42	62-22175-42	62-22175-43	62-22175-43	62-22175-43	62-22175-43	2-22175-43	62-22175-43	62-22175-43	62-22175-43	62-22175-43	62-22175-43
▲	Burner Hold Down Bracket (2)	☒	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01
Item No.	Model Heating Capacity Nominal Cooling Capacity	Notes	[-]RGG		[-]RGG		[-]RGG		[-]RGG		[-]RGG		[-]RGG	
			09/10		09/10		09/10		11/12		11/12		13/15	
			30/31/36/37		42/43		60/61		36/42/43		48/49/60/61		48/49/60/61	
	HEAT GROUP													
	* Number of Heat Cells, order the quantity listed in the appropriate column.		Quantity 4	Quantity 4	Quantity 4	Quantity 4	Quantity 4	Quantity 4	Quantity 5	Quantity 5	Quantity 5	Quantity 5	Quantity 6	Quantity 6
37	* Heat Cell With Gasket	☒	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83	AS-61164-83
▲	* Heat Cell Gasket	☒	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81	68-21816-81
37	* Heat Cell - Porc. Canada Only	☐	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01	53-21700-01
38	Center Panel With Insulation	☒	AS-58214-05	AS-58214-08	AS-58214-08	AS-58214-10	AS-58214-10	AS-58214-06	AS-58214-11	AS-58214-11	AS-58214-11	AS-58214-11	AS-58214-12	AS-58214-12
▲	Center Panel Insulation	☒	68-21687-03	68-21687-08	68-21687-08	68-21687-11	68-21687-11	68-21687-04	68-21687-09	68-21687-09	68-21687-09	68-21687-09	68-21687-05	68-21687-05
▲	* Flue Baffle	☒	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01	AE-61156-01
39	Burners - Stainless Steel	☐	75-22164-04	75-22164-04	75-22164-04	75-22164-04	75-22164-04	75-22164-05	75-22164-05	75-22164-05	75-22164-05	75-22164-05	75-22164-05	75-22164-05
39	NOx Burners With Rods & Clips	☒	AS-56823-04	AS-56823-04	AS-56823-04	AS-56823-04	AS-56823-04	DNA	DNA	DNA	DNA	DNA	DNA	DNA
40	Manifold Less Orifice	☒	AS-56790-05	AS-56790-07	AS-56790-07	AS-56790-10	AS-56790-10	AS-56790-08	AS-56790-08	AS-56790-11	AS-56790-11	AS-56790-11	AS-56790-12	AS-56790-12
▲	Burner Orifice - Natural:													
	* U.S. Models	☐	62-22175-43	62-22175-42	62-22175-42	62-22175-42	62-22175-42	62-22175-42	62-22175-42	62-22175-42	62-22175-42	62-22175-42	62-22175-42	62-22175-42
	* Canadian Models	☐ 5	62-22175-43	62-22175-43	62-22175-43	62-22175-43	62-22175-43	62-22175-43	62-22175-43	62-22175-43	62-22175-43	62-22175-43	62-22175-43	62-22175-43
▲	Burner Hold Down Bracket (2)	☒	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01	AE-61259-01



R/R RELIABLE
REPLACEMENTS

Fort Smith, Arkansas 72917-7010

REPLACEMENT PARTS LIST

MODEL [-]RGG ROOFTOP

SERIES G

**SIZES 04E THRU 15E
05N THRU 10N**

Item No.	Model Heating Capacity Electric Ignition Without Or With NOx	Notes	[-]RGG						
			04/05	06/07	09/10	11/12	13/15		
			E & N	E & N	E & N	E	E		
	GAS CONTROL - ELECTRIC IGNITION (In Serial Control Code Order)								
	WHITE-RODGERS GAS CONTROL SERIAL CONTROL CODE - AK								
41	Gas Valve - WR 36E86-201, Nat.	†	60-22268-01	60-22268-01	60-22268-01	60-22268-01	60-22268-01		
▲	Ignitor - 5059-122	†	62-21002-02	62-21002-02	62-21002-02	62-21002-02	62-21002-02		
▲	Control Bracket	†	AE-56870-01	AE-56870-01	AE-56870-01	AE-56870-01	AE-56870-01		
▲	Wiring Harness	†	45-22349-01	45-22349-01	45-22349-01	45-22349-01	45-22349-01		
42	Pilot Burner Less Orifice	†	62-21612-02	62-21612-02	62-21612-02	62-21612-02	62-21612-02		
43	Pilot Orifice	†	62-21384-03	62-21384-03	62-21384-03	62-21384-03	62-21384-03		
▲	Pilot Bracket	†	AE-61168-03	AE-61168-03	AE-61168-03	AE-61168-03	AE-61168-03		
45	Pilot Switch	†	62-21426-02	62-21426-02	62-21426-02	62-21426-02	62-21426-02		
WARNING: "N" MODELS (NOx) ARE APPROVED FOR USE WITH NATURAL GAS ONLY. DO NOT CONVERT THESE UNITS TO LP GAS.									
▲	LP Conversion Kit-U.S. Models	☑	[EP-45W]	[EP-45W]	[EP-45W]	[EP-45W]	[EP-45W]		
▲	Gas Valve, For LP Gas, Use								
41	WR 36E86-201, Nat. and	†12	60-22268-01	60-22268-01	60-22268-01	60-22268-01	60-22268-01		
▲	Spring Conversion Assembly	†2	60-21193-04	60-21193-04	60-21193-04	60-21193-04	60-21193-04		
43	Pilot Orifice	†2	62-22663-01	62-22663-01	62-22663-01	62-22663-01	62-22663-01		
▲	Time Delay Control (ICM)	†✓2	42-22906-01	42-22906-01	42-22906-01	42-22906-01	42-22906-01		
▲	Burner Orifice - LP	†2	62-22175-54	62-22175-54	62-22175-54	62-22175-54	62-22175-54		
			Qty. 2	Qty. 3	Qty. 4	Qty. 5	Qty. 6		
▲	Propane Conversion Kit - Canadian Models	☑	[EP-47W]	[EP-47W]	[EP-47W]	[EP-47W]	[EP-47W]		
▲	Gas Valve, For Propane Gas, Use								
41	Use WR 36E86-201, Nat. and	†12	60-22268-01	60-22268-01	60-22268-01	60-22268-01	60-22268-01		
▲	Spring Conversion Assembly	†2	60-21193-04	60-21193-04	60-21193-04	60-21193-04	60-21193-04		
43	Pilot Orifice - Propane	†2	62-22663-01	62-22663-01	62-22663-01	62-22663-01	62-22663-01		
▲	Time Delay Control (ICM)	†✓2	42-22906-01	42-22906-01	42-22906-01	42-22906-01	42-22906-01		
▲	0-2000' Elevation Burner Orifice-Propane	†2	62-22175-54	62-22175-54	62-22175-54	62-22175-54	62-22175-54		
			Qty. 2	Qty. 3	Qty. 4	Qty. 5	Qty. 6		
▲	2000-4500' Elevation Burner Orifice - Propane	†2	62-22175-54	62-22175-55	62-22175-55	62-22175-55	62-22175-55		
			Qty. 2	Qty. 3	Qty. 4	Qty. 5	Qty. 6		



R/R RELIABLE
REPLACEMENTS

Fort Smith, Arkansas 72917-7010

REPLACEMENT PARTS LIST

MODEL [-]RGG ROOFTOP

SERIES G

**SIZES 04E THRU 15E
05N THRU 10N**

Item No.	Model Heating Capacity Electric Ignition Without Or With NOx	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG		
			04/05	06/07	09/10	11/12	13/15		
			E & N	E & N	E & N	E	E		
	GAS CONTROL - ELECTRIC IGNITION (In Serial Control Code Order)								
	HONEYWELL GAS CONTROL CODE - AL								
41	Gas Valve - HW VR8440H3036, Nat.	†✓	60-21621-11	60-21621-11	60-21621-11	60-21621-11	60-21621-11		
44	Ignition Control	†✓	62-21192-83	62-21192-83	62-21192-83	62-21192-83	62-21192-83		
▲	Control Bracket	†	AE-56870-01	AE-56870-01	AE-56870-01	AE-56870-01	AE-56870-01		
▲	Ignition Cable	†✓	45-21219-82	45-21219-82	45-21219-82	45-21219-82	45-21219-82		
42	Pilot Burner Assy W/Orifice-Nat.	†	62-21609-01	62-21609-01	62-21609-01	62-21609-01	62-21609-01		
43	Pilot Orifice	†	62-21609-03	62-21609-03	62-21609-03	62-21609-03	62-21609-03		
▲	Pilot Bracket	†	AE-61250-01	AE-61250-01	AE-61250-01	AE-61250-01	AE-61250-01		
WARNING: "N" MODELS (NOx) ARE APPROVED FOR USE WITH NATURAL GAS ONLY. DO NOT CONVERT THESE UNITS TO LP GAS.									
▲	U.S. Models For Date Code Before 0990 LP Conversion Kit	☑	[EP-46H]	[EP-46H]	[EP-46H]	[EP-46H]	[EP-46H]		
41	Gas Valve, For LP Gas, Use HW VR8440H3036 Nat. and Spring Conversion Assembly	†✓12	60-21621-11	60-21621-11	60-21621-11	60-21621-11	60-21621-11		
▲		†2	60-21390-01	60-21390-01	60-21390-01	60-21390-01	60-21390-01		
43	Pilot Orifice - LP	†2	62-22727-01	62-22727-01	62-22727-01	62-22727-01	62-22727-01		
▲	Time Delay Control (ICM)	†✓2	42-22906-01	42-22906-01	42-22906-01	42-22906-01	42-22906-01		
▲	Burner Orifice - LP	†2	62-22175-54 Qty. 2	62-22175-54 Qty. 3	62-22175-54 Qty. 4	62-22175-54 Qty. 5	62-22175-54 Qty. 6		
▲	U.S. Models For Date Code on 0990 thru 1790 LP Conversion Kit	☑	[EP-59H]	[EP-59H]	[EP-59H]	[EP-59H]	[EP-59H]		
41	Gas Valve, For LP Gas, Use Use HW VR8440H3036 Nat. and Spring Conversion Assembly	†✓12	60-21621-11	60-21621-11	60-21621-11	60-21621-11	60-21621-11		
▲		†2	60-21390-01	60-21390-01	60-21390-01	60-21390-01	60-21390-01		
43	Pilot Orifice - LP	†2	62-22727-01	62-22727-01	62-22727-01	62-22727-01	62-22727-01		
▲	Time Delay Control (ICM)	†✓2	42-22906-01	42-22906-01	42-22906-01	42-22906-01	42-22906-01		
▲	Burner Orifice - Propane	†2	62-22175-54 Qty. 2	62-22175-54 Qty. 3	62-22175-54 Qty. 4	62-22175-54 Qty. 5	62-22175-54 Qty. 6		
▲	All Canadian Models Use: Propane Conversion Kit	☑	[EP-48H]	[EP-48H]	[EP-48H]	[EP-48H]	[EP-48H]		
41	Gas Valve, For Propane Gas, Use HW VR8440H3036 Nat. and Spring Conversion Assembly	†✓12	60-21621-11	60-21621-11	60-21621-11	60-21621-11	60-21621-11		
▲		†2	60-21390-01	60-21390-01	60-21390-01	60-21390-01	60-21390-01		
43	Pilot Orifice - Propane	†2	62-22727-01	62-22727-01	62-22727-01	62-22727-01	62-22727-01		
▲	Time Delay Control (ICM)	†✓2	42-22906-01	42-22906-01	42-22906-01	42-22906-01	42-22906-01		
▲	0-2000' Elevation Burner Orifice-Propane	†2	62-22175-54 Qty. 2	62-22175-54 Qty. 3	62-22175-54 Qty. 4	62-22175-54 Qty. 5	62-22175-54 Qty. 6		
▲	2000-4500' Elevation Burner Orifice - Propane	†2	62-22175-54 Qty. 2	62-22175-55 Qty. 3	62-22175-55 Qty. 4	62-22175-55 Qty. 5	62-22175-55 Qty. 6		



R/R RELIABLE
REPLACEMENTS
Fort Smith, Arkansas 72917-7010

REPLACEMENT PARTS LIST

MODEL [-]RGG ROOFTOP

SERIES G

**SIZES 04E THRU 15E
05N THRU 10N**

Item No.	Model Heating Capacity Electric Ignition Without Or With NOx	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG		
			04/05	06/07	09/10	11/12	13/15		
			E & N	E & N	E & N	E	E		
	GAS CONTROL - ELECTRIC IGNITION (In Gas Control Code Order)								
	HONEYWELL GAS CONTROL CODE - AY								
41	Gas Valve - VR8204M-1042, Nat.	△□	60-22745-01	60-22745-01	60-22745-01	60-22745-01	60-22745-01		
41	Ignition Control S8610H	△□✓	62-21192-83	62-21192-83	62-21192-83	62-21192-83	62-21192-83		
▲	Control Bracket	△☒	AE-56870-01	AE-56870-01	AE-56870-01	AE-56870-01	AE-56870-01		
▲	Ignition Cable	△☒✓	45-21219-82	45-21219-82	45-21219-82	45-21219-82	45-21219-82		
42	Pilot Burner Assembly W/Orifice	△□	62-21609-01	62-21609-01	62-21609-01	62-21609-01	62-21609-01		
43	Pilot Orifice	△☒	62-21609-03	62-21609-03	62-21609-03	62-21609-03	62-21609-03		
	Pilot Bracket	△☒	AE-61250-01	AE-61250-01	AE-61250-01	AE-61250-01	AE-61250-01		
WARNING: "N" MODELS (NOx) ARE APPROVED FOR USE WITH NATURAL GAS ONLY. DO NOT CONVERT THESE UNITS TO LP GAS.									
▲	LP Conversion Kit - U.S. Models	△□	[EP-57H]	[EP-57H]	[EP-57H]	[EP-57H]	[EP-57H]		
41	Gas Valve, For LP Gas, Use HW VR8204M-1042, Nat. and	△12	60-22745-01	60-22745-01	60-22745-01	60-22745-01	60-22745-01		
▲	Spring Conversion Assembly	△2	60-22513-01	60-22513-01	60-22513-01	60-22513-01	60-22513-01		
43	Pilot Orifice, LP	△2	62-22727-01	62-22727-01	62-22727-01	62-22727-01	62-22727-01		
▲	Time Delay Control (ICM)	△2	42-22906-01	42-22906-01	42-22906-01	42-22906-01	42-22906-01		
▲	Burner Orifice, LP	△2	62-22175-54 QTY 2	62-22175-54 QTY 3	62-22175-54 QTY 4	62-22175-54 QTY 5	62-22175-54 QTY 6		
▲	Propane Conversion Kit - Canadian Models	△□	[EP-58H]	[EP-58H]	[EP-58H]	[EP-58H]	[EP-58H]		
41	Gas Valve, For Propane Gas, Use HW VR8204M-1042, Nat. and	△12	60-22745-01	60-22745-01	60-22745-01	60-22745-01	60-22745-01		
▲	Spring Conversion Assembly	△□	60-22513-01	60-22513-01	60-22513-01	60-22513-01	60-22513-01		
43	Pilot Orifice, Propane	△□	62-22727-01	62-22727-01	62-22727-01	62-22727-01	62-22727-01		
▲	Time Delay Control (ICM)	△□	42-22906-01	42-22906-01	42-22906-01	42-22906-01	42-22906-01		
▲	0-2000' Elevation Burner Orifice, Propane	△□	62-22175-54 QTY 2	62-22175-54 QTY 3	62-22175-54 QTY 4	62-22175-54 QTY 5	62-22175-54 QTY 6		
▲	2000-4500' Elevation Burner Orifice, Propane	△□	62-22175-54 QTY 2	62-22175-55 QTY 3	62-22175-55 QTY 4	62-22175-55 QTY 5	62-22175-55 QTY 6		



R/R RELIABLE
REPLACEMENTS
Fort Smith, Arkansas 72917-7010


REPLACEMENT PARTS LIST

MODEL [-]RGG ROOFTOP

SERIES G

**SIZES 04E THRU 15E
05N THRU 10N**

Item No.	Model Heating Capacity Electric Ignition Without Or With NOx	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG		
			04/05	06/07	09/10	11/12	13/15		
			E & N	E & N	E & N	E	E		
	GAS CONTROL - ELECTRIC IGNITION (In Gas Control Code Order)								
	WHITE-RODGERS GAS CONTROL CODE - WN								
41	Gas Valve - WR 36E86-20N, Nat.	†	60-22268-01	60-22268-01	60-22268-01	60-22268-01	60-22268-01		
42	Pilot Burner W/O Orifice	†	62-21426-02	62-21426-02	62-21426-02	62-21426-02	62-21426-02		
43	Pilot Orifice	†	62-21384-03	62-21384-03	62-21384-03	62-21384-03	62-21384-03		
▲	Pilot Bracket	†	AE-61168-03	AE-61168-03	AE-61168-03	AE-61168-03	AE-61168-03		
44	Ignition Control	†	62-21002-02	62-21002-02	62-21002-02	62-21002-02	62-21002-02		
▲	Pilot Safety Switch	†	62-21426-02	62-21426-02	62-21426-02	62-21426-02	62-21426-02		
▲	Ignition Control Wiring Harness	†	45-22349-01	45-22349-01	45-22349-01	45-22349-01	45-22349-01		
▲	Control Bracket	†	AE-56870-01	AE-56870-01	AE-56870-01	AE-56870-01	AE-56870-01		
WARNING: "N" MODELS (NOx) ARE APPROVED FOR USE WITH NATURAL GAS ONLY. DO NOT CONVERT THESE UNITS TO LP GAS.									
▲	LP Conversion Kit - U.S. Models	☑	[EP-21W]	[EP-21W]	[EP-21W]	[EP-21W]	[EP-21W]		
41	Gas Valve, For LP Gas, Use WR 36E86-20N, Nat. and Spring Conversion Assembly	†12 †2	60-22268-01 60-21193-03	60-22268-01 60-21193-03	60-22268-01 60-21193-03	60-22268-01 60-21193-03	60-22268-01 60-21193-03		
43	Pilot Orifice - LP	†2	62-21384-02	62-21384-02	62-21384-02	62-21384-02	62-21384-02		
▲	Time Delay Control	†√2	42-22906-01	42-22906-01	42-22906-01	42-22906-01	42-22906-01		
▲	Burner Orifice - LP	†2	62-22175-54 QTY 2	62-22175-54 QTY 3	62-22175-54 QTY 4	62-22175-54 QTY 5	62-22175-54 QTY 6		
▲	Propane Conversion Kit - Canadian Models 0-2000'	☑	[EP-23W]	[EP-23W]	[EP-23W]	[EP-23W]	[EP-23W]		
41	Gas Valve, For Propane Gas, Use WR 36E86-20N, Nat. and Spring Conversion Assembly	†12 †2	60-22268-01 60-21193-03	60-22268-01 60-21193-03	60-22268-01 60-21193-03	60-22268-01 60-21193-03	60-22268-01 60-21193-03		
43	Pilot Orifice - Propane	†2	62-21384-02	62-21384-02	62-21384-02	62-21384-02	62-21384-02		
▲	Safety Timer	†2	62-21003-02	62-21003-02	62-21003-02	62-21003-02	62-21003-02		
▲	Wiring Harness	†2	45-21614-07	45-21614-07	45-21614-07	45-21614-07	45-21614-07		
▲	Time Delay Control	†√2	42-22906-01	42-22906-01	42-22906-01	42-22906-01	42-22906-01		
▲	0-2000' Elevation Burner Orifice, Propane	†2	62-22175-54 QTY 2	62-22175-54 QTY 3	62-22175-54 QTY 4	62-22175-54 QTY 5	62-22175-54 QTY 6		
▲	Propane Conversion Kit - Canadian Models 2000-4500'	☑	[EP-24W]	[EP-24W]	[EP-24W]	[EP-24W]	[EP-24W]		
41	Gas Valve, For Propane Gas, Use WR 36E860-20N, Nat. and Spring Conversion Assembly	†12 †2	60-22268-01 60-21193-03	60-22268-01 60-21193-03	60-22268-01 60-21193-03	60-22268-01 60-21193-03	60-22268-01 60-21193-03		
43	Pilot Orifice - Propane	†2	62-21384-02	62-21384-02	62-21384-02	62-21384-02	62-21384-02		
▲	Safety Timer	†2	62-21003-02	62-21003-02	62-21003-02	62-21003-02	62-21003-02		
▲	Wiring Harness	†2	45-21614-07	45-21614-07	45-21614-07	45-21614-07	45-21614-07		
▲	Time Delay Control	†√2	42-22906-01	42-22906-01	42-22906-01	42-22906-01	42-22906-01		
▲	2000-4500' Elevation Burner Orifice, Propane	†2	62-22175-54 QTY 2	62-22175-55 QTY 3	62-22175-55 QTY 4	62-22175-55 QTY 5	62-22175-55 QTY 6		



REPLACEMENT PARTS LIST

MODEL [-]RGG ROOFTOP

SERIES G

**SIZES 04E THRU 15E
05N THRU 10N**

Item No.	Model Heating Capacity Nominal Cooling Capacity	Notes	[-]RGG	[-]RGG	[-]RGG	[-]RGG	[-]RGG		
			04/05	04/05/06	11/12	06/07	06/07/09/10		
			06/07	07/09/10		10/11	11/12/13/15		
			18/24/25	30/31/36/37	36/37	42/43	48/60		
ACCESSORY CONTROLS KITS AND KIT PARTS									
▲	High Pressure Control High Pressure Control	 ☐	[RXAB-A02] 47-21604-01	[RXAB-A02] 47-21604-01	[RXAB-A02] 47-21604-01	[RXAB-A02] 47-21604-01	[RXAB-A02] 47-21604-01		
▲	Low Pressure Control Low Pressure Control	 ☐	[RXAC-A02] 47-21466-01	[RXAC-A02] 47-21466-01	[RXAC-A02] 47-21466-01	[RXAC-A02] 47-21466-01	[RXAC-A02] 47-21466-01		
▲	Low Ambient Cooling Control Low Ambient Control	 ☐	[RXRZ-A18] 47-21465-02	[RXRZ-A18] 47-21465-02	[RXRZ-A18] 47-21465-02	[RXRZ-A18] 47-21465-02	[RXRZ-A18] 47-21465-02		
▲	Start Assist (U.S. Models/ PTC Type) PTCR Motor Start	 ☐	[RXAS-B14] 42-21470-01	[RXAS-B14] 42-21470-01	[RXAS-B14] 42-21470-01	[RXAS-B14] 42-21470-01	[RXAS-B14] 42-21470-01		
▲	Economizer - Modulating	 ☐	[(-)XPE- CB20(-)]	[(-)XPE- CB21(-)]	[(-)XPE- CB22(-)]	[(-)XPE- CB22(-)]	[(-)XPE- CB23(-)]		
	Motor	☐	51-22058-01	51-22058-01	51-22058-01	51-22058-01	51-22058-01		
	Transformer - Z/D Voltages	☐	46-41616-01	46-41616-01	46-41616-01	46-41616-01	46-41616-01		
	Transformer - Y Voltage	☒	46-42222-01	46-42222-01	46-42222-01	46-42222-01	46-42222-01		
	Relay	☐	42-19736-05	42-19736-05	42-19736-05	42-19736-05	42-19736-05		
	Relay	☒	42-19736-07	42-19736-07	42-19736-07	42-19736-07	42-19736-07		
	Potentiometer	☐	47-41606-01	47-41606-01	47-41606-01	47-41606-01	47-41606-01		
	Enthalpy Control	☐	47-20661-01	47-20661-01	47-20661-01	47-20661-01	47-20661-01		
	Mixed Air Sensor	☐	47-22060-01	47-22060-01	47-22060-01	47-22060-01	47-22060-01		
	Damper Control Arm	☐	64-21046-01	64-21046-01	64-21046-01	64-21046-01	64-21046-01		
	Ball Joint	☐	64-40375-02	64-40375-02	64-40375-02	64-40375-02	64-40375-02		
▲	Economizer - 2 Position	 ☐	[(-)XPE- CC20(-)]	[(-)XPE- CC20(-)]	[(-)XPE- CC20(-)]	[(-)XPE- CC20(-)]	[(-)XPE- CC23(-)]		
	Motor	☐	51-22538-01	51-22538-01	51-22538-01	51-22538-01	51-22538-01		
	Transformer - Z/D Voltages	☐	46-41616-01	46-41616-01	46-41616-01	46-41616-01	46-41616-01		
	Transformer - Y Voltage	☒	46-42222-01	46-42222-01	46-42222-01	46-42222-01	46-42222-01		
	Relay (2)	☒	42-19423-04	42-19423-04	42-19423-04	42-19423-04	42-19423-04		
	Limit Control	☒	47-19554-81	47-19554-81	47-19554-81	47-19554-81	47-19554-81		
	Temperature Control	☒	47-22542-01	47-22542-01	47-22542-01	47-22542-01	47-22542-01		
▲	Time Delay Between Compressors Time Delay Relay	 ☐	[RXMD-B01] 42-22655-01	[RXMD-B01] 42-22655-01	[RXMD-B01] 42-22655-01	[RXMD-B01] 42-22655-01	[RXMD-B01] 42-22655-01		
▲	Filter Accessory	 ☐	[RXRY-B20] 54-17531-17	[RXRY-B21] 54-17531-25	[RXRY-B22] 54-17531-25	[RXRY-B22] 54-17531-25	[RXRY-B23] 54-17531-26		
	Filter 16x20x1 Disposable	☐							
	Filter 10x20x2 Disposable (2)	☐							
	Filter 12x24x2 Disposable (2)	☐							



**SIZES 04E THRU 15E
05N THRU 10N**

19