

Clamp-On Saddles



Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Soc Single Outlet, PVC White

with Buna-N O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

466-247	2X1/2	3/4	1	10	046	62.56
466-248	2X3/4	7/8	1	10	046	62.56
466-249	2X1	1-1/8	1	10	046	62.56
466-250	2X1-1/4	1-1/2	1	10	046	62.56
466-251	2X1-1/2	1-1/2	1	10	046	62.56
466-291	2-1/2X1-1/2	1-3/4	1	10	046	84.84
466-333 ¹	3X1/2	7/8	1	10	046	84.84
466-334	3X3/4	7/8	1	10	046	84.84
466-335	3X1	1-1/8	1	10	046	84.84
466-336 ¹	3X1-1/4	2-1/4	1	10	046	84.84
466-337 ¹	3X1-1/2	2-1/4	1	10	046	84.84
466-338	3X2	2-1/4	1	10	046	84.84
466-415 ¹	4X1/2	1-1/8	1	10	046	108.71
466-416 ¹	4X3/4	1-1/8	1	10	046	108.71
466-417	4X1	1-1/8	1	8	046	108.71
466-418 ¹	4X1-1/4	1-3/4	1	8	046	108.71
466-419	4X1-1/2	1-3/4	1	8	046	108.71
466-420	4X2	2-1/4	1	8	046	108.71
466-421 ¹	4X2-1/2	3	1	4	046	122.98
466-422	4X3	3	1	4	046	135.08
466-523 ¹	6X1/2	1-1/8	1	4	046	187.03
466-524 ¹	6X3/4	1-1/8	1	4	046	187.03
466-525	6X1	1-1/8	1	4	046	187.03
466-526 ¹	6X1-1/4	2-1/4	1	4	046	187.03
466-527 ¹	6X1-1/2	2-1/4	1	4	046	187.03
466-528	6X2	2-1/4	1	4	046	187.03
466-529 ¹	6X2-1/2	3	1	4	046	205.62
466-530	6X3	3	1	4	046	214.25
466-532	6X4	4	1	4	046	225.55
466-573 ¹	8X1/2	4	1	0	046	290.80
466-574 ¹	8X3/4	4	1	0	046	290.80
466-575 ¹	8X1	4	1	0	046	290.80
466-576 ¹	8X1-1/4	4	1	0	046	290.80
466-577 ¹	8X1-1/2	4	1	0	046	290.80
466-578	8 X 2	4	1	0	046	290.80
466-579 ¹	8X2-1/2	4	1	0	046	319.73
466-580 ¹	8X3	4	1	0	046	339.04
466-582	8X4	4	1	0	046	359.04
466-585	8X6	6	1	0	046	398.73
466-620 ¹	10X1-1/2	4	1	0	046	474.51
466-624	10X4	4	1	0	046	474.51
466-626	10X6	6	1	0	046	545.59
466-660 ¹	12X1-1/2	4	1	0	046	594.78
466-664	12X4	4	1	0	046	594.78

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Soc Single Outlet, PVC White (continued)
with Buna-N O-ring Seal & Zinc-Plated Hardware

466-666	12X6	6	1	0	046	689.76
---------	------	---	---	---	-----	--------

¹ Outlet-sized with Bushing

Clamp-On Saddle x Soc Single Outlet, PVC White

with Buna-N O-ring Seal & SS Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

466S-247	2X1/2	3/4	1	10	046	102.82
466S-248	2X3/4	7/8	1	10	046	102.82
466S-249	2X1	1-1/8	1	10	046	102.82
466S-250	2X1-1/4	1-1/2	1	10	046	102.82
466S-251	2X1-1/2	1-1/2	1	10	046	102.82
466S-291	2-1/2X1-1/2	1-3/4	1	10	046	138.32
466S-333 ¹	3X1/2	7/8	1	10	046	138.32
466S-334	3X3/4	7/8	1	10	046	138.32
466S-335	3X1	1-1/8	1	10	046	138.32
466S-336 ¹	3X1-1/4	2-1/4	1	10	046	138.32
466S-337 ¹	3X1-1/2	2-1/4	1	10	046	138.32
466S-338	3X2	2-1/4	1	10	046	138.32
466S-415 ¹	4X1/2	1-1/8	1	10	046	174.02
466S-416 ¹	4X3/4	1-1/8	1	10	046	174.02
466S-417	4X1	1-1/8	1	10	046	174.02
466S-418 ¹	4X1-1/4	1-3/4	1	8	046	174.02
466S-419	4X1-1/2	1-3/4	1	8	046	174.02
466S-420	4X2	2-1/4	1	8	046	174.02
466S-421 ¹	4X2-1/2	3	1	4	046	190.18
466S-422	4X3	3	1	4	046	197.80
466S-523 ¹	6X1/2	1-1/8	1	4	046	285.04
466S-524 ¹	6X3/4	1-1/8	1	4	046	285.04
466S-525	6X1	1-1/8	1	4	046	285.04
466S-526 ¹	6X1-1/4	2-1/4	1	4	046	285.04
466S-527 ¹	6X1-1/2	2-1/4	1	4	046	285.04
466S-528	6X2	2-1/4	1	4	046	285.04
466S-529 ¹	6X2-1/2	3	1	4	046	294.42
466S-530	6X3	3	1	4	046	300.52
466S-532	6X4	4	1	4	046	313.88
466S-573 ¹	8X1/2	4	1	0	046	416.18
466S-574 ¹	8X3/4	4	1	0	046	416.18
466S-575 ¹	8X1	4	1	0	046	416.18
466S-576 ¹	8X1-1/4	4	1	0	046	416.18
466S-577 ¹	8X1-1/2	4	1	0	046	416.18
466S-578	8 X 2	4	1	0	046	416.18
466S-579 ¹	8X2-1/2	4	1	0	046	457.83
466S-580 ¹	8X3	4	1	0	046	480.77
466S-582	8X4	4	1	0	046	509.73
466S-585	8X6	6	1	0	046	565.69
466S-620 ¹	10X1-1/2	4	1	0	046	673.16
466S-624	10X4	4	1	0	046	673.16
466S-626	10X6	6	1	0	046	774.14



Schedule 40 Fittings Product

Clamp-On Saddles

Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
Clamp-On Saddle x Soc Single Outlet, PVC White (continued) with Buna-N O-ring Seal & SS Hardware						
466S-660 ¹	12X1-1/2		1	0	046	843.78
466S-664	12X4	4	1	0	046	843.78
466S-666	12X6	6	1	0	046	978.81

¹ Outlet-sized with BushingClamp-On Saddle x Soc Single Outlet,
PVC Whitewith EPDM O-ring Seal & Zinc-Plated
Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

466E-247	2X1/2	3/4	1	10	046	67.38
466E-248	2X3/4	7/8	1	10	046	67.38
466E-249	2X1	1-1/8	1	10	046	67.38
466E-250	2X1-1/4	1-1/2	1	10	046	67.38
466E-251	2X1-1/2	1-1/2	1	10	046	67.38
466E-291	2-1/2X1-1/2	1-3/4	1	10	046	87.06
466E-333 ¹	3X1/2	7/8	1	10	046	87.06
466E-334	3X3/4	7/8	1	10	046	87.06
466E-335	3X1	1-1/8	1	10	046	87.06
466E-336 ¹	3X1-1/4	2-1/4	1	10	046	87.06
466E-337 ¹	3X1-1/2	2-1/4	1	10	046	87.06
466E-338	3X2	2-1/4	1	10	046	87.06
466E-415 ¹	4X1/2	1-1/8	1	10	046	111.49
466E-416 ¹	4X3/4	1-1/8	1	10	046	111.49
466E-417	4X1	1-1/8	1	8	046	111.49
466E-418 ¹	4X1-1/4	1-3/4	1	8	046	111.49
466E-419	4X1-1/2	1-3/4	1	8	046	111.49
466E-420	4X2	2-1/4	1	8	046	111.49
466E-421 ¹	4X2-1/2	3	1	4	046	135.68
466E-422	4X3	3	1	4	046	151.75
466E-523 ¹	6X1/2	1-1/8	1	4	046	200.03
466E-524 ¹	6X3/4	1-1/8	1	4	046	200.03
466E-525	6X1	1-1/8	1	4	046	200.03
466E-526 ¹	6X1-1/4	2-1/4	1	4	046	200.03
466E-527 ¹	6X1-1/2	1-1/8	1	4	046	200.03
466E-528	6X2	2-1/4	1	4	046	200.03
466E-529 ¹	6X2-1/2	3	1	4	046	222.42
466E-530	6X3	3	1	4	046	234.97
466E-532	6X4	4	1	4	046	247.58
466E-573	8X1/2	4	1	0	046	307.44
466E-574	8X3/4	4	1	0	046	307.44
466E-575	8X1	4	1	0	046	307.44
466E-576 ¹	8X1-1/4	4	1	0	046	307.44
466E-577 ¹	8X1-1/2	4	1	0	046	307.44
466E-578	8 X 2	4	1	0	046	307.44
466E-579	8X2-1/2	4	1	0	046	338.28
466E-580 ¹	8X3	4	1	0	046	354.95
466E-582	8X4	4	1	0	046	376.51

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
Clamp-On Saddle x Soc Single Outlet, PVC White (continued) with EPDM O-ring Seal & Zinc-Plated Hardware						
466E-585	8X6	6	1	0	046	417.79
466E-624	10X4	4	1	0	046	497.15
466E-626	10X6	6	1	0	046	571.79
466E-664	12X4	4	1	0	046	623.18
466E-666	12X6	6	1	0	046	736.34

¹ Outlet-sized with BushingClamp-On Saddle x Soc Single Outlet,
PVC Whitewith EPDM O-ring & Seal & SS
Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

466SE-247	2X1/2	3/4	1	10	046	106.06
466SE-248	2X3/4	7/8	1	10	046	106.06
466SE-249	2X1	1-1/8	1	10	046	106.06
466SE-250	2X1-1/4	1-1/2	1	10	046	106.06
466SE-251	2X1-1/2	1-1/2	1	10	046	106.06
466SE-291	2-1/2X1-1/2	1-3/4	1	10	046	142.62
466SE-333 ¹	3X1/2	7/8	1	10	046	142.62
466SE-334	3X3/4	7/8	1	10	046	142.62
466SE-335	3X1	1-1/8	1	10	046	142.62
466SE-336 ¹	3X1-1/4	2-1/4	1	10	046	142.62
466SE-337 ¹	3X1-1/2	2-1/4	1	10	046	142.62
466SE-338	3X2	2-1/4	1	10	046	142.62
466SE-415 ¹	4X1/2	1-1/8	1	10	046	176.04
466SE-416 ¹	4X3/4	1-1/8	1	10	046	176.04
466SE-417	4X1	1-1/8	1	8	046	176.04
466SE-418 ¹	4X1-1/4	1-3/4	1	8	046	176.04
466SE-419	4X1-1/2	1-3/4	1	8	046	176.04
466SE-420	4X2	2-1/4	1	8	046	176.04
466SE-421 ¹	4X2-1/2	3	1	4	046	190.41
466SE-422	4X3	3	1	4	046	210.93
466SE-523 ¹	6X1/2	1-1/8	1	4	046	299.59
466SE-524 ¹	6X3/4	1-1/8	1	4	046	299.59
466SE-525	6X1	1-1/8	1	4	046	299.59
466SE-526 ¹	6X1-1/4	2-1/4	1	4	046	299.59
466SE-527 ¹	6X1-1/2	2-1/4	1	4	046	299.59
466SE-528	6X2	2-1/4	1	4	046	299.59
466SE-529 ¹	6X2-1/2	3	1	4	046	314.67
466SE-530	6X3	3	1	4	046	324.63
466SE-532	6X4	4	1	4	046	340.42
466SE-573	8X1/2	4	1	0	046	435.17
466SE-574 ¹	8X3/4	4	1	0	046	435.17
466SE-575 ¹	8X1	4	1	0	046	435.17
466SE-576	8X1-1/4	4	1	0	046	435.17
466SE-577 ¹	8X1-1/2	4	1	0	046	435.17
466SE-578	8X2	4	1	0	046	435.17
466SE-579 ¹	8X2-1/2	4	1	0	046	478.67
466SE-580 ¹	8X3	4	1	0	046	502.51
466SE-582	8X4	4	1	0	046	532.54



Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------------	-----------	-------------	--------------	------

Clamp-On Saddle x Soc Single Outlet, PVC White (continued)

with EPDM O-ring & Seal & SS Hardware

466SE-585	8X6	6	1	0	046	591.23
466SE-624	10X4	4	1	0	046	703.43
466SE-626	10X6	6	1	0	046	808.95
466SE-664	12X4	4	1	0	046	881.60
466SE-666	12X6	4	1	0	046	1022.76

¹ Outlet-sized with Bushing

Clamp-On Saddle x SR Thread Single Outlet, PVC White

with Buna-N O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

467-247SR	2X1/2	3/4	1	10	046	69.86
467-248SR	2X3/4	7/8	1	10	046	69.86
467-249SR	2X1	1-1/8	1	10	046	69.86
467-250SR	2X1-1/4	1-1/2	1	10	046	69.86
467-251SR	2X1-1/2	1-1/2	1	10	046	69.86
467-291SR	2-1/2X1-1/2	1-3/4	1	10	046	95.59
467-333SR ¹	3X1/2	7/8	1	10	046	95.59
467-334SR	3X3/4	7/8	1	10	046	95.59
467-335SR	3X1	1-1/8	1	10	046	95.59
467-336SR ¹	3X1-1/4	2-1/4	1	10	046	95.59
467-337SR ¹	3X1-1/2	2-1/4	1	10	046	95.59
467-338SR	3X2	2-1/4	1	10	046	95.59
467-415SR ¹	4X1/2	1-1/8	1	10	046	120.35
467-416SR ¹	4X3/4	1-1/8	1	10	046	120.35
467-417SR	4X1	1-1/8	1	8	046	120.35
467-418SR ¹	4X1-1/4	1-3/4	1	8	046	120.35
467-419SR	4X1-1/2	1-3/4	1	8	046	120.35
467-420SR	4X2	2-1/4	1	8	046	120.35
467-421SR ¹	4X2-1/2	3	1	4	046	130.15
467-422SR	4X3	3	1	4	046	141.94
467-523SR ¹	6X1/2	1-1/8	1	4	046	210.13
467-524SR ¹	6X3/4	1-1/8	1	4	046	210.13
467-525SR	6X1	1-1/8	1	4	046	210.13
467-526SR ¹	6X1-1/4	2-1/4	1	4	046	210.13
467-527SR ¹	6X1-1/2	2-1/4	1	4	046	210.13
467-528SR	6X2	2-1/4	1	4	046	210.13
467-529SR ¹	6X2-1/2	3	1	4	046	247.97
467-530SR	6X3	3	1	4	046	263.86
467-532SR	6X4	4	1	4	046	274.66
467-573SR ¹	8X1/2	4	1	0	046	320.28
467-574SR ¹	8X3/4	4	1	0	046	320.28
467-575SR ¹	8X1	4	1	0	046	320.28
467-576SR ¹	8X1-1/4	4	1	0	046	320.28
467-577SR ¹	8X1-1/2	4	1	0	046	320.28
467-578SR ¹	8X2	4	1	0	046	320.28
467-579SR ¹	8X2-1/2	4	1	0	046	352.27

Made in the U.S.A.

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------------	-----------	-------------	--------------	------

Clamp-On Saddle x SR Thread Single Outlet, PVC White

(continued)

with Buna-N O-ring Seal & Zinc-Plated Hardware

467-580SR ¹	8X3	4	1	0	046	370.03
467-582SR	8X4	4	1	0	046	392.18
467-585SR	8X6	6	1	0	046	431.40
467-624SR	10X4	4	1	0	046	513.51
467-626SR	10X6	6	1	0	046	590.24
467-664SR	12X4	4	1	0	046	643.24
467-666SR	12X6	6	1	0	046	746.12

¹ Outlet-sized with Bushing

Clamp-On Saddle x SR Thread Single Outlet, PVC White

with Buna-N O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

467S-247SR	2X1/2	3/4	1	10	046	114.28
467S-248SR	2X3/4	7/8	1	10	046	114.28
467S-249SR	2X1	1-1/8	1	10	046	114.28
467S-250SR	2X1-1/4	1-1/2	1	10	046	114.28
467S-251SR	2X1-1/2	1-1/2	1	10	046	114.28
467S-291SR	2-1/2X1-1/2	1-3/4	1	10	046	153.67
467S-333SR ¹	3X1/2	7/8	1	10	046	153.67
467S-334SR	3X3/4	7/8	1	10	046	153.67
467S-335SR	3X1	1-1/8	1	10	046	153.67
467S-336SR ¹	3X1-1/4	2-1/4	1	10	046	153.67
467S-337SR ¹	3X1-1/2	2-1/4	1	10	046	153.67
467S-338SR	3X2	2-1/4	1	10	046	153.67
467S-415SR ¹	4X1/2	1-1/8	1	10	046	193.39
467S-416SR ¹	4X3/4	1-1/8	1	10	046	193.39
467S-417SR	4X1	1-1/8	1	8	046	193.39
467S-418SR ¹	4X1-1/4	1-3/4	1	8	046	193.39
467S-419SR	4X1-1/2	1-3/4	1	8	046	193.39
467S-420SR	4X2	2-1/4	1	8	046	193.39
467S-421SR ¹	4X2-1/2	3	1	4	046	205.62
467S-422SR	4X3	3	1	4	046	217.18
467S-523SR ¹	6X1/2	1-1/8	1	4	046	322.22
467S-524SR ¹	6X3/4	1-1/8	1	4	046	322.22
467S-525SR	6X1	1-1/8	1	4	046	322.22
467S-526SR ¹	6X1-1/4	2-1/4	1	4	046	322.22
467S-527SR ¹	6X1-1/2	2-1/4	1	4	046	322.22
467S-528SR	6X2	2-1/4	1	4	046	322.22
467S-529SR ¹	6X2-1/2	3	1	4	046	346.78
467S-530SR	6X3	3	1	4	046	356.92
467S-532SR	6X4	4	1	4	046	370.76
467S-573SR ¹	8X1/2	4	1	0	046	464.07
467S-574SR ¹	8X3/4	4	1	0	046	464.07
467S-575SR ¹	8X1	4	1	0	046	464.07
467S-576SR ¹	8X1-1/4	4	1	0	046	464.07
467S-577SR ¹	8X1-1/2	4	1	0	046	464.07
467S-578SR ¹	8X2	4	1	0	046	464.07

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

See Spears® On-line Catalog @ www.spearsmfg.com for Pricing



Schedule 40 Fittings Product

Clamp-On Saddles

Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Single Outlet, PVC White

(continued)

with Buna-N O-ring Seal & SS Hardware

467S-579SR ¹	8X2-1/2	4	1	0	046	504.01
467S-580SR ¹	8X3	4	1	0	046	529.14
467S-582SR	8X4	4	1	0	046	560.96
467S-585SR	8X6	6	1	0	046	616.74
467S-624SR	10X4	4	1	0	046	734.07
467S-626SR	10X6	6	1	0	046	844.14
467S-664SR	12X4	4	1	0	046	920.20
467S-666SR	12X6	6	1	0	046	1067.01

¹ Outlet-sized with Bushing

Clamp-On Saddle x SR Thread Single Outlet, PVC White

with EPDM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

467E-247SR	2X1/2	3/4	1	10	046	75.20
467E-248SR	2X3/4	7/8	1	10	046	75.20
467E-249SR	2X1	1-1/8	1	10	046	75.20
467E-250SR	2X1-1/4	1-1/2	1	10	046	75.20
467E-251SR	2X1-1/2	1-1/2	1	10	046	75.20
467E-291SR	2-1/2X1-1/2	1-3/4	1	10	046	104.86
467E-333SR ¹	3X1/2	7/8	1	10	046	104.86
467E-334SR	3X3/4	7/8	1	10	046	104.86
467E-335SR	3X1	1-1/8	1	10	046	104.86
467E-336SR ¹	3X1-1/4	2-1/4	1	10	046	104.86
467E-337SR ¹	3X1-1/2	2-1/4	1	10	046	104.86
467E-338SR	3X2	2-1/4	1	10	046	104.86
467E-415SR ¹	4X1/2	1-1/8	1	10	046	131.12
467E-416SR ¹	4X3/4	1-1/8	1	10	046	131.12
467E-417SR	4X1	1-1/8	1	8	046	131.12
467E-418SR ¹	4X1-1/4	1-3/4	1	8	046	131.12
467E-419SR	4X1-1/2	1-3/4	1	8	046	131.12
467E-420SR	4X2	2-1/4	1	8	046	131.12
467E-421SR ¹	4X2-1/2	3	1	4	046	140.49
467E-422SR	4X3	3	1	4	046	150.60
467E-523SR ¹	6X1/2	1-1/8	1	4	046	218.74
467E-524SR ¹	6X3/4	1-1/8	1	4	046	218.74
467E-525SR	6X1	1-1/8	1	4	046	218.74
467E-526SR ¹	6X1-1/4	2-1/4	1	4	046	218.74
467E-527SR ¹	6X1-1/2	2-1/4	1	4	046	218.74
467E-528SR	6X2	2-1/4	1	4	046	218.74
467E-529SR ¹	6X2-1/2	3	1	4	046	270.96
467E-530SR	6X3	3	1	4	046	285.09
467E-532SR	6X4	4	1	4	046	299.44
467E-573SR ¹	8X1/2	4	1	0	046	331.45
467E-574SR ¹	8X3/4	4	1	0	046	331.45
467E-575SR ¹	8X1	4	1	0	046	331.45

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Single Outlet, PVC White

(continued)

with EPDM O-ring Seal & Zinc-Plated Hardware

467E-576SR ¹	8X1-1/4	4	1	0	046	331.45
467E-577SR ¹	8X1-1/2	4	1	0	046	331.45
467E-578SR ¹	8X2	4	1	0	046	331.45
467E-579SR ¹	8X2-1/2	4	1	0	046	364.55
467E-580SR ¹	8X3	4	1	0	046	382.88
467E-582SR	8X4	4	1	0	046	405.86
467E-585SR	8X6	6	1	0	046	450.25
467E-624SR	10X4	4	1	0	046	535.78
467E-626SR	10X6	6	1	0	046	616.01
467E-664SR	12X4	4	1	0	046	671.62
467E-666SR	12X6	6	1	0	046	779.12

¹ Outlet-sized with Bushing

Clamp-On Saddle x SR Thread Single Outlet, PVC White

with EPDM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

467SE-247SR	2X1/2	3/4	1	10	046	117.75
467SE-248SR	2X3/4	7/8	1	10	046	117.75
467SE-249SR	2X1	1-1/8	1	10	046	117.75
467SE-250SR	2X1-1/4	1-1/2	1	10	046	117.75
467SE-251SR	2X1-1/2	1-1/2	1	10	046	117.75
467SE-291SR	2-1/2X1-1/2	1-3/4	1	10	046	158.00
467SE-333SR ¹	3X1/2	7/8	1	10	046	158.00
467SE-334SR	3X3/4	7/8	1	10	046	158.00
467SE-335SR	3X1	1-1/8	1	10	046	158.00
467SE-336SR ¹	3X1-1/4	2-1/4	1	10	046	158.00
467SE-337SR ¹	3X1-1/2	2-1/4	1	10	046	158.00
467SE-338SR	3X2	2-1/4	1	10	046	158.00
467SE-415SR ¹	4X1/2	1-1/8	1	10	046	198.22
467SE-416SR ¹	4X3/4	1-1/8	1	10	046	198.22
467SE-417SR	4X1	1-1/8	1	8	046	198.22
467SE-418SR ¹	4X1-1/4	1-3/4	1	8	046	198.22
467SE-419SR	4X1-1/2	1-3/4	1	8	046	198.22
467SE-420SR	4X2	2-1/4	1	8	046	198.22
467SE-421SR ¹	4X2-1/2	3	1	4	046	206.69
467SE-422SR	4X3	3	1	4	046	218.17
467SE-523SR ¹	6X1/2	1-1/8	1	4	046	333.12
467SE-524SR ¹	6X3/4	1-1/8	1	4	046	333.12
467SE-525SR	6X1	1-1/8	1	4	046	333.12
467SE-526SR ¹	6X1-1/4	2-1/4	1	4	046	333.12
467SE-527SR ¹	6X1-1/2	2-1/4	1	4	046	333.12
467SE-528SR	6X2	2-1/4	1	4	046	333.12
467SE-529SR ¹	6X2-1/2	3	1	4	046	361.58
467SE-530SR	6X3	3	1	4	046	375.06
467SE-532SR	6X4	4	1	4	046	381.83
467SE-573SR ¹	8X1/2	4	1	0	046	477.89
467SE-574SR ¹	8X3/4	4	1	0	046	477.89

Clamp-On Saddles



Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Single Outlet, PVC White

(continued)

with EPDM O-ring Seal & SS Hardware

467SE-575SR ¹	8X1	4	1	0	046	477.89
467SE-576SR ¹	8X1-1/4	4	1	0	046	477.89
467SE-577SR ¹	8X1-1/2	4	1	0	046	477.89
467SE-578SR ¹	8X2	4	1	0	046	477.89
467SE-579SR ¹	8X2-1/2	4	1	0	046	525.91
467SE-580SR ¹	8X3	4	1	0	046	552.08
467SE-582SR	8X4	4	1	0	046	585.39
467SE-585SR	8X6	6	1	0	046	643.79
467SE-624SR	10X4	4	1	0	046	765.85
467SE-626SR	10X6	6	1	0	046	881.27
467SE-666SR	12X6	6	1	0	046	1113.96

¹ Outlet-sized with Bushing

Clamp-On Saddle x Soc Double Outlet, PVC White

with Buna-N O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

468-247	2X1/2	3/4	1	10	046	75.56
468-248	2X3/4	7/8	1	10	046	75.56
468-249	2X1	1-1/8	1	10	046	75.56
468-250	2X1-1/4	1-1/2	1	10	046	75.56
468-251	2X1-1/2	1-1/2	1	10	046	75.56
468-291	2-1/2X1-1/2	1-3/4	1	10	046	100.82
468-333 ¹	3X1/2	7/8	1	10	046	100.82
468-334	3X3/4	7/8	1	10	046	100.82
468-335	3X1	1-1/8	1	10	046	100.82
468-336 ¹	3X1-1/4	2-1/4	1	10	046	100.82
468-337 ¹	3X1-1/2	2-1/4	1	10	046	100.82
468-338	3X2	2-1/4	1	10	046	100.82
468-415 ¹	4X1/2	1-1/8	1	10	046	127.77
468-416 ¹	4X3/4	1-1/8	1	10	046	127.77
468-417	4X1	1-1/8	1	8	046	127.77
468-418 ¹	4X1-1/4	1-3/4	1	8	046	127.77
468-419	4X1-1/2	1-3/4	1	8	046	127.77
468-420	4X2	2-1/4	1	8	046	127.77
468-421 ¹	4X2-1/2	3	1	4	046	133.75
468-422	4X3	3	1	4	046	150.96
468-523 ¹	6X1/2	1-1/8	1	4	046	210.38
468-524 ¹	6X3/4	1-1/8	1	4	046	210.38
468-525	6X1	1-1/8	1	4	046	210.38
468-526 ¹	6X1-1/4	2-1/4	1	4	046	210.38
468-527 ¹	6X1-1/2	2-1/4	1	4	046	210.38
468-528	6X2	2-1/4	1	4	046	210.38
468-529 ¹	6X2-1/2	3	1	4	046	239.41
468-530	6X3	3	1	4	046	250.32
468-532	6X4	4	1	4	046	269.06

Made in the U.S.A.

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Soc Double Outlet, PVC White (continued)
with Buna-N O-ring Seal & Zinc-Plated Hardware

468-573 ¹	8X1/2	4	1	0	046	301.93
468-574 ¹	8X3/4	4	1	0	046	301.93
468-575 ¹	8X1	4	1	0	046	301.93
468-576 ¹	8X1-1/4	4	1	0	046	301.93
468-577 ¹	8X1-1/2	4	1	0	046	301.93
468-578 ¹	8X2	4	1	0	046	301.93
468-579 ¹	8X2-1/2	4	1	0	046	332.00
468-580 ¹	8X3	4	1	0	046	348.67
468-582	8X4	4	1	0	046	369.71
468-585	8X6	6	1	0	046	410.13
468-624	10X4	4	1	0	046	488.08
468-626	10X6	6	1	0	046	561.13
468-664	12X4	4	1	0	046	611.82
468-666	12X6	6	1	0	046	709.81

¹ Outlet-sized with Bushing

Clamp-On Saddle x Soc Double Outlet, PVC White

with Buna-N O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

468S-247	2X1/2	3/4	1	10	046	121.20
468S-248	2X3/4	7/8	1	10	046	121.20
468S-249	2X1	1-1/8	1	10	046	121.20
468S-250	2X1-1/4	1-1/2	1	10	046	121.20
468S-251	2X1-1/2	1-1/2	1	10	046	121.20
468S-291	2-1/2X1-1/2	1-3/4	1	10	046	161.82
468S-333 ¹	3X1/2	7/8	1	10	046	161.82
468S-334	3X3/4	7/8	1	10	046	161.82
468S-335	3X1	1-1/8	1	10	046	161.82
468S-336 ¹	3X1-1/4	2-1/4	1	10	046	161.82
468S-337 ¹	3X1-1/2	2-1/4	1	10	046	161.82
468S-338	3X2	2-1/4	1	10	046	161.82
468S-415 ¹	4X1/2	1-1/8	1	10	046	201.98
468S-416 ¹	4X3/4	1-1/8	1	10	046	201.98
468S-417	4X1	1-1/8	1	8	046	201.98
468S-418 ¹	4X1-1/4	1-3/4	1	8	046	201.98
468S-419	4X1-1/2	1-3/4	1	8	046	201.98
468S-420	4X2	2-1/4	1	8	046	201.98
468S-421 ¹	4X2-1/2	3	1	4	046	212.27
468S-422	4X3	3	1	4	046	232.88
468S-523 ¹	6X1/2	1-1/8	1	4	046	333.60
468S-524 ¹	6X3/4	1-1/8	1	4	046	333.60
468S-525	6X1	1-1/8	1	4	046	333.60
468S-526 ¹	6X1-1/4	2-1/4	1	4	046	333.60
468S-527 ¹	6X1-1/2	2-1/4	1	4	046	333.60
468S-528	6X2	2-1/4	1	4	046	333.60
468S-529 ¹	6X2-1/2	3	1	4	046	348.57
468S-530	6X3	3	1	4	046	354.59
468S-532	6X4	4	1	4	046	366.09

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

See Spears® On-line Catalog @ www.spearsmfg.com for Pricing



Schedule 40 Fittings Product

Clamp-On Saddles

Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
Clamp-On Saddle x Soc Double Outlet, PVC White (continued) with Buna-N O-ring Seal & SS Hardware						
468S-573 ¹	8X1/2	4	1	0	046	448.76
468S-574 ¹	8X3/4	4	1	0	046	448.76
468S-575 ¹	8X1	4	1	0	046	448.76
468S-576 ¹	8X1-1/4	4	1	0	046	448.76
468S-577 ¹	8X1-1/2	4	1	0	046	448.76
468S-578 ¹	8X2	4	1	0	046	448.76
468S-579 ¹	8X2-1/2	4	1	0	046	493.58
468S-580 ¹	8X3	4	1	0	046	518.56
468S-582	8X4	4	1	0	046	549.43
468S-585	8X6	6	1	0	046	604.27
468S-624	10X4	4	1	0	046	718.91
468S-626	10X6	6	1	0	046	826.94
468S-664	12X4	4	1	0	046	901.35
468S-666	12X6	6	1	0	046	1045.47

¹ Outlet-sized with Bushing.



Clamp-On Saddle x Soc Double Outlet, PVC White

with EPDM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

468E-247	2X1/2	3/4	1	10	046	79.45
468E-248	2X3/4	7/8	1	10	046	79.45
468E-249	2X1	1-1/8	1	10	046	79.45
468E-250	2X1-1/4	1-1/2	1	10	046	79.45
468E-251	2X1-1/2	1-1/2	1	10	046	79.45
468E-291	2-1/2X1-1/2	1-3/4	1	10	046	109.68
468E-333 ¹	3X1/2	7/8	1	10	046	109.68
468E-334	3X3/4	7/8	1	10	046	109.68
468E-335	3X1	1-1/8	1	10	046	109.68
468E-336 ¹	3X1-1/4	2-1/4	1	10	046	109.68
468E-337 ¹	3X1-1/2	2-1/4	1	10	046	109.68
468E-338	3X2	2-1/4	1	10	046	109.68
468E-415 ¹	4X1/2	1-1/8	1	10	046	133.38
468E-416 ¹	4X3/4	1-1/8	1	10	046	133.38
468E-417	4X1	1-1/8	1	8	046	133.38
468E-418 ¹	4X1-1/4	1-3/4	1	8	046	133.38
468E-419	4X1-1/2	1-3/4	1	8	046	133.38
468E-420	4X2	2-1/4	1	8	046	133.38
468E-421 ¹	4X2-1/2	3	1	4	046	143.03
468E-422	4X3	3	4	0	046	159.40
468E-523 ¹	6X1/2	1-1/8	1	4	046	223.94
468E-524 ¹	6X3/4	1-1/8	1	4	046	223.94
468E-525	6X1	1-1/8	1	4	046	223.94
468E-526 ¹	6X1-1/4	2-1/4	1	4	046	223.94
468E-527 ¹	6X1-1/2	2-1/4	1	4	046	223.94
468E-528	6X2	2-1/4	1	4	046	223.94
468E-529 ¹	6X2-1/2	3	1	4	046	250.43

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Soc Double Outlet, PVC White (continued) with EPDM O-ring Seal & Zinc-Plated Hardware

468E-530	6X3	3	1	4	046	269.41
468E-532	6X4	4	1	4	046	283.87
468E-573 ¹	8X1/2	4	1	0	046	337.86
468E-574 ¹	8X3/4	4	1	0	046	337.86
468E-575 ¹	8X1	4	1	0	046	337.86
468E-576 ¹	8X1-1/4	4	1	0	046	337.86
468E-577 ¹	8X1-1/2	4	1	0	046	337.86
468E-578 ¹	8X2	4	1	0	046	337.86
468E-579 ¹	8X2-1/2	4	1	0	046	371.80
468E-580 ¹	8X3	4	1	0	046	390.51
468E-582	8X4	4	1	0	046	414.00
468E-585	8X6	6	1	0	046	455.22
468E-624	10X4	4	1	0	046	541.85
468E-626	10X6	6	1	0	046	622.83
468E-664	12X4	4	1	0	046	679.18
468E-666	12X6	6	1	0	046	787.58

¹ Outlet-sized with Bushing



Clamp-On Saddle x Soc Double Outlet, PVC White

with EPDM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

468SE-247	2X1/2	3/4	1	10	046	129.64
468SE-248	2X3/4	7/8	1	10	046	129.64
468SE-249	2X1	1-1/8	1	10	046	129.64
468SE-250	2X1-1/4	1-1/2	1	10	046	129.64
468SE-251	2X1-1/2	1-1/2	1	10	046	129.64
468SE-291	2-1/2X1-1/2	1-3/4	1	10	046	171.41
468SE-333 ¹	3X1/2	7/8	1	10	046	171.41
468SE-334	3X3/4	7/8	1	10	046	171.41
468SE-335	3X1	1-1/8	1	10	046	171.41
468SE-336 ¹	3X1-1/4	2-1/4	1	10	046	171.41
468SE-337 ¹	3X1-1/2	2-1/4	1	10	046	171.41
468SE-338	3X2	2-1/4	1	10	046	171.41
468SE-415 ¹	4X1/2	1-1/8	1	10	046	213.98
468SE-416 ¹	4X3/4	1-1/8	1	10	046	213.98
468SE-417	4X1	1-1/8	1	8	046	213.98
468SE-418 ¹	4X1-1/4	1-3/4	1	8	046	213.98
468SE-419	4X1-1/2	1-3/4	1	8	046	213.98
468SE-420	4X2	2-1/4	1	8	046	213.98
468SE-421 ¹	4X2-1/2	3	1	4	046	233.56
468SE-422	4X3	3	4	0	046	248.96
468SE-523 ¹	6X1/2	1-1/8	1	4	046	356.66
468SE-524 ¹	6X3/4	1-1/8	1	4	046	356.66
468SE-525	6X1	1-1/8	1	4	046	356.66
468SE-526 ¹	6X1-1/4	2-1/4	1	4	046	356.66
468SE-527 ¹	6X1-1/2	2-1/4	1	4	046	356.66
468SE-528	6X2	2-1/4	1	4	046	356.66
468SE-529 ¹	6X2-1/2	3	1	4	046	366.31



Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
Clamp-On Saddle x Soc Double Outlet, PVC White (continued) with EPDM O-ring Seal & SS Hardware						
468SE-530	6X3	3	1	4	046	379.03
468SE-532	6X4	4	1	4	046	400.91
468SE-573 ¹	8X1/2	4	1	0	046	508.15
468SE-574 ¹	8X3/4	4	1	0	046	508.15
468SE-575 ¹	8X1	4	1	0	046	508.15
468SE-576 ¹	8X1-1/4	4	1	0	046	508.15
468SE-577 ¹	8X1-1/2	4	1	0	046	508.15
468SE-578 ¹	8X2	4	1	0	046	508.15
468SE-579 ¹	8X2-1/2	4	1	0	046	559.07
468SE-580 ¹	8X3	4	1	0	046	578.14
468SE-582	8X4	4	1	0	046	622.98
468SE-585	8X6	6	1	0	046	690.53
468SE-624	10X4	4	1	0	046	821.65
468SE-626	10X6	6	1	0	046	944.81
468SE-664	12X4	4	1	0	046	1030.34
468SE-666	12X6	6	1	0	046	1194.93

¹ Outlet-sized with Bushing

Clamp-On Saddle x SR Thread Double Outlet, PVC White

with Buna-N O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

469-247SR	2X1/2	3/4	1	10	046	85.38
469-248SR	2X3/4	7/8	1	10	046	85.38
469-249SR	2X1	1-1/8	1	10	046	85.38
469-250SR	2X1-1/4	1-1/2	1	10	046	85.38
469-251SR	2X1-1/2	1-1/2	1	10	046	85.38
469-291SR	2-1/2X1-1/2	1-3/4	1	10	046	113.40
469-333SR ¹	3X1/2	7/8	1	10	046	113.40
469-334SR	3X3/4	7/8	1	10	046	113.40
469-335SR	3X1	1-1/8	1	10	046	113.40
469-336SR ¹	3X1-1/4	2-1/4	1	10	046	113.40
469-337SR ¹	3X1-1/2	2-1/4	1	10	046	113.40
469-338SR	3X2	2-1/4	1	10	046	113.40
469-415SR ¹	4X1/2	1-1/8	1	10	046	170.22
469-416SR ¹	4X3/4	1-1/8	1	10	046	170.22
469-417SR	4X1	1-1/8	1	8	046	170.22
469-418SR ¹	4X1-1/4	1-3/4	1	8	046	170.22
469-419SR	4X1-1/2	1-3/4	1	8	046	170.22
469-420SR	4X2	2-1/4	1	8	046	170.22
469-421SR ¹	4X2-1/2	3	1	4	046	182.88
469-422SR	4X3	3	1	4	046	436.31
469-523SR ¹	6X1/2	1-1/8	1	4	046	277.51
469-524SR ¹	6X3/4	1-1/8	1	4	046	277.51
469-525SR	6X1	1-1/8	1	4	046	277.51
469-526SR ¹	6X1-1/4	2-1/4	1	4	046	277.51
469-527SR ¹	6X1-1/2	2-1/4	1	4	046	277.51

Made in the U.S.A.

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Double Outlet, PVC White

(continued)

with Buna-N O-ring Seal & Zinc-Plated Hardware

469-528SR	6X2	2-1/4	1	4	046	277.51
469-529SR ¹	6X2-1/2	3	1	4	046	332.81
469-530SR	6X3	3	1	4	046	349.38
469-532SR	6X4	4	1	4	046	365.85
469-573SR ¹	8X1/2	4	1	0	046	406.76
469-574SR ¹	8X3/4	4	1	0	046	406.76
469-575SR ¹	8X1	4	1	0	046	406.76
469-576SR ¹	8X1-1/4	4	1	0	046	406.76
469-577SR ¹	8X1-1/2	4	1	0	046	406.76
469-578SR ¹	8X2	4	1	0	046	406.76
469-579SR ¹	8X2-1/2	4	1	0	046	450.25
469-580SR ¹	8X3	4	1	0	046	472.03
469-582SR	8X4	4	1	0	046	500.60
469-585SR	8X6	6	1	0	046	550.53
469-624SR	10X4	4	1	0	046	655.17
469-626SR	10X6	6	1	0	046	752.96
469-664SR	12X4	4	1	0	046	883.48
469-666SR	12X6	6	1	0	046	952.52

¹ Outlet-sized with Bushing

Clamp-On Saddle x SR Thread Double Outlet, PVC White

with Buna-N O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

469S-247SR	2X1/2	3/4	1	10	046	134.73
469S-248SR	2X3/4	7/8	1	10	046	134.73
469S-249SR	2X1	1-1/8	1	10	046	134.73
469S-250SR	2X1-1/4	1-1/2	1	10	046	134.73
469S-251SR	2X1-1/2	1-1/2	1	10	046	134.73
469S-291SR	2-1/2X1-1/2	1-3/4	1	10	046	179.78
469S-333SR ¹	3X1/2	7/8	1	10	046	179.78
469S-334SR	3X3/4	7/8	1	10	046	179.78
469S-335SR	3X1	1-1/8	1	10	046	179.78
469S-336SR ¹	3X1-1/4	2-1/4	1	10	046	179.78
469S-337SR ¹	3X1-1/2	2-1/4	1	10	046	179.78
469S-338SR	3X2	2-1/4	1	10	046	179.78
469S-415SR ¹	4X1/2	1-1/8	1	10	046	228.44
469S-416SR ¹	4X3/4	1-1/8	1	10	046	228.44
469S-417SR	4X1	1-1/8	1	8	046	228.44
469S-418SR ¹	4X1-1/4	1-3/4	1	8	046	228.44
469S-419SR	4X1-1/2	1-3/4	1	8	046	228.44
469S-420SR	4X2	2-1/4	1	8	046	228.44
469S-421SR ¹	4X2-1/2	3	1	4	046	240.98
469S-422SR	4X3	3	4	0	046	263.86
469S-523SR ¹	6X1/2	1-1/8	1	4	046	375.27
469S-524SR ¹	6X3/4	1-1/8	1	4	046	375.27
469S-525SR	6X1	1-1/8	1	4	046	375.27
469S-526SR ¹	6X1-1/4	2-1/4	1	4	046	375.27



Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

See Spears® On-line Catalog @ www.spearsmfg.com for Pricing



Schedule 40 Fittings Product

Clamp-On Saddles

Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Double Outlet, PVC White

(continued)

with Buna-N O-ring Seal & SS Hardware

469S-527SR ¹	6X1-1/2	2-1/4	1	4	046	375.27
469S-528SR	6X2	2-1/4	1	4	046	375.27
469S-529SR ¹	6X2-1/2	3	1	4	046	392.86
469S-530SR	6X3	3	1	4	046	415.58
469S-532SR	6X4	4	1	4	046	433.93
469S-573SR ¹	8X1/2	4	1	0	046	532.19
469S-574SR ¹	8X3/4	4	1	0	046	532.19
469S-575SR ¹	8X1	4	1	0	046	532.19
469S-576SR ¹	8X1-1/4	4	1	0	046	532.19
469S-577SR ¹	8X1-1/2	4	1	0	046	532.19
469S-578SR ¹	8X2	4	1	0	046	532.19
469S-579SR ¹	8X2-1/2	4	1	0	046	585.39
469S-580SR ¹	8X3	4	1	0	046	614.46
469S-582SR	8X4	4	1	0	046	650.77
469S-585SR	8X6	6	1	0	046	722.69
469S-624SR	10X4	4	1	0	046	860.07
469S-626SR	10X6	6	1	0	046	989.03
469S-664SR	12X4	4	1	0	046	1077.97
469S-666SR	12X6	6	1	0	046	1250.18

¹ Outlet-sized with Bushing



Clamp-On Saddle x SR Thread Double Outlet, PVC White

with EPDM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

469E-247SR	2X1/2	3/4	1	10	046	93.87
469E-248SR	2X3/4	7/8	1	10	046	93.87
469E-249SR	2X1	1-1/8	1	10	046	93.87
469E-250SR	2X1-1/4	1-1/2	1	10	046	93.87
469E-251SR	2X1-1/2	1-1/2	1	10	046	93.87
469E-291SR	2-1/2X1-1/2	1-3/4	1	10	046	127.29
469E-333SR ¹	3X1/2	7/8	1	10	046	127.29
469E-334SR	3X3/4	7/8	1	10	046	127.29
469E-335SR	3X1	1-1/8	1	10	046	127.29
469E-336SR ¹	3X1-1/4	2-1/4	1	10	046	127.29
469E-337SR ¹	3X1-1/2	2-1/4	1	10	046	127.29
469E-338SR	3X2	2-1/4	1	16	046	127.29
469E-415SR ¹	4X1/2	1-1/8	1	10	046	198.41
469E-416SR ¹	4X3/4	1-1/8	1	10	046	198.41
469E-417SR	4X1	1-1/8	1	8	046	198.41
469E-418SR ¹	4X1-1/4	1-3/4	1	8	046	198.41
469E-419SR	4X1-1/2	1-3/4	1	8	046	198.41
469E-420SR	4X2	2-1/4	1	8	046	198.41
469E-421SR ¹	4X2-1/2	3	1	4	046	202.33
469E-422SR	4X3	3	4	0	046	258.40
469E-523SR ¹	6X1/2	1-1/8	1	4	046	304.20

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Double Outlet, PVC White

(continued)

with EPDM O-ring Seal & Zinc-Plated Hardware

469E-524SR ¹	6X3/4	1-1/8	1	4	046	304.20
469E-525SR	6X1	1-1/8	1	4	046	304.20
469E-526SR ¹	6X1-1/4	2-1/4	1	4	046	304.20
469E-527SR ¹	6X1-1/2	2-1/4	1	4	046	304.20
469E-528SR	6X2	2-1/4	1	4	046	304.20
469E-529SR ¹	6X2-1/2	3	1	4	046	340.49
469E-530SR	6X3	3	1	4	046	368.24
469E-532SR	6X4	4	1	4	046	391.59
469E-573SR ¹	8X1/2	4	1	0	046	440.80
469E-574SR ¹	8X3/4	4	1	0	046	440.80
469E-575SR ¹	8X1	4	1	0	046	440.80
469E-576SR ¹	8X1-1/4	4	1	0	046	440.80
469E-577SR ¹	8X1-1/2	4	1	0	046	440.80
469E-578SR	8X2	4	1	0	046	440.80
469E-579SR ¹	8X2-1/2	4	1	0	046	485.09
469E-580SR ¹	8X3	4	1	0	046	509.34
469E-582SR	8X4	4	1	0	046	539.99
469E-585SR	8X6	6	1	0	046	599.31
469E-624SR	10X4	4	1	0	046	713.20
469E-626SR	10X6	6	1	0	046	819.93
469E-666SR	12X6	6	1	0	046	1037.17

¹ Outlet-sized with Bushing



Clamp-On Saddle x SR Thread Double Outlet, PVC White

with EPDM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

469SE-247SR	2X1/2	3/4	1	10	046	143.34
469SE-248SR	2X3/4	7/8	1	10	046	143.34
469SE-249SR	2X1	1-1/8	1	10	046	143.34
469SE-250SR	2X1-1/4	1-1/2	1	10	046	143.34
469SE-251SR	2X1-1/2	1-1/2	1	10	046	143.34
469SE-291SR	2-1/2X1-1/2	1-3/4	1	10	046	190.93
469SE-333SR ¹	3X1/2	7/8	1	10	046	190.93
469SE-334SR	3X3/4	7/8	1	10	046	190.93
469SE-335SR	3X1	1-1/8	1	10	046	190.93
469SE-336SR ¹	3X1-1/4	2-1/4	1	10	046	190.93
469SE-337SR ¹	3X1-1/2	2-1/4	1	10	046	190.93
469SE-338SR	3X2	2-1/4	1	10	046	190.93
469SE-415SR ¹	4X1/2	1-1/8	1	10	046	246.33
469SE-416SR ¹	4X3/4	1-1/8	1	10	046	246.33
469SE-417SR	4X1	1-1/8	1	8	046	246.33
469SE-418SR ¹	4X1-1/4	1-3/4	1	8	046	246.33
469SE-419SR	4X1-1/2	1-3/4	1	8	046	246.33
469SE-420SR	4X2	2-1/4	1	8	046	246.33
469SE-421SR ¹	4X2-1/2	3	1	4	046	255.52
469SE-422SR	4X3	3	4	0	046	279.60
469SE-523SR ¹	6X1/2	1-1/8	1	4	046	384.92

Schedule 40 Fittings Product
Clamp-On Saddles & Hot-Tap Saddles



Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Double Outlet, PVC White

(continued)

with EPDM O-ring Seal & SS Hardware

469SE-524SR ¹	6X3/4	1-1/8	1	4	046	384.92
469SE-525SR	6X1	1-1/8	1	4	046	384.92
469SE-526SR ¹	6X1-1/4	2-1/4	1	4	046	384.92
469SE-527SR ¹	6X1-1/2	2-1/4	1	4	046	384.92
469SE-528SR	6X2	2-1/4	1	4	046	384.92
469SE-529SR ¹	6X2-1/2	3	1	4	046	411.75
469SE-530SR	6X3	3	1	4	046	434.73
469SE-532SR	6X4	4	1	4	046	460.54
469SE-573SR ¹	8X1/2	4	1	0	046	544.53
469SE-574SR ¹	8X3/4	4	1	0	046	544.53
469SE-575SR ¹	8X1	4	1	0	046	544.53
469SE-576SR ¹	8X1-1/4	4	1	0	046	544.53
469SE-577SR ¹	8X1-1/2	4	1	0	046	544.53
469SE-578SR ¹	8X2	4	1	0	046	544.53
469SE-579SR ¹	8X2-1/2	4	1	0	046	598.99
469SE-580SR ¹	8X3	4	1	0	046	628.91
469SE-582SR	8X4	4	1	0	046	655.34
469SE-585SR	8X6	6	1	0	046	739.72
469SE-624SR	10X4	4	1	0	046	880.13
469SE-626SR	10X6	6	1	0	046	1012.13
469SE-664SR	12X4	4	1	0	046	1101.09
469SE-666SR	12X6	6	1	0	046	1278.94

¹ Outlet-sized with Bushing

Hot-Tap Saddles

Hot-Tap Saddle, PVC White

EPDM Saddle x Soc (Spigot) Zinc Plated Bolts



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2-248W	2X3/4 (1)	1	5	049	112.62
HT2-251W	2X1-1/2 (2)	1	5	049	232.63
HT2-288W	2-1/2X3/4 (1)	1	5	049	120.35
HT2-291W	2-1/2x1-1/2 (2)	1	5	049	240.36
HT2-334W	3X3/4 (1)	1	5	049	137.81
HT2-337W	3X1-1/2 (2)	1	5	049	264.93
HT2-416W	4X3/4 (1)	1	0	049	159.18
HT2-419W	4X1-1/2 (2)	1	0	049	280.15
HT2-524W	6X3/4 (1)	1	0	049	178.92
HT2-527W	6X1-1/2 (2)	1	0	049	298.27
HT2-574W	8X3/4 (1)	1	0	049	198.02
HT2-577W	8X1-1/2 (2)	1	0	049	318.01

Not intended to convey or dispense water for human consumption through drinking or cooking

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Hot-Tap Saddle, PVC White

EPDM Saddle x Soc (Spigot) SS316 Bolts



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2S-248W	2X3/4 (1)	1	5	049	175.36
HT2S-251W	2X1-1/2 (2)	1	5	049	361.99
HT2S-288W	2-1/2X3/4 (1)	1	5	049	187.31
HT2S-291W	2-1/2X1-1/2 (2)	1	5	049	373.97
HT2S-334W	3X3/4 (1)	1	5	049	214.52
HT2S-337W	3X1-1/2 (2)	1	5	049	412.53
HT2S-416W	4X3/4 (1)	1	5	049	247.81
HT2S-419W	4X1-1/2 (2)	1	0	049	436.04
HT2S-524W	6X3/4 (1)	1	5	049	278.23
HT2S-527W	6X1-1/2 (2)	1	0	049	463.89
HT2S-574W	8X3/4 (1)	1	0	049	306.65
HT2S-577W	8X1-1/2 (2)	1	0	049	493.03

Not intended to convey or dispense water for human consumption through drinking or cooking