

**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**



**Couplings**

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

**Grooved Coupling Adapter (continued)**

**Groove x Socket**

|          |       |    |    |     |        |
|----------|-------|----|----|-----|--------|
| 833-020  | 2     | 10 | 80 | 080 | 45.13  |
| 833-025  | 2-1/2 | 5  | 0  | 080 | 97.38  |
| 833-030  | 3     | 5  | 0  | 080 | 116.09 |
| 833-040  | 4     | 5  | 0  | 080 | 131.73 |
| 833-050F | 5     | 1  | 7  | 084 | 252.88 |
| 833-060  | 6     | 5  | 0  | 080 | 284.46 |
| 833-080F | 8     | 1  | 4  | 084 | 326.19 |
| 833-100F | 10    | 1  | 0  | 084 | 400.56 |
| 833-120F | 12    | 1  | 0  | 084 | 541.12 |

**Adapters**

**Female Adapter**

**Socket x Fipt**

|          |         |    |     |     |        |
|----------|---------|----|-----|-----|--------|
| 835-002  | 1/4     | 25 | 450 | 080 | 21.13  |
| 835-003  | 3/8     | 25 | 400 | 080 | 21.13  |
| 835-098  | 3/4X1/4 | 25 | 150 | 080 | 10.11  |
| 835-005  | 1/2     | 25 | 150 | 080 | 11.69  |
| 835-007  | 3/4     | 25 | 150 | 080 | 17.41  |
| 835-010  | 1       | 15 | 90  | 080 | 25.61  |
| 835-012  | 1-1/4   | 10 | 120 | 080 | 41.51  |
| 835-015  | 1-1/2   | 10 | 80  | 080 | 50.88  |
| 835-020  | 2       | 10 | 0   | 080 | 88.79  |
| 835-025  | 2-1/2   | 5  | 0   | 080 | 140.16 |
| 835-030  | 3       | 5  | 0   | 080 | 157.77 |
| 835-040  | 4       | 5  | 0   | 080 | 271.21 |
| 835-060  | 6       | 6  | 0   | 080 | 321.10 |
| 835-060F | 6       | 1  | 8   | 083 | 421.68 |
| 835-080  | 8       | 3  | 0   | 080 | 603.66 |
| 835-080F | 8       | 1  | 6   | 083 | 498.41 |
| 835-100F | 10      | 1  | 2   | 083 | 546.33 |
| 835-120F | 12      | 1  | 0   | 083 | 689.51 |

**Female Adapter - Brass Transition**

**Socket x Fipt With Brass Thread Insert**

|           |       |    |     |     |        |
|-----------|-------|----|-----|-----|--------|
| 835-005BR | 1/2   | 25 | 150 | 086 | 52.17  |
| 835-007BR | 3/4   | 15 | 90  | 086 | 74.94  |
| 835-010BR | 1     | 15 | 90  | 086 | 129.11 |
| 835-012BR | 1-1/4 | 15 | 60  | 086 | 212.68 |
| 835-015BR | 1-1/2 | 10 | 40  | 086 | 279.39 |
| 835-020BR | 2     | 8  | 32  | 086 | 346.04 |

**Not intended to convey or dispense water for human consumption through drinking or cooking**

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

**Female Adapter - Brass Transition Reducing**

**Socket x Fipt With Brass Thread Insert**

|           |         |    |   |     |        |
|-----------|---------|----|---|-----|--------|
| 835-101BR | 3/4X1/2 | 50 | 0 | 086 | 77.47  |
| 835-131BR | 1X3/4   | 50 | 0 | 086 | 131.67 |

**Not intended to convey or dispense water for human consumption through drinking or cooking**

**Female Adapter - Special Reinforced**

**Socket x SR Fipt - Stainless Steel Collar**

|           |       |    |     |     |        |
|-----------|-------|----|-----|-----|--------|
| 835-002SR | 1/4   | 25 | 450 | 086 | 11.67  |
| 835-003SR | 3/8   | 25 | 300 | 086 | 11.67  |
| 835-005SR | 1/2   | 25 | 150 | 086 | 6.48   |
| 835-007SR | 3/4   | 25 | 300 | 086 | 9.44   |
| 835-010SR | 1     | 25 | 200 | 086 | 14.02  |
| 835-012SR | 1-1/4 | 10 | 60  | 086 | 22.68  |
| 835-015SR | 1-1/2 | 10 | 80  | 086 | 27.92  |
| 835-020SR | 2     | 10 | 0   | 086 | 48.74  |
| 835-025SR | 2-1/2 | 5  | 0   | 086 | 76.89  |
| 835-030SR | 3     | 15 | 0   | 086 | 86.62  |
| 835-040SR | 4     | 5  | 0   | 086 | 148.87 |
| 835-060SR | 6     | 6  | 0   | 086 | 193.43 |

**Female Adapter - Special Reinforced Reducing**

**Socket x SR Fipt - Stainless Steel Collar**

|           |         |    |     |     |       |
|-----------|---------|----|-----|-----|-------|
| 835-074SR | 1/2X3/4 | 50 | 400 | 086 | 9.44  |
| 835-098SR | 3/4X1/4 | 25 | 150 | 086 | 29.37 |
| 835-101SR | 3/4X1/2 | 50 | 400 | 086 | 9.44  |
| 835-102SR | 3/4X1   | 50 | 0   | 086 | 14.02 |
| 835-130SR | 1X1/2   | 50 | 0   | 086 | 14.02 |
| 835-131SR | 1X3/4   | 25 | 200 | 086 | 14.02 |

**Female Adapter - Stainless Steel Transition**

**Socket x Fipt With 316 Stainless Steel Thread Insert**

**NSF® Certified Lead Free**

|           |       |    |     |     |        |
|-----------|-------|----|-----|-----|--------|
| 835-005SS | 1/2   | 25 | 150 | 086 | 102.26 |
| 835-007SS | 3/4   | 15 | 90  | 086 | 146.96 |
| 835-010SS | 1     | 15 | 90  | 086 | 250.06 |
| 835-012SS | 1-1/4 | 25 | 0   | 086 | 417.57 |
| 835-015SS | 1-1/2 | 10 | 40  | 086 | 545.49 |
| 835-020SS | 2     | 8  | 32  | 086 | 699.78 |

**Female Adapter - Encapsulated Special Reinforced**

**Socket x ESR Fipt**

|            |     |    |     |     |       |
|------------|-----|----|-----|-----|-------|
| 835-002ESR | 1/4 | 25 | 450 | 086 | 16.91 |
|------------|-----|----|-----|-----|-------|



## Schedule 80 PVC Product PVC Schedule 80 Fittings

### Adapters

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

#### Female Adapter - Encapsulated Special Reinforced (continued)

##### Socket x ESR Fipt

|            |       |    |     |     |       |
|------------|-------|----|-----|-----|-------|
| 835-003ESR | 3/8   | 25 | 300 | 086 | 16.91 |
| 835-005ESR | 1/2   | 25 | 300 | 086 | 10.48 |
| 835-007ESR | 3/4   | 25 | 300 | 086 | 15.46 |
| 835-010ESR | 1     | 25 | 200 | 086 | 20.50 |
| 835-012ESR | 1-1/4 | 10 | 80  | 086 | 33.08 |
| 835-015ESR | 1-1/2 | 10 | 80  | 086 | 47.79 |
| 835-020ESR | 2     | 10 | 0   | 086 | 71.06 |

#### Male Adapter

##### Mipt x Socket

|                      |         |    |     |     |        |
|----------------------|---------|----|-----|-----|--------|
| 836-053              | 3/8X1/2 | 50 | 900 | 080 | 14.57  |
| 836-005              | 1/2     | 25 | 150 | 080 | 14.63  |
| 836-007              | 3/4     | 25 | 300 | 080 | 16.12  |
| 836-102              | 3/4X1   | 50 | 0   | 080 | 34.48  |
| 836-131              | 1X3/4   | 50 | 400 | 080 | 34.48  |
| 836-010              | 1       | 20 | 120 | 080 | 27.89  |
| 836-012              | 1-1/4   | 10 | 120 | 080 | 32.60  |
| 836-015              | 1-1/2   | 10 | 80  | 080 | 46.83  |
| 836-213 <sup>1</sup> | 1-1/2X2 | 25 | 0   | 080 | 101.00 |
| 836-251 <sup>1</sup> | 2X1-1/2 | 10 | 0   | 080 | 124.18 |
| 836-020              | 2       | 10 | 80  | 080 | 67.72  |
| 836-025              | 2-1/2   | 10 | 0   | 080 | 77.00  |
| 836-030              | 3       | 5  | 0   | 080 | 85.43  |
| 836-040              | 4       | 4  | 0   | 080 | 152.04 |
| 836-050F             | 5       | 1  | 8   | 083 | 462.22 |
| 836-060              | 6       | 5  | 0   | 080 | 337.73 |
| 836-080F             | 8       | 1  | 2   | 083 | 364.13 |
| 836-100F             | 10      | 1  | 2   | 083 | 435.82 |
| 836-120F             | 12      | 1  | 0   | 083 | 647.67 |

<sup>1</sup> Sized With Bushing or Coupling

#### Male Adapter - Internal Reinforced

##### R Mipt x Socket - Stainless Steel Sleeve

NSF® Certified Lead Free

|          |       |    |     |     |       |
|----------|-------|----|-----|-----|-------|
| 836-005R | 1/2   | 25 | 150 | 086 | 8.01  |
| 836-007R | 3/4   | 25 | 300 | 086 | 8.81  |
| 836-010R | 1     | 10 | 60  | 086 | 15.42 |
| 836-012R | 1-1/4 | 10 | 120 | 086 | 29.12 |
| 836-015R | 1-1/2 | 10 | 120 | 086 | 45.02 |
| 836-020R | 2     | 10 | 0   | 086 | 64.00 |

#### Male Adapter - PVC Lined Brass Transition

##### Brass Mipt x Socket

NSF® Certified Lead Free

|           |     |    |     |     |       |
|-----------|-----|----|-----|-----|-------|
| 836-005BR | 1/2 | 40 | 160 | 086 | 57.43 |
|-----------|-----|----|-----|-----|-------|

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

#### Male Adapter - PVC Lined Brass Transition (continued)

##### Brass Mipt x Socket

|           |       |    |     |     |        |
|-----------|-------|----|-----|-----|--------|
| 836-007BR | 3/4   | 40 | 160 | 086 | 86.60  |
| 836-010BR | 1     | 10 | 60  | 086 | 140.82 |
| 836-012BR | 1-1/4 | 10 | 40  | 086 | 237.22 |
| 836-015BR | 1-1/2 | 10 | 40  | 086 | 314.79 |
| 836-020BR | 2     | 8  | 32  | 086 | 391.06 |

#### Male Spigot Adapter

##### Spigot x Mipt

|         |       |    |     |     |       |
|---------|-------|----|-----|-----|-------|
| 861-005 | 1/2   | 50 | 300 | 080 | 14.68 |
| 861-007 | 3/4   | 25 | 300 | 080 | 21.68 |
| 861-010 | 1     | 50 | 0   | 080 | 32.01 |
| 861-131 | 1X3/4 | 50 | 200 | 080 | 33.01 |
| 861-012 | 1-1/4 | 25 | 0   | 080 | 34.69 |
| 861-015 | 1-1/2 | 25 | 0   | 080 | 38.77 |
| 861-020 | 2     | 25 | 0   | 080 | 45.13 |

#### Female Spigot Adapter - Brass Transition

##### Spigot x Fipt With Brass Thread Insert

|           |     |    |     |     |        |
|-----------|-----|----|-----|-----|--------|
| 878-005BR | 1/2 | 25 | 150 | 086 | 43.89  |
| 878-007BR | 3/4 | 15 | 90  | 086 | 71.07  |
| 878-010BR | 1   | 15 | 90  | 086 | 139.62 |

Not intended to convey or dispense water for human consumption through drinking or cooking

#### Female Spigot Adapter - Special Reinforced

##### Spigot x SR Fipt - Stainless Steel Collar

|           |       |    |     |     |        |
|-----------|-------|----|-----|-----|--------|
| 878-005SR | 1/2   | 50 | 600 | 086 | 8.53   |
| 878-007SR | 3/4   | 25 | 300 | 086 | 10.07  |
| 878-010SR | 1     | 50 | 0   | 086 | 15.46  |
| 878-012SR | 1-1/4 | 25 | 0   | 086 | 24.63  |
| 878-015SR | 1-1/2 | 25 | 0   | 086 | 29.54  |
| 878-020SR | 2     | 15 | 0   | 086 | 49.20  |
| 878-030SR | 3     | 5  | 0   | 086 | 90.44  |
| 878-040SR | 4     | 5  | 0   | 086 | 153.57 |

#### Female Spigot Adapter - Special Reinforced Reducing

##### Spigot x SR Fipt - Stainless Steel Collar

|           |         |    |     |     |       |
|-----------|---------|----|-----|-----|-------|
| 878-072SR | 1/2X1/4 | 25 | 450 | 086 | 23.72 |
| 878-098SR | 3/4X1/4 | 50 | 400 | 086 | 32.67 |
| 878-128SR | 1X1/4   | 50 | 400 | 086 | 33.71 |

**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**



**Adapters**

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

**Female Spigot Adapter - Encapsulated Special Reinforced, Spigot**



**Spigot x ESR Fipt**

|            |       |    |     |     |       |
|------------|-------|----|-----|-----|-------|
| 878-005ESR | 1/2   | 50 | 600 | 086 | 11.62 |
| 878-007ESR | 3/4   | 25 | 300 | 086 | 16.03 |
| 878-010ESR | 1     | 50 | 0   | 086 | 22.00 |
| 878-012ESR | 1-1/4 | 25 | 0   | 086 | 33.84 |
| 878-015ESR | 1-1/2 | 25 | 0   | 086 | 48.04 |
| 878-020ESR | 2     | 15 | 0   | 086 | 72.42 |

**Female Spigot Adapter - Stainless Steel Transition**



**Spigot x Fipt With 316 Stainless Steel Thread Insert**

|           |         |    |     |     |        |
|-----------|---------|----|-----|-----|--------|
| 878-005SS | 1/2     | 25 | 150 | 086 | 102.26 |
| 878-007SS | 3/4     | 15 | 90  | 086 | 137.29 |
| 878-010SS | 1       | 15 | 90  | 086 | 177.16 |
| 878-072SS | 1/2X1/4 | 25 | 150 | 086 | 102.26 |

**Reducer Bushing**

**Reducer Bushing Flush Style**



**Spigot x Socket**

|                      |             |    |     |     |       |
|----------------------|-------------|----|-----|-----|-------|
| 837-052              | 3/8X1/4     | 50 | 450 | 080 | 11.04 |
| 837-072              | 1/2X1/4     | 50 | 300 | 080 | 11.04 |
| 837-073              | 1/2X3/8     | 50 | 600 | 080 | 11.04 |
| 837-101              | 3/4X1/2     | 50 | 600 | 080 | 4.02  |
| 837-129 <sup>1</sup> | 1X3/8       | 50 | 200 | 080 | 23.00 |
| 837-130              | 1X1/2       | 50 | 300 | 080 | 11.56 |
| 837-131              | 1X3/4       | 50 | 400 | 080 | 11.56 |
| 837-166              | 1-1/4X1/2   | 25 | 150 | 080 | 18.08 |
| 837-167              | 1-1/4X3/4   | 25 | 300 | 080 | 18.08 |
| 837-168              | 1-1/4X1     | 25 | 150 | 080 | 18.08 |
| 837-209              | 1-1/2X1/2   | 25 | 200 | 080 | 24.62 |
| 837-210              | 1-1/2X3/4   | 25 | 200 | 080 | 24.62 |
| 837-211              | 1-1/2X1     | 25 | 200 | 080 | 24.62 |
| 837-212              | 1-1/2X1-1/4 | 25 | 200 | 080 | 24.62 |
| 837-247              | 2X1/2       | 10 | 120 | 080 | 35.12 |
| 837-248              | 2X3/4       | 10 | 120 | 080 | 35.12 |
| 837-249              | 2X1         | 10 | 120 | 080 | 35.12 |
| 837-250              | 2X1-1/4     | 10 | 120 | 080 | 35.12 |
| 837-251              | 2X1-1/2     | 10 | 120 | 080 | 35.12 |
| 837-287 <sup>1</sup> | 2-1/2X1/2   | 10 | 40  | 080 | 81.59 |
| 837-288 <sup>1</sup> | 2-1/2X3/4   | 10 | 40  | 080 | 81.59 |
| 837-289              | 2-1/2X1     | 10 | 40  | 080 | 81.59 |
| 837-290              | 2-1/2X1-1/4 | 10 | 80  | 080 | 61.00 |
| 837-291              | 2-1/2X1-1/2 | 10 | 40  | 080 | 61.00 |
| 837-292              | 2-1/2X2     | 15 | 0   | 080 | 61.00 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

**Reducer Bushing Flush Style (continued)**

**Spigot x Socket**

|                       |          |    |   |     |         |
|-----------------------|----------|----|---|-----|---------|
| 837-333               | 3X1/2    | 10 | 0 | 080 | 112.32  |
| 837-334 <sup>1</sup>  | 3X3/4    | 10 | 0 | 080 | 108.72  |
| 837-335               | 3X1      | 10 | 0 | 080 | 96.78   |
| 837-336               | 3X1-1/4  | 10 | 0 | 080 | 96.78   |
| 837-337               | 3X1-1/2  | 10 | 0 | 080 | 96.78   |
| 837-338               | 3X2      | 10 | 0 | 080 | 96.78   |
| 837-339               | 3X2-1/2  | 15 | 0 | 080 | 96.78   |
| 837-415 <sup>1</sup>  | 4X1/2    | 6  | 0 | 080 | 172.01  |
| 837-416 <sup>1</sup>  | 4X3/4    | 6  | 0 | 080 | 172.01  |
| 837-417 <sup>1</sup>  | 4X1      | 6  | 0 | 080 | 172.01  |
| 837-418 <sup>1</sup>  | 4X1-1/4  | 6  | 0 | 080 | 172.01  |
| 837-419               | 4X1-1/2  | 6  | 0 | 080 | 172.01  |
| 837-420               | 4X2      | 6  | 0 | 080 | 133.99  |
| 837-421               | 4X2-1/2  | 6  | 0 | 080 | 133.99  |
| 837-422               | 4X3      | 6  | 0 | 080 | 133.99  |
| 837-486 <sup>1</sup>  | 5X2      | 3  | 0 | 080 | 150.81  |
| 837-488 <sup>1</sup>  | 5X3      | 5  | 0 | 080 | 198.60  |
| 837-490               | 5X4      | 4  | 0 | 080 | 177.01  |
| 837-490F              | 5X4      | 1  | 4 | 083 | 188.76  |
| 837-524 <sup>1</sup>  | 6X3/4    | 5  | 0 | 080 | 223.64  |
| 837-525 <sup>1</sup>  | 6X1      | 5  | 0 | 080 | 212.47  |
| 837-526 <sup>1</sup>  | 6X1-1/4  | 5  | 0 | 080 | 223.64  |
| 837-527 <sup>1</sup>  | 6X1-1/2  | 5  | 0 | 080 | 223.64  |
| 837-528               | 6X2      | 5  | 0 | 080 | 186.30  |
| 837-529               | 6X2-1/2  | 5  | 0 | 080 | 288.87  |
| 837-530               | 6X3      | 5  | 0 | 080 | 186.30  |
| 837-532               | 6X4      | 5  | 0 | 080 | 186.30  |
| 837-533F              | 6X5      | 1  | 5 | 083 | 606.17  |
| 837-534               | 6X5      | 5  | 0 | 080 | 186.30  |
| 837-577 <sup>1</sup>  | 8X1-1/2  | 4  | 0 | 080 | 689.29  |
| 837-578 <sup>1</sup>  | 8X2      | 4  | 0 | 080 | 652.57  |
| 837-580 <sup>1</sup>  | 8X3      | 4  | 0 | 080 | 652.57  |
| 837-582 <sup>1</sup>  | 8X4      | 4  | 0 | 080 | 453.23  |
| 837-583 <sup>1</sup>  | 8X5      | 2  | 0 | 080 | 659.37  |
| 837-583F              | 8X5      | 1  | 6 | 083 | 1072.82 |
| 837-585               | 8X6      | 4  | 0 | 080 | 453.23  |
| 837-621 <sup>1</sup>  | 10X2     | 2  | 0 | 081 | 1261.90 |
| 837-622 <sup>1</sup>  | 10X2-1/2 | 2  | 0 | 081 | 1374.92 |
| 837-623 <sup>1</sup>  | 10X3     | 2  | 0 | 081 | 1261.90 |
| 837-624 <sup>1</sup>  | 10X4     | 2  | 0 | 081 | 1261.90 |
| 837-625F              | 10X5     | 1  | 4 | 083 | 1643.63 |
| 837-626               | 10X6     | 3  | 0 | 081 | 1064.71 |
| 837-628               | 10X8     | 3  | 0 | 081 | 1064.71 |
| 837-628F              | 10X8     | 6  | 0 | 083 | 411.77  |
| 837-663 <sup>1</sup>  | 12X3     | 2  | 0 | 081 | 1870.01 |
| 837-664 <sup>1</sup>  | 12X4     | 2  | 0 | 081 | 1870.01 |
| 837-666 <sup>1</sup>  | 12X6     | 1  | 0 | 081 | 1718.04 |
| 837-666F <sup>1</sup> | 12X6     | 2  | 0 | 083 | 1209.59 |
| 837-668               | 12X8     | 2  | 0 | 081 | 1230.44 |
| 837-668F <sup>1</sup> | 12X8     | 1  | 2 | 083 | 1170.38 |
| 837-670               | 12X10    | 2  | 0 | 081 | 1230.44 |
| 837-670F              | 12X10    | 3  | 0 | 083 | 468.81  |
| 837-694F              | 14X4     | 1  | 3 | 083 | 2666.60 |
| 837-696F              | 14X6     | 1  | 0 | 083 | 2374.30 |