



T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088
Travelers Rest, SC 29690

Model No.

B-1225

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



ADA Compliant



Quarter-Turn Eterna
Cartridge w/ Spring
Check & 4-Arm Handle
w/ Color Coded Index
(For Water Flow to Swing
Nozzle)

This Space for Architect/Engineer Approval



Job Name _____ Date _____

Model Specified _____ Quantity _____

Customer/Wholesaler _____

Contractor _____

Architect/Engineer _____



Rough-In Requirement:
Ø 1" [25mm] Mounting Hole

Product Specifications:

Combination 8 11/16" Clearance Glass & Pitcher Filler, Push Back Design,
6" Swing Nozzle, Independent Operation & 1/2" NPT Male Inlet

Product Compliance:

ASME A112.18.1 / CSA B125.1
NSF 61 - Section 9
NSF 372 (Low Lead Content)
ANSI A117.1 (ADA)



T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088
Travelers Rest, SC 29690


Model No.

B-1225

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

ITEM NO.	SALES NO.	DESCRIPTION
1	B-1205	Wall Mount Glass Filler, 3/8" NPT
2	059X	6" Swing Nozzle
3	015550-45	Lever Arm Repair Kit
4	015588-40	Adjustable Outlet w/ Torx Wrench
5	015589-40	Valve
6	B-0412	Rigid to Swivel Adapter
7	B-PT	Full Flow Stream Regulator, 55/64-27
8	000925-45	Lab Handle Screw
9	018506-19NS	Blue Button Index, Press-in
10	002521-45NS	4-Arm Handle (New Style)
11	012443-40NS	Quarter-Turn Eterna Cartridge w/ Spring Check, RTC
12	016783-40	Adjustable Deck Flange
13	000743-40	B-1225 Soldered Pedestal
14	000024-40	Glass Filler, Deck Mount, Pedestal Flange
15	000999-45	Brass Washer
16	002954-45	Shank Lock Nut
17	007010-40NS	Straight Stop w/ Quarter-Turn Eterna Cartridge w/ Spring Check, 4-Arm Handle & Blue Index



016640-45
T-45 Torx
Wrench

Product Specifications:

Combination 8 11/16" Clearance Glass & Pitcher Filler, Push Back Design, 6" Swing Nozzle, Independent Operation & 1/2" NPT Male Inlet

Product Compliance:

ASME A112.18.1 / CSA B125.1
NSF 61 - Section 9
NSF 372 (Low Lead Content)
ANSI A117.1 (ADA)