




Features integral seats.

Designer Collection Tubs

Siesta

|                                                                                                        |
|--------------------------------------------------------------------------------------------------------|
| MODEL 33                                                                                               |
| 79.5" x 48" x 22.5"                                                                                    |
| DROP-IN (cannot be undermounted)<br>Not recommended as a tub/shower combination<br>107 gal to overflow |
| Acrylic CXL®                                                                                           |
| 120 lbs / 55 kg soaker<br>185 lbs / 84 kg plumbed                                                      |
| Filling this tub to the maximum may require an above average size or dedicated water heater.           |

Compliance Label  
Model MTXXXX  
Made in USA  
Complies with  
ANSI Z124.1-1995  
CSA Certified C/US



Numbered areas on tub deck represent possible locations to install cleaning systems, faucets and other fixtures. Shown with Air Massage and Ultra Whirlpool Package.

**IMPORTANT:**  
Air baths and tubs with a pre-leveled foam base or frame system add 2-3" to overall tub height.

IMPORTANT ORDERING & INSTALLATION INFORMATION

- Before ordering or installing, please consider future access to equipment.
  - Add proper bedding compound to fully level and support bottom of tub.
  - When equipped with an air bath package, pre-leveled foam base or frame system, overall tub height is increased by approx. 2-3" and is designed to install on a flat, level subfloor.
  - Radiance placed on airbath floor will affect placement of air jets.
  - System components may extend beyond the perimeter of deck.
- Please measure tub **on-site** before building tub decking.
  - Advise MTI when planning to use a glass enclosure. Relocation of controls may be necessary.
  - Suction and control locations may vary.
  - All tubs are compliant with ASTM C 1028-07 coefficient of friction. DoloMatte meets ANSI A137.1/ A326.3 coefficient of friction and AS HB198:2014 slip tests.

ELECTRICAL COMPONENTS & SPECIFICATIONS

| Hydrotherapy Package                                                                                                                                                                                        | Components Included                  | GFCI / 110V |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------|
| Standard Whirlpool                                                                                                                                                                                          | 2-bhp pump                           | 1-15 amp    |
| Microbubbles                                                                                                                                                                                                | Microbubbles pump                    | 1-15 amp    |
| Ultra Whirlpool                                                                                                                                                                                             | 2-bhp pump x 2, inline heater, ozone | 2-20 amp    |
| Air Massage                                                                                                                                                                                                 | heated blower                        | 1-15 amp    |
| Air Massage Elite                                                                                                                                                                                           | heated blower, chromatherapy         | 1-15 amp    |
| Electrical requirements may change with the addition of optional therapy components. See specific option details or installation information. CSA Certified C/US; B45.5/IAPMO ANSI Z124.1 and ANSI 112.19.7 |                                      |             |

| Hydrotherapy Package           | Components Included                                                | GFCI / 110V |
|--------------------------------|--------------------------------------------------------------------|-------------|
| Microbubbles with Air          | Microbubbles pump, heated blower                                   | 1-20 amp    |
| Microbubbles with Air Elite    | Microbubbles pump, heated blower, chromatherapy                    | 2-15 amp    |
| Air with Whirlpool             | 2-bhp pump, heated blower                                          | 2-15 amp    |
| Air with Ultra Whirlpool       | 2-bhp pump x 2, inline heater, heated blower, ozone                | 2-20 amp    |
| Air Elite with Whirlpool       | 2-bhp pump, heated blower, chromatherapy                           | 2-15 amp    |
| Air Elite with Ultra Whirlpool | 2-bhp pump x 2, inline heater, heated blower, chromatherapy, ozone | 2-20 amp    |

See the Installation & Operation Manual for more details.  
MTI's Customer Service Monday-Friday 8am-6pm EST  
800-783-8827 or [service@mtibaths.com](mailto:service@mtibaths.com)

- Before discarding tub crate, check for accessories that may be packaged inside.
- All product measurements are ±1/2".
- Specifications and configurations are subject to change without notice.
- Measurements herein supersede all others published prior to publication date below.



- Aromatherapy is eliminated for undermount applications
- Air Baths, Pre-Leveled Foam Base or Frame Systems increase overall height by 2-3".

**Siesta**  
MODEL 33  
79.5" x 48" x 22.5"

| Hydrotherapy Packages                     | Package Contents                                                                                                                                                                                                       | Part #  | MSRP     |
|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------|
| Soaker                                    | Soaking bath - no jets, textured bottom                                                                                                                                                                                | S33     | \$3,520  |
| Microbubbles                              | 1 microbubbles infusion port and pump, textured bottom                                                                                                                                                                 | M33     | \$6,600  |
| Air Massage                               | 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base, textured bottom                                                                                                                                   | AST33   | \$6,905  |
| Air Massage Elite                         | 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base, textured bottom                                                                                             | AE33    | \$8,665  |
| Microbubbles with Air Massage             | 1 microbubbles infusion port and pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base, textured bottom                                                                                            | ASTM33  | \$9,425  |
| Microbubbles with Air Massage Elite       | 1 microbubbles infusion port and pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base, textured bottom                                                      | AEM33   | \$11,095 |
| Standard Whirlpool                        | 6 point-massage jets, 2-bhp pump, inline heater, textured bottom                                                                                                                                                       | P33     | \$6,165  |
| Ultra Whirlpool                           | 6 point-massage jets, 8 micro-jets with Tsubo massage, 2 2-bhp pumps, inline heater, Ozone, textured bottom                                                                                                            | P33U    | \$8,650  |
| Air Massage with Standard Whirlpool       | 6 point-massage jets, 2-bhp pump, inline heater, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base, textured bottom                                                                                  | AW33    | \$9,550  |
| Air Massage with Ultra Whirlpool          | 6 point-massage jets, 8 micro jets with Tsubo massage, 2 2-bhp pumps, inline heater, 20 air jets, heated air blower, Aromatherapy, Ozone, pre-leveled foam base (increases overall height 2-3"), textured bottom       | AU33    | \$12,035 |
| Air Massage Elite with Standard Whirlpool | 6 point-massage jets, 2-bhp pump, inline heater, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base (increases overall height 2-3"), textured bottom            | AEAP33  | \$11,310 |
| Air Massage Elite with Ultra Whirlpool    | 6 point-massage jets, 8 micro-jets with Tsubo massage, 2 2-bhp pumps, inline heater, 30 air jets, heated air blower, Aromatherapy, Ozone, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base, textured bottom | AEAP33U | \$12,960 |

## RECOMMENDED SENSORY THERAPIES

### Chromatherapy

(LE) **\$840** underwater lighting  
2 LED lights included

### Audiotherapy

(STEREOBT) **\$1,460** 2 transducers  
with bluetooth and amplifier  
(BTREMOTE) **\$630** bluetooth remote

(STEREOH202) **\$1,655** 4 transducers  
amplifier not included

### Thermaltherapy

(RAD100) **\$1,675** Radiance®  
2 heated zones included  
(HTISOAK) **\$865**

For more information on options and accessories  
go to Acrylic Tub Options at [mtibaths.com](http://mtibaths.com)

**Siesta**  
MODEL 33

| Options <i>Must be ordered at time of purchase.</i>                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Standard Colors</b> White (CWH)<br>Biscuit (CBS)                                                                                                                                 |
| <b>Quick Ship</b> reduces lead time (QSPRI) <b>\$450</b><br><i>Please call for availability</i>                                                                                     |
| <b>Inline Heater</b> maintains water temperature<br><b>For Soaker or Air Baths (HTISOAK) \$865</b><br>Includes a recirculating pump<br><i>Cannot be combined with Microbubbles.</i> |
| <b>Virtual Spout</b> high-flow integrated tub filler (FPMJ) <b>\$475</b><br><i>Virtual Spout location is left of the overflow, unless otherwise specified on order.</i>             |
| <b>Grab Bars</b> from <b>\$345</b><br><i>Selections vary. Personalization available.</i>                                                                                            |
| Accessories                                                                                                                                                                         |
| <b>Pillows</b> from <b>\$190</b>                                                                                                                                                    |
| <b>Teak Bath Mat</b> (TKMAT3018) <b>\$840</b><br><i>Custom sizes also available. Contact MTI for details and pricing.</i>                                                           |

| Hydrotherapy Equipment & Cleaning Systems<br><i>Must be ordered at time of purchase.</i>                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inline Heater</b> maintains water temperature<br><b>For Whirlpools or Stream Bath (HTI) \$600</b><br>Uses existing pump<br><i>Cannot be combined with Microbubbles.</i>                                                                                                      |
| <b>Whirlpool Cleaning System</b><br><b>Fill-Flush (FFSO) \$620</b><br><i>Must specify stub-out location on order. See page 1 for location options.</i>                                                                                                                          |
| <b>Whirlpool Jets</b> Pump upgrade may be advisable for optimal performance when adding jets.<br><b>Point-Massage Jet</b><br>Extra Point-Massage Jet (EJ) <b>\$330</b><br><b>Micro-Jet</b> from <b>\$380</b><br><i>Jet styles and packages vary. Personalization available.</i> |
| <b>Pump Upgrade - 3-bhp (PUMP3) \$330</b>                                                                                                                                                                                                                                       |
| <b>Jet Trim Kits</b><br><b>For Standard Whirlpool</b><br>Chrome (TRC) <b>\$285</b> , Brushed Nickel (TRBN) <b>\$760</b><br><b>For Ultra Whirlpool</b><br>Chrome (TRCU) <b>\$390</b> , Brushed Nickel (TRBNU) <b>\$1,010</b>                                                     |
| <b>Ozonator (OZONE) \$540</b><br><i>Cannot be added to soakers or airbaths without combination hydrotherapy package or HTISOAK.</i>                                                                                                                                             |

| Installation Options <i>Must be ordered at time of purchase.</i>                                                                                                                                                                                                                                                          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Pre-Leveled Foam Base (PLFOAM) \$310</b><br>All airbaths include a pre-leveled foam base.                                                                                                                                                                                                                              |
| <b>Pre-Leveled Frame and Foam Base (PLF) \$775</b>                                                                                                                                                                                                                                                                        |
| <b>Tile Flange</b><br><b>Factory-Installed on 3 sides - rigid ABS (TFK3) \$210</b><br><b>Field Install Kit - includes rigid ABS &amp; adhesive (TFKNI) \$195</b><br><b>IMPORTANT:</b> <i>Must specify flange location(s) on order of Factory-Installed Flange.</i><br><i>Not available with optional Low-Profile Rim.</i> |

Drains & Overflow Kits

Cable Driven

Drain Finishes – PVC Drain Kit

White/Bone/Biscuit (WOCDW) \$460

Chrome (WOC) \$430

Brushed Nickel (WOCDBN) \$515

Polished Nickel (WOCDPN) \$565

Oil-Rubbed Bronze+ (WOCBOR) \$580

Polished Brass (WOCDBR) \$725

Special Finishes\* (WOCDSF) \$1,190

MTI does not offer a brass body cable drain kit.

Lift & Turn

Drain Finishes – PVC Drain Kit

Chrome (WOC) \$195

White (WOW) \$255

Brushed Nickel (WOBN) \$320

Toe Tap

Round Overflow – PVC Drain Kit

Chrome (WOTTC) \$400

Brushed Nickel (WOTTBN) \$405

Polished Nickel (WOTTPN) \$405

Special Finishes\* (WOTTSF) \$1,200

Round Overflow – Solid Brass Drain

Chrome (WOTTSBC) \$850

Brushed Nickel (WOTTSBBN) \$850

Polished Nickel (WOTTSBPN) \$850

Rectangular Overflow – PVC Drain Kit

Chrome (WOTRC) \$495

Brushed Nickel (WOTRBN) \$450

White (WOTRW) \$550

| Slim-Line Overflow with Toe Tap Drain <i>Must be ordered at time of purchase.</i>                                                                                                                                      |                                                                                                                                                                                                        |                                                                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• Low profile overflow is factory installed</li><li>• Overflow measures 4.5" x 1"</li><li>• Provides a deeper soak</li><li>• Not available for commercial applications</li></ul> | <b>Slim-Line Overflow with Toe Tap Drain</b><br>PVC Drain<br>Chrome (SLOT) <b>\$525</b><br>Brushed Nickel (SLOTBN) <b>\$555</b><br>Polished Nickel (SLOTBN) <b>\$585</b><br>White (SLOTW) <b>\$450</b> | <b>Slim-Line Overflow with Toe Tap Drain</b><br>Solid Brass Drain<br>Chrome (SLOTSBC) <b>\$975</b><br>Brushed Nickel (SLOTSBBN) <b>\$980</b><br>Polished Nickel (SLOTSBPN) <b>\$980</b><br>White (SLOTSBW) <b>\$1,015</b> |