




Designer Collection Tubs

New Yorker 2

MODEL 56		
65.5" x 41.5" x 22.75"		
DROP-IN or UNDERMOUNT <i>Not recommended as a tub/shower combination</i> 94 gal to overflow		
Acrylic CXL®	DoloMatte®	
125 lbs / 57 kg	<SOAKER>	141 lbs / 64 kg
148 lbs / 67 kg	<PLUMBED>	164 lbs / 74 kg
Filling this tub to the maximum may require an above average size or dedicated water heater.		



IMPORTANT ORDERING & INSTALLATION INFORMATION

- Before ordering or installing, please consider future access to equipment.
- Add proper bedding compound to fully level and support bottom of tub.
- When equipped with an air bath package, pre-leveled foam base or frame system, overall tub height is increased by approx. 2-3" and is designed to install on a flat, level subfloor.
- Radiance placed on airbath floor will affect placement of air jets.
- System components may extend beyond the perimeter of deck.
- Please measure tub **on-site** before building tub decking.
- Advise MTI when planning to use a glass enclosure. Relocation of controls may be necessary.
- Suction and control locations may vary.
- All tubs are compliant with ASTM C 1028-07 coefficient of friction. DoloMatte meets ANSI A137.1/ A326.3 coefficient of friction and AS HB198:2014 slip tests.

ELECTRICAL COMPONENTS & SPECIFICATIONS

Hydrotherapy Package	Components Included	GFCI / 110V
Standard Whirlpool	2-bhp pump	1-15 amp
Stream Bath	½-bhp, ozone	1-20 amp
Microbubbles	Microbubbles pump	1-15 amp
Ultra Whirlpool	2-bhp pump x 2, inline heater, ozone	2-20 amp
Air Massage	heated blower	1-15 amp
Air Massage Elite	heated blower, chromatherapy	1-15 amp
Air Massage w/ Stream Bath	½-bhp pump, heated blower, ozone	1-20 amp
Air Massage Elite w/ Stream Bath	½-bhp pump, heated blower, chromatherapy, ozone	1-20 amp

Electrical requirements may change with the addition of optional therapy components. See specific option details or installation information. CSA Certified C/US; B45.5/IAPMO ANSI Z124.1 and ANSI 112.19.7

Hydrotherapy Package	Components Included	GFCI / 110V
Microbubbles with Air	Microbubbles pump, heated blower	1-20 amp
Microbubbles with Air Elite	Microbubbles pump, heated blower, chromatherapy	2-15 amp
Air with Whirlpool	2-bhp pump, heated blower	2-15 amp
Air with Ultra Whirlpool	2-bhp pump x 2, inline heater, heated blower, ozone	2-20 amp
Air Elite with Whirlpool	2-bhp pump, heated blower, chromatherapy	2-15 amp
Air Elite with Ultra Whirlpool	2-bhp pump x 2, inline heater, heated blower, chromatherapy, ozone	2-20 amp

See the Installation & Operation Manual for more details.
MTI's Customer Service Monday-Friday 8am-6pm EST
800-783-8827 or service@mtibaths.com

- Before discarding tub crate, check for accessories that may be packaged inside.
- All product measurements are ±1/2".
- Specifications and configurations are subject to change without notice.
- Measurements herein supersede all others published prior to publication date below.





Shown with optional
integral armrests

Designer Collection Tubs

New Yorker 2

MODEL 56

65.5" x 41.5" x 22.75"

- Aromatherapy is eliminated for undermount applications
- Air Baths, Pre-Leveled Foam Base or Frame Systems increase overall height by 2-3".

Hydrotherapy Packages	Package Contents	Acrylic CXL®		DoloMatte®	
		Part #	MSRP	Part #	MSRP
Soaker	Soaking bath - no jets	S56-DI	\$2,980	S56DM-DI	\$3,535
		S56-UM		S56DM-UM	
Stream Bath	6 side vents, 2 end vents, 1/2 bhp pump, Ozone	SM56-DI	\$5,340	SM56DM-DI	\$5,895
		SM56-UM		SM56DM-UM	
Microbubbles	1 microbubbles infusion port and pump	M56-DI	\$6,060	M56DM-DI	\$6,615
		M56-UM		M56DM-UM	
Air Massage	20 air jets, heated air blower, Aromatherapy, pre-leveled foam base	AST56-DI	\$6,365	AST56DM-DI	\$6,920
		AST56-UM		AST56DM-UM	
Air Massage Elite	30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AE56-DI	\$8,125	AE56DM-DI	\$8,680
		AE56-UM		AE56DM-UM	
Stream Bath with Air Massage	6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base	ASTSM56-DI	\$8,260	ASTSM56DM-DI	\$8,815
		ASTSM56-UM		ASTSM56DM-UM	
Stream Bath with Air Massage Elite	6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AESM56-DI	\$10,205	AESM56DM-DI	\$10,760
		AESM56-UM		AESM56DM-UM	
Microbubbles with Air Massage	1 microbubbles infusion port and pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base	ASTM56-DI	\$8,885	ASTM56DM-DI	\$9,440
		ASTM56-UM		ASTM56DM-UM	
Microbubbles with Air Massage Elite	1 microbubbles infusion port and pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AEM56-DI	\$10,555	AEM56DM-DI	\$11,110
		AEM56-UM		AEM56DM-UM	
Standard Whirlpool	6 point-massage jets, 2-bhp pump	P56-DI	\$5,175	P56DM-DI	\$5,730
		P56-UM		P56DM-UM	
Ultra Whirlpool	6 point-massage jets, 12 micro-jets with Tsubo massage, 2 2-bhp pumps, inline heater, Ozone	P56U-DI	\$7,025	P56UDM-DI	\$7,580
		P56U-UM		P56UDM-UM	
Air Massage with Standard Whirlpool	6 point-massage jets, 2-bhp pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base	AW56-DI	\$8,555	AW56DM-DI	\$9,110
		AW56-UM		AW56DM-UM	
Air Massage with Ultra Whirlpool	6 point-massage jets, 12 micro-jets with Tsubo massage, 2 2-bhp pumps, inline heater, 20 air jets, heated air blower, Aromatherapy, Ozone, pre-leveled foam base	AU56-DI	\$10,405	AU56DM-DI	\$10,960
		AU56-UM		AU56DM-UM	
Air Massage Elite with Standard Whirlpool	6 point-massage jets, 2-bhp pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AEAP56-DI	\$10,320	AEAP56DM-DI	\$10,875
		AEAP56-UM		AEAP56DM-UM	
Air Massage Elite with Ultra Whirlpool	6 point-massage jets, 12 micro-jets with Tsubo massage, 2 2-bhp pumps, inline heater, 30 air jets, heated air blower, Aromatherapy, Ozone, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AEAP56U-DI	\$11,335	AEAP56UDM-DI	\$11,890
		AEAP56U-UM		AEAP56UDM-UM	

RECOMMENDED SENSORY THERAPIES

Chromatherapy

(LE) **\$840** underwater lighting
2 LED lights included

Audiotherapy

(STEREOBT) **\$1,460** 2 transducers
with bluetooth and amplifier
(BTREMOTE) **\$630** bluetooth remote

(STEREOH202) **\$1,655** 4 transducers
amplifier not included

Thermaltherapy

(RAD100) **\$1,675** Radiance®
2 heated zones included
(HTISOAK) **\$865**

For more information on options and accessories
go to Acrylic Tub Options at mtibaths.com

New Yorker 2 MODEL 56

Options <i>Must be ordered at time of purchase.</i>
Standard Colors White (CWH) DoloMatte available in matte white only. Biscuit (CBS) Not available for DoloMatte.
Quick Ship reduces lead time (QSPRI) \$450 <i>Please call for availability</i>
Inline Heater maintains water temperature For Soaker or Air Baths (HTISOAK) \$865 Includes a recirculating pump <i>Cannot be combined with Microbubbles.</i>
Virtual Spout high-flow integrated tub filler (FPMJ) \$475 <i>Virtual Spout location is left of the overflow, unless otherwise specified on order.</i>
Grab Bars from \$345 <i>Selections vary. Personalization available.</i>
Textured Bottom (TXTBTM) Acrylic CXL® only \$110 DoloMatte® exceeds ANSI A137.1/A326.3 and AS HB198 slip tests.
Integral Armrests - 2 pair (INTARM2) \$310 center drain tub models
Accessories
Pillows from \$190
Teak Bath Mat (TKMAT3018) \$840 <i>Custom sizes also available. Contact MTI for details and pricing.</i>
Teak Tub Tray Slatted (TK-TRAY1) \$515 Solid (TK-TRAY2) \$585

Hydrotherapy Equipment & Cleaning Systems <i>Must be ordered at time of purchase.</i>
Inline Heater maintains water temperature For Whirlpools or Stream Bath (HTI) \$600 Uses existing pump <i>Cannot be combined with Microbubbles.</i>
Whirlpool Cleaning System Fill-Flush (FFSO) \$620 <i>Must specify stub-out location on order. See page 1 for location options.</i>
Whirlpool Jets Pump upgrade may be advisable for optimal performance when adding jets. Point-Massage Jet Extra Point-Massage Jet (EJ) \$330 Micro-Jet from \$380 <i>Jet styles and packages vary. Personalization available.</i>
Pump Upgrade - 3-bhp (PUMP3) \$330
Jet Trim Kits For Standard Whirlpool Chrome (TRC) \$285 , Brushed Nickel (TRBN) \$760 For Ultra Whirlpool Chrome (TRCU) \$390 , Brushed Nickel (TRBNU) \$1,010
Ozonator (OZONE) \$540 <i>Cannot be added to soakers or airbaths without combination hydrotherapy package or HTISOAK.</i>

Installation Options <i>Must be ordered at time of purchase.</i>
Pre-Leveled Foam Base (PLFOAM) \$310 All airbaths include a pre-leveled foam base.

Drains & Overflow Kits <i>Toe Tap Rectangular Overflow must be ordered at time of purchase</i>		
Cable Driven Drain Finishes – PVC Drain Kit White/Biscuit (WOCDW) \$460 Chrome (WOC) \$430 Brushed Nickel (WOCDBN) \$515 Polished Nickel (WOCDPN) \$565 Oil-Rubbed Bronze+ (WOCDBR) \$580 Polished Brass (WOCDBR) \$725 Special Finishes* (WOCDSF) \$1,190 <i>MTI does not offer a brass body cable drain kit.</i>	Toe Tap Round Overflow – PVC Drain Kit Chrome (WOTTC) \$400 Brushed Nickel (WOTBN) \$405 Polished Nickel (WOTPN) \$405 Special Finishes* (WOTTSF) \$1,200 Round Overflow – Solid Brass Drain Chrome (WOTSBC) \$850 Brushed Nickel (WOTSBBN) \$850 Polished Nickel (WOTSBN) \$850	Toe Tap Rectangular Overflow – PVC Drain Kit Chrome (WOTRC) \$495 Brushed Nickel (WOTRBN) \$450 White (WOTRW) \$550 Lift & Turn Drain Finishes – PVC Drain Kit Chrome (WOC) \$195 White (WOW) \$255 Brushed Nickel (WOB) \$320
Slim-Line Overflow with Toe Tap Drain <i>Must be ordered at time of purchase.</i> • Low profile overflow is factory installed • Overflow measures 4.5" x 1" • Provides a deeper soak • Not available for commercial applications	Slim-Line Overflow with Toe Tap Drain PVC Drain Chrome (SLOT) \$525 Brushed Nickel (SLOTBN) \$555 Polished Nickel (SLOTBN) \$585 White (SLOTW) \$450	Slim-Line Overflow with Toe Tap Drain Solid Brass Drain Chrome (SLOTSBC) \$975 Brushed Nickel (SLOTSBBN) \$980 Polished Nickel (SLOTSBN) \$980 White (SLOTSBW) \$1,015

* MTI has selected an oil-rubbed bronze finish that is compatible with Delta and many other manufacturers.
To ensure best match, order as a Special Finish and submit a sample.

* Allow 2-4 weeks lead time for Special Finishes.
Send sample for best match.

