

Dimensional Document

Viega ProPress®




This document is subject to updates. For the most current Viega technical literature, please visit www.viega.us.




Viega products are designed to be installed by licensed and trained plumbing and mechanical professionals who are familiar with Viega products and their installation. **Installation by non-professionals may void Viega LLC's warranty.**

Viega ProPress 90° Elbow Copper P x P – Model 2916




Part No.	Size (in)	A (in)		L (in)	
		Dec	Frac	Dec	Frac
77317	1/2 x 1/2	0.75	3/4	1.50	1 1/2
77022	3/4 x 3/4	0.76	3/4	1.67	1 11/16
77027	1 x 1	1.28	1 1/4	2.19	2 3/16
77032	1 1/4 x 1 1/4	1.28	1 1/4	2.31	2 5/16
77037	1 1/2 x 1 1/2	1.29	1 5/16	2.72	2 3/4
77042	2 x 2	2.16	2 3/16	3.74	3 3/4

Viega ProPress 90° Elbow P x P – Model 0916XL




Part No.	Size (in)	A (in)		L (in)	
		Dec	Frac	Dec	Frac
20623	2 1/2 x 2 1/2	3.19	3 3/16	4.88	4 7/8
20628	3 x 3	3.76	3 3/4	5.73	5 3/4
20633	4 x 4	4.90	4 7/8	7.26	7 1/4

Viega ProPress 90° Street Elbow Copper P x FTG – Model 2916.1




Part No.	Size (in)		A (in)		L (in)		L1 (in)	
	1	2	Dec	Frac	Dec	Frac	Dec	Frac
77347	1/2	1/2	0.75	3/4	1.50	1 1/2	1.54	1 9/16
77052	3/4	3/4	0.76	3/4	1.67	1 11/16	1.83	1 13/16
77057	1	1	1.28	1 1/4	2.19	2 3/16	2.27	2 1/4
77062	1 1/4	1 1/4	1.28	1 1/4	2.31	2 5/16	2.48	2 1/2
77067	1 1/2	1 1/2	1.29	1 5/16	2.72	2 3/4	2.80	2 13/16
77072	2	2	2.16	2 3/16	3.74	3 3/4	3.78	3 3/4

Viega ProPress 90° Street Elbow P x FTG – Model 0916.1XL




Part No.	Size (in)		A (in)		L (in)		L1 (in)	
	1	2	Dec	Frac	Dec	Frac	Dec	Frac
20638	2 1/2	2 1/2	3.19	3 3/16	4.88	4 7/8	4.80	4 13/16
20643	3	3	3.76	3 3/4	5.73	5 3/4	5.63	5 5/8
20648	4	4	4.90	4 7/8	7.26	7 1/4	7.13	7 1/8

Viega ProPress 90° Reducing Elbow Copper P x P – Model 2916.3




Part No.	Size (in)		A (in)		A1 (in)		L (in)		L1 (in)	
	1	2	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
77325	3/4	1/2	0.91	15/16	0.94	15/16	1.81	1 13/16	1.69	1 11/16
77330	1	3/4	1.20	1 3/16	1.30	1 5/16	2.11	2 1/8	2.21	2 3/16

Viega ProPress 90° Extended Street Elbow Copper P x FTG – Model 2947




Part No.	Size (in)		A (in)		L (in)		L1 (in)	
	1	2	Dec	Frac	Dec	Frac	Dec	Frac
77353	3/4	3/4	1.02	1	1.93	1 15/16	5.98	6

Viega ProPress 90° Elbow Zero Lead Bronze P x FPT – Model 2914.2ZL




Part No.	Size (in)		A (in)		A1 (in)		L (in)		L1 (in)	
	1	2	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
79520	1/2	x 3/8 FPT	0.94	15/16	0.42	7/16	1.77	1 3/4	0.83	13/16
79525	1/2	x 1/2 FPT	0.94	15/16	0.57	9/16	1.77	1 3/4	1.10	1 1/8
79530	1/2	x 3/4 FPT	1.06	1 1/16	0.51	1/2	1.89	1 7/8	1.06	1 1/16
79535	3/4	x 1/2 FPT	1.06	1 1/16	0.65	5/8	1.97	2	1.18	1 3/16
79540	3/4	x 3/4 FPT	1.06	1 1/16	0.57	9/16	1.97	2	1.12	1 1/8
79545	1	x 1/2 FPT	1.06	1 1/16	0.72	3/4	1.97	2	1.26	1 1/4
79550	1	x 1 FPT	1.34	1 5/16	0.76	3/4	2.24	2 1/4	1.42	1 7/16
79560	1 1/4	x 1 1/4 FPT	1.54	1 9/16	0.89	7/8	2.56	2 9/16	1.57	1 9/16
79565	1 1/2	x 1 1/2 FPT	1.69	1 11/16	1.05	1 1/16	3.11	3 1/8	1.73	1 3/4
79570	2	x 2 FPT	2.17	2 3/16	1.35	1 3/8	3.74	3 3/4	2.05	2 1/16

Viega ProPress Vent Elbow Zero Lead Bronze P x P x FPT – Model 2917.3ZL




Part No.	Size (in)			A (in)		A1 (in)		A2 (in)		L (in)		L1 (in)		L2 (in)	
	1	2	3	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
79635	1/2	x 1/2	x 1/8 FPT	0.67	1 1/16	0.67	1 1/16	0.44	7/16	1.50	1 1/2	1.50	1 1/2	0.71	1 1/16
79640	3/4	x 3/4	x 1/8 FPT	0.83	1 3/16	0.83	1 3/16	0.54	9/16	1.73	1 3/4	1.73	1 3/4	0.81	1 3/16

Viega ProPress 90° Hi Ear Elbow Zero Lead Bronze P x FPT – Model 2925.2ZL




Part No.	Size (in)		A (in)		A1 (in)		L (in)		L1 (in)		L2 (in)	
	1	2	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
79205	1/2	x 1/2 FPT	0.94	15/16	0.57	9/16	1.77	1 3/4	1.10	1 1/8	1.07	1 1/16

Viega ProPress 90° Drop Ear Elbow Zero Lead Bronze P X FPT – Model 2925.5ZL




Part No.	Size (in)		A (in)		L (in)		L1 (in)		L2 (in)		L3 (in)	
	1	2	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
79185	1/2 x 3/8 FPT		0.94	15/16	1.77	13/4	0.74	3/4	0.83	3/16	0.67	11/16
79190	1/2 x 1/2 FPT		0.94	15/16	1.77	13/4	0.74	3/4	1.10	11/8	0.67	11/16
79195	3/4 x 3/4 FPT		1.06	11/16	1.97	2	0.83	13/16	1.12	11/8	0.83	13/16

Viega ProPress Double Drop Elbow Zero Lead Bronze P x P x FPT – Model 2928.7ZL




Part No.	Size (in)			A (in)		L (in)		L1 (in)		L2 (in)		L3 (in)		L4 (in)	
	1	2	3	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
78800	1/2 x 1/2 x 1/2 FNPT			1.34	15/16	2.17	23/16	1.97	2	1.10	11/8	0.67	11/16	1.57	19/16
78802	3/4 x 3/4 x 1/2 FNPT			1.54	19/16	2.44	27/16	1.97	2	1.10	11/8	0.83	13/16	2.05	21/16
78801	3/4 x 3/4 x 3/4 FNPT			1.54	19/16	2.44	27/16	1.97	2	1.12	11/8	0.83	13/16	1.89	17/8
78803	1 x 1 x 1/2 FNPT			1.77	13/4	2.68	211/16	2.36	23/8	1.10	11/8	0.87	7/8	2.52	11/2

Viega ProPress 45° Elbow Copper P x P – Model 2926




Part No.	Size (in)		A (in)		L (in)	
	1	1	Dec	Frac	Dec	Frac
77607	1/2 x 1/2		0.30	5/16	1.04	11/16
77023	3/4 x 3/4		0.36	3/8	1.26	11/4
77028	1 x 1		0.47	1/2	1.38	13/8
77033	11/4 x 11/4		0.58	9/16	1.61	15/8
77038	11/2 x 11/2		0.65	5/8	2.08	21/16
77043	2 x 2		0.86	7/8	2.44	27/16

Viega ProPress 45° P x P – Model 0926XL




Part No.	Size (in)		A (in)		L (in)	
	1	1	Dec	Frac	Dec	Frac
20653	2½	2½	1.48	1½	3.18	3¾
20658	3	3	1.73	1¾	3.70	3⅞
20663	4	4	1.96	1⅝	4.63	4⅞

Viega ProPress 45° Street Elbow Copper P x FTG – Model 2926.1




Part No.	Size (in)		A (in)		L (in)		L1 (in)	
	1	2	Dec	Frac	Dec	Frac	Dec	Frac
77637	½	½	0.31	5/16	1.06	1⅛	1.10	1⅛
77053	¾	¾	0.36	3/8	1.26	1¼	1.30	1⅝
77058	1	1	0.47	½	1.38	1⅜	1.49	1½
77063	1¼	1¼	0.58	9/16	1.61	1⅝	1.67	1⅞
77068	1½	1½	0.65	5/8	2.08	2⅛	2.04	2⅛
77073	2	2	0.86	7/8	2.44	2⅞	2.54	2⅞

Viega ProPress 45° Street Elbow P x FTG – Model 0926.1XL




Part No.	Size (in)		A (in)		L (in)		L1 (in)	
	1	2	Dec	Frac	Dec	Frac	Dec	Frac
20668	2½	2½	1.48	1½	3.18	3¾	3.10	3⅞
20673	3	3	1.73	1¾	3.70	3⅞	3.60	3⅞
20678	4	4	2.23	2¼	4.59	4⅞	4.45	4⅞

Viega ProPress Tee Copper P x P x P – Model 2918



This drawing applies to all part numbers in the below table
except for 77377, 77387, 77402, 77412, 77432, and 77437.




This drawing **only applies** to part numbers 77377, 77387,
77402, 77412, 77432, and 77437.


Part No.	Size (in)			A (in)		A1 (in)		A2 (in)		L (in)		L1 (in)		L2 (in)	
	1	2	3	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
77377	1/2	x 1/2	x 1/2	0.52	1/2	0.52	1/2	0.50	1/2	1.50	1 1/2	1.50	1 1/2	1.25	1 1/4
77382	1/2	x 1/2	x 3/4	0.91	15/16	0.91	15/16	0.59	9/16	1.65	1 5/8	1.65	1 5/8	1.50	1 1/2
15493	1/2	x 1/2	x 1	1.10	1 1/8	1.10	1 1/8	0.55	9/16	1.85	1 7/8	1.85	1 7/8	1.46	1 7/16
77387	3/4	x 3/4	x 3/4	0.63	5/8	0.63	5/8	0.59	9/16	1.75	1 3/4	1.75	1 3/4	1.50	1 1/2
77392	3/4	x 1/2	x 1/2	0.69	1 1/16	0.98	1	0.63	5/8	1.59	1 9/16	1.73	1 3/4	1.38	1 3/8
77397	3/4	x 1/2	x 3/4	0.85	7/8	1.14	1 3/16	0.59	9/16	1.75	1 3/4	1.89	1 7/8	1.50	1 1/2
77402	3/4	x 3/4	x 1/2	0.46	7/16	0.46	7/16	0.63	5/8	1.59	1 9/16	1.59	1 9/16	1.38	1 3/8
77407	3/4	x 3/4	x 1	0.97	1	0.97	1	0.63	5/8	1.87	1 7/8	1.87	1 7/8	1.54	1 9/16
77412	1	x 1	x 1	0.71	1 1/16	0.71	1 1/16	0.79	13/16	1.87	1 7/8	1.87	1 7/8	1.69	1 11/16
22263	1	x 1/2	x 3/4	0.85	7/8	1.24	1 1/4	0.75	3/4	1.76	1 3/4	1.99	2	1.66	1 11/16
94767	1	x 1/2	x 1	0.97	1	1.52	1 1/2	0.79	13/16	1.87	1 7/8	2.26	2 1/4	1.69	1 11/16
77417	1	x 3/4	x 1/2	0.69	1 1/16	0.89	7/8	0.79	13/16	1.59	1 9/16	1.79	1 13/16	1.54	1 9/16
77422	1	x 3/4	x 3/4	0.85	7/8	1.04	1 1/16	0.75	3/4	1.75	1 3/4	1.95	1 15/16	1.65	1 5/8
77427	1	x 3/4	x 1	0.97	1	1.18	1 3/16	0.78	3/4	1.87	1 7/8	2.07	2 1/16	1.69	1 11/16
77432	1	x 1	x 1/2	0.47	1/2	0.47	1/2	0.79	13/16	1.59	1 9/16	1.59	1 9/16	1.54	1 9/16
77437	1	x 1	x 3/4	0.56	9/16	0.56	9/16	0.75	3/4	1.75	1 3/4	1.75	1 3/4	1.65	1 5/8
15488	1	x 1	x 1 1/4	1.16	1 3/16	1.16	1 3/16	0.84	13/16	2.07	2 1/16	2.07	2 1/16	1.87	1 7/8
77442	1 1/4	x 1 1/4	x 1 1/4	1.02	1	1.02	1	0.86	7/8	2.05	2 1/16	2.05	2 1/16	1.89	1 7/8
22253	1 1/4	x 1/2	x 1 1/4	1.02	1	1.77	1 3/4	0.87	7/8	2.05	2 1/16	2.52	2 1/2	1.89	1 7/8
22243	1 1/4	x 3/4	x 1/2	0.64	5/8	1.13	1 1/8	0.93	15/16	1.68	1 11/16	2.03	2 1/16	1.68	1 11/16
22258	1 1/4	x 3/4	x 3/4	0.76	3/4	1.30	1 5/16	0.87	7/8	1.80	1 13/16	2.21	2 3/16	1.78	1 3/4
22268	1 1/4	x 3/4	x 1	0.88	7/8	1.40	1 3/8	0.91	15/16	1.91	1 15/16	2.31	2 5/16	1.82	1 13/16
22248	1 1/4	x 3/4	x 1 1/4	1.02	1	1.54	1 9/16	0.86	7/8	2.05	2 1/16	2.45	2 7/16	1.89	1 7/8
22238	1 1/4	x 1	x 1/2	0.64	5/8	0.91	15/16	0.93	15/16	1.68	1 11/16	1.82	1 13/16	1.68	1 11/16
94762	1 1/4	x 1	x 3/4	0.76	3/4	1.14	1 1/8	0.87	7/8	1.79	1 13/16	2.05	2 1/16	1.77	1 3/4
14568	1 1/4	x 1	x 1	0.88	7/8	1.28	1 1/4	0.91	15/16	1.91	1 15/16	2.19	2 3/16	1.81	1 13/16
94757	1 1/4	x 1 1/4	x 1/2	0.65	5/8	0.65	5/8	0.93	15/16	1.67	1 11/16	1.67	1 11/16	1.67	1 11/16
77452	1 1/4	x 1 1/4	x 3/4	0.77	3/4	0.77	3/4	0.89	7/8	1.79	1 13/16	1.79	1 13/16	1.77	1 3/4
77447	1 1/4	x 1 1/4	x 1	0.88	7/8	0.88	7/8	0.90	7/8	1.91	1 15/16	1.91	1 15/16	1.81	1 13/16
77457	1 1/2	x 1 1/2	x 1 1/2	1.13	1 1/8	1.13	1 1/8	1.13	1 1/8	2.56	2 9/16	2.56	2 9/16	2.56	2 9/16

continued on next page

Viega ProPress Tee Copper P x P x P – Model 2918, continued




Part No.	Size (in)			A (in)		A1 (in)		A2 (in)		L (in)		L1 (in)		L2 (in)	
	1	2	3	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
79660	1½	1	¾	0.67	1¹⁄₁₆	1.39	1¾	1.16	1¾	2.17	2¾	2.44	2¾	2.05	2¹⁄₁₆
15458	1½	1	1	0.74	¾	1.54	1¹⁹⁄₁₆	1.06	1¹⁄₁₆	2.17	2¾	2.44	2¾	1.97	2
15463	1½	1	1½	1.13	1¹⁄₈	1.83	1¹³⁄₁₆	1.13	1¹⁄₈	2.56	2⁹⁄₁₆	2.74	2¾	2.56	2⁹⁄₁₆
22233	1½	1¼	¾	0.67	1¹⁄₁₆	1.08	1¹⁄₁₆	1.15	1¹⁄₈	2.09	2¹⁄₁₆	2.11	2¹⁄₈	2.05	2¹⁄₁₆
15453	1½	1¼	1	0.74	¾	1.29	1⁵⁄₁₆	1.18	1¾	2.17	2¾	2.32	2⁵⁄₁₆	2.09	2¹⁄₁₆
15483	1½	1¼	1¼	0.86	⅞	1.33	1⁵⁄₁₆	1.13	1¹⁄₈	2.28	2¼	2.36	2¾	2.17	2¾
15448	1½	1½	½	0.47	½	0.47	½	1.10	1¹⁄₈	1.89	1⅞	1.89	1⅞	1.85	1⅞
77462	1½	1½	¾	0.66	1¹⁄₁₆	0.66	1¹⁄₁₆	1.14	1¹⁄₈	2.09	2¹⁄₁₆	2.09	2¹⁄₁₆	2.05	2¹⁄₁₆
77467	1½	1½	1	0.74	¾	0.74	¾	1.18	1¾	2.17	2¾	2.17	2¾	2.09	2¹⁄₁₆
77472	1½	1½	1¼	0.86	⅞	0.86	⅞	1.13	1¹⁄₈	2.28	2¼	2.28	2¼	2.17	2¾
77477	2	2	2	1.37	1¾	1.37	1¾	1.37	1¾	2.95	2¹⁵⁄₁₆	2.95	2¹⁵⁄₁₆	2.95	2¹⁵⁄₁₆
15518	2	1¼	1¼	0.94	1⁵⁄₁₆	1.84	1¹³⁄₁₆	1.33	1⁵⁄₁₆	2.52	2½	2.87	2⅞	2.36	2¾
15513	2	1½	¾	0.70	1¹⁄₁₆	1.25	1¼	1.38	1¾	2.28	2¼	2.68	2¹¹⁄₁₆	2.28	2¼
15498	2	1½	1	0.82	1³⁄₁₆	1.45	2⁷⁄₁₆	1.38	1¾	2.40	2¾	2.87	2⅞	2.28	2¼
15508	2	1½	1¼	0.94	1⁵⁄₁₆	1.55	1⁹⁄₁₆	1.49	1½	2.52	2½	2.97	3	2.52	2½
15503	2	1½	1½	1.13	1¹⁄₈	1.65	1⁵⁄₈	1.37	1¾	2.72	2¾	3.07	3¹⁄₁₆	2.80	2¹³⁄₁₆
22228	2	1½	2	1.38	1¾	1.89	1⅞	1.38	1¾	2.95	2¹⁵⁄₁₆	3.33	3⁵⁄₁₆	2.95	2¹⁵⁄₁₆
15538	2	2	½	0.54	⁹⁄₁₆	0.54	⁹⁄₁₆	1.30	1⁵⁄₁₆	2.13	2⅞	2.13	2⅞	2.05	2¹⁄₁₆
94777	2	2	¾	0.79	1³⁄₁₆	0.79	1³⁄₁₆	1.26	1¼	2.37	2¾	2.37	2¾	2.17	2¾
94772	2	2	1	0.91	1⁵⁄₁₆	0.91	1⁵⁄₁₆	1.30	1⁵⁄₁₆	2.49	2½	2.49	2½	2.21	2¾
77487	2	2	1¼	1.04	1¹⁄₁₆	1.04	1¹⁄₁₆	1.37	1¾	2.62	2⁵⁄₈	2.62	2⁵⁄₈	2.40	2¾
77482	2	2	1½	1.13	1¹⁄₈	1.13	1¹⁄₈	1.37	1¾	2.72	2¾	2.72	2¾	2.80	2¹³⁄₁₆

Viega ProPress Tee P x P x P – Model 0918XL


Part No.	Size (in)			A (in)		A1 (in)		A2 (in)		L (in)		L1 (in)		L2 (in)	
	1	2	3	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Dec
22317	2½	x ¾	x 2½	1.83	1⅜	1.91	1⅝	3.35	3⅞	3.52	3½	3.60	3⅝	4.25	4¼
20689	2½	x 1	x 2½	1.83	1⅜	1.91	1⅝	3.25	3¼	3.52	3½	3.60	3⅝	4.15	4⅛
20694	2½	x 1¼	x 2½	1.83	1⅜	1.91	1⅝	3.20	1⅜	3.52	3½	3.60	3⅝	4.23	4¼
20699	2½	x 1½	x 2½	1.83	1⅜	1.91	1⅝	3.14	2⅛	3.52	3½	3.60	3⅝	4.57	4⅞
22316	2½	x 2	x ¾	1.04	1⅛	1.76	1¾	1.59	1⅞	2.74	2¾	2.67	2⅞	3.17	3⅜
20709	2½	x 2	x 1	1.04	1⅛	1.77	1¾	1.65	1⅝	2.74	2¾	2.67	2⅞	3.24	3¼
22283	2½	x 2	x 1½	1.30	1⅝	1.78	1¾	2.07	2⅞	2.99	3	3.20	1⅜	3.66	3⅞
22278	2½	x 2	x 2	1.50	1½	1.78	1¾	2.25	2¼	3.19	3⅜	3.36	3⅞	3.83	3⅞
20714	2½	x 2	x 2½	1.83	1⅜	1.91	1⅝	2.41	2⅞	3.52	3½	3.60	3⅝	4.00	4
22311	2½	x 2½	x ½	0.91	1⅝	1.60	1⅝	0.91	1⅝	2.60	2⅝	2.35	2⅝	2.60	2⅝
22309	2½	x 2½	x ¾	0.91	1⅝	1.66	1⅞	0.91	1⅝	2.60	2⅝	2.56	2⅞	2.60	2⅝
22293	2½	x 2½	x 1	1.04	1⅛	1.77	1¾	1.04	1⅞	2.74	2¾	2.68	2⅞	2.74	2¾
22288	2½	x 2½	x 1¼	1.16	1⅜	1.76	1¾	1.16	1⅜	2.85	2⅞	2.79	2⅞	2.85	2⅞
20803	2½	x 2½	x 1½	1.30	1⅝	1.78	¾	1.30	1⅝	2.99	3	3.21	3⅞	2.99	3
20688	2½	x 2½	x 2	1.54	1⅞	1.75	¾	1.54	1⅞	3.23	3¼	3.34	3⅞	3.23	3¼
20683	2½	x 2½	x 2½	1.83	1⅜	1.94	1⅝	1.83	1⅜	3.52	3½	3.63	3⅝	3.52	3½
22318	3	x ¾	x 3	2.07	2⅞	2.15	2⅞	3.82	3⅞	4.04	4⅞	4.11	4⅞	4.72	4¾
20724	3	x 1	x 3	2.07	2⅞	2.15	2⅞	3.96	3⅞	4.04	4⅞	4.11	4⅞	4.86	4⅞
20729	3	x 1¼	x 3	2.07	2⅞	2.15	2⅞	3.83	3⅞	4.04	4⅞	4.11	4⅞	4.86	4⅞
20727	3	x 1½	x 3	2.07	2⅞	2.15	2⅞	3.71	3⅞	4.04	4⅞	4.11	4⅞	5.14	5⅞
20732	3	x 2	x 2	1.56	1⅞	2.03	2⅞	2.33	2⅝	3.52	3½	3.61	3⅝	3.92	3⅞
20734	3	x 2	x 2½	1.85	1⅞	2.15	2⅞	2.63	2⅝	3.82	3⅞	3.85	3⅞	4.21	4¾
20739	3	x 2	x 3	2.07	2⅞	2.15	2⅞	2.84	2⅞	4.04	4⅞	4.11	4⅞	4.43	4⅞
20744	3	x 2½	x 2	1.56	1⅞	2.03	2⅞	2.07	2⅞	3.52	3½	3.61	3⅝	3.76	3¾
20749	3	x 2½	x 2½	1.85	1⅞	2.15	2⅞	2.56	2⅞	3.82	3⅞	3.85	3⅞	4.25	4¼
20754	3	x 2½	x 3	2.07	2⅞	2.15	2⅞	2.78	2¾	4.04	4⅞	4.11	4⅞	4.47	4½
22315	3	x 3	x ½	0.93	1⅝	1.85	1⅞	0.93	1⅝	2.89	2⅞	2.60	2⅝	2.89	2⅞
22310	3	x 3	x ¾	0.93	1⅝	1.91	1⅝	0.93	1⅝	2.89	2⅞	2.81	2⅞	2.89	2⅞
22308	3	x 3	x 1	1.06	2⅞	2.02	2	1.06	1⅞	3.03	3⅞	2.92	2⅞	3.03	3⅞
22313	3	x 3	x 1¼	1.18	1⅞	2.01	2	1.18	1⅞	3.15	3⅞	3.04	3⅞	3.15	3⅞
20798	3	x 3	x 1½	1.32	1⅞	2.03	2⅞	1.32	1⅞	3.29	3⅞	3.45	3⅞	3.29	3⅞


continued on next page

Viega ProPress Tee P x P x P – Model 0918XL, continued




Part No.	Size (in)			A (in)		A1 (in)		A2 (in)		L (in)		L1 (in)		L2 (in)	
	1	2	3	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
20698	3	3	2	1.56	1 ⁹ / ₁₆	2.00	2	1.56	1 ⁹ / ₁₆	3.52	3 ¹ / ₂	3.59	3 ⁹ / ₁₆	3.52	2 ¹ / ₂
20703	3	3	2 ¹ / ₂	1.85	1 ⁷ / ₈	2.15	2 ¹ / ₈	1.85	1 ⁷ / ₈	3.82	3 ¹³ / ₁₆	3.85	3 ⁷ / ₈	3.82	3 ¹³ / ₁₆
20693	3	3	3	2.07	2 ¹ / ₁₆	2.21	2 ³ / ₁₆	2.07	2 ¹ / ₁₆	4.04	4 ¹ / ₁₆	4.18	4 ³ / ₁₆	4.04	4 ¹ / ₁₆
20774	4	3	2	1.59	1 ⁹ / ₁₆	2.57	2 ⁹ / ₁₆	3.33	3 ⁵ / ₁₆	3.96	3 ¹⁵ / ₁₆	4.15	4 ¹ / ₈	5.22	5 ¹ / ₄
20784	4	3	3	2.11	2 ¹ / ₈	2.66	2 ¹¹ / ₁₆	3.84	3 ¹³ / ₁₆	4.47	4 ¹ / ₂	4.63	4 ⁵ / ₈	5.81	5 ¹³ / ₁₆
22314	4	4	1 ¹ / ₂	1.08	1 ¹ / ₁₆	2.35	2 ³ / ₈	1.08	1 ¹ / ₁₆	3.45	3 ⁷ / ₁₆	3.10	3 ¹ / ₈	3.45	3 ⁷ / ₁₆
22312	4	4	3 ⁴ / ₄	1.08	1 ¹ / ₁₆	2.41	2 ⁷ / ₁₆	1.08	1 ¹ / ₁₆	3.45	3 ⁷ / ₁₆	3.31	3 ⁵ / ₁₆	3.45	3 ⁷ / ₁₆
20794	4	4	1	1.36	1 ³ / ₈	2.52	2 ¹ / ₂	1.36	1 ³ / ₈	3.72	3 ³ / ₄	3.42	3 ⁷ / ₁₆	3.72	3 ³ / ₄
20795	4	4	1 ¹ / ₄	1.36	1 ³ / ₈	2.50	2 ¹ / ₂	1.36	1 ³ / ₈	3.72	3 ³ / ₄	3.54	3 ⁹ / ₁₆	3.72	3 ³ / ₄
20808	4	4	1 ¹ / ₂	1.36	1 ³ / ₈	2.52	2 ¹ / ₂	1.36	1 ³ / ₈	3.72	3 ³ / ₄	3.95	3 ¹⁵ / ₁₆	3.72	3 ³ / ₄
20713	4	4	2	1.59	1 ⁹ / ₁₆	2.53	2 ¹ / ₂	1.59	1 ⁹ / ₁₆	3.96	3 ¹⁵ / ₁₆	4.11	4 ¹ / ₈	3.96	3 ¹⁵ / ₁₆
20718	4	4	2 ¹ / ₂	1.89	1 ⁷ / ₈	2.65	2 ¹¹ / ₁₆	1.89	1 ⁷ / ₈	4.25	4 ¹ / ₄	4.35	4 ³ / ₈	4.25	4 ¹ / ₄
20723	4	4	3	2.11	2 ¹ / ₈	2.69	2 ¹¹ / ₁₆	2.11	2 ¹ / ₈	4.47	4 ¹ / ₂	4.65	4 ⁵ / ₈	4.47	4 ¹ / ₂
20708	4	4	4	2.60	2 ⁵ / ₈	2.72	2 ³ / ₄	2.60	2 ⁵ / ₈	4.96	4 ¹⁵ / ₁₆	5.09	5 ¹ / ₁₆	4.96	4 ¹⁵ / ₁₆

Viega ProPress Tee Zero Lead Bronze P x P x FPT – Model 2917.2ZL




Part No.	Size (in)			A (in)		A1 (in)		L (in)		L1 (in)	
	1	2	3	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
79580	1 ¹ / ₂	1 ¹ / ₂	1 ¹ / ₂ FPT	0.79	1 ³ / ₁₆	0.69	1 ¹ / ₁₆	1.61	1 ⁵ / ₈	1.30	1 ⁵ / ₁₆
79585	3 ⁴ / ₄	3 ⁴ / ₄	1 ¹ / ₄ FPT	0.67	1 ¹ / ₁₆	0.79	1 ³ / ₁₆	1.57	1 ⁹ / ₁₆	1.18	1 ³ / ₁₆
79590	3 ⁴ / ₄	3 ⁴ / ₄	1 ¹ / ₂ FPT	0.79	1 ³ / ₁₆	0.88	7 ⁸ / ₈	1.69	1 ¹¹ / ₁₆	1.42	1 ⁷ / ₁₆
79595	3 ⁴ / ₄	3 ⁴ / ₄	3 ⁴ / ₄ FPT	0.91	1 ⁵ / ₁₆	0.59	9 ¹⁶ / ₁₆	1.81	1 ¹³ / ₁₆	1.14	1 ¹ / ₈
79760	1	1	1 ¹ / ₂ FPT	0.79	1 ³ / ₁₆	1.04	1 ¹ / ₁₆	1.69	1 ¹¹ / ₁₆	1.57	1 ⁹ / ₁₆
79765	1	1	3 ⁴ / ₄ FPT	0.91	1 ⁵ / ₁₆	1.06	1 ¹ / ₁₆	1.81	1 ¹³ / ₁₆	1.61	1 ⁵ / ₈
79770	1 ¹ / ₄	1 ¹ / ₄	1 ¹ / ₂ FPT	0.83	1 ³ / ₁₆	1.16	1 ³ / ₁₆	1.85	1 ⁷ / ₈	1.69	1 ¹¹ / ₁₆
79775	1 ¹ / ₄	1 ¹ / ₄	3 ⁴ / ₄ FPT	0.95	1 ⁵ / ₁₆	1.18	1 ³ / ₁₆	1.97	2	1.73	1 ³ / ₄
79780	1 ¹ / ₂	1 ¹ / ₂	1 ¹ / ₂ FPT	0.87	7 ⁸ / ₈	1.24	1 ¹ / ₄	2.28	2 ¹ / ₄	1.77	1 ¹³ / ₁₆
79785	1 ¹ / ₂	1 ¹ / ₂	3 ⁴ / ₄ FPT	0.94	1 ⁵ / ₁₆	1.30	1 ⁵ / ₁₆	2.36	2 ³ / ₈	1.85	1 ⁷ / ₈
79790	2	2	1 ¹ / ₂ FPT	0.98	1	1.59	1 ⁹ / ₁₆	2.56	2 ⁹ / ₁₆	2.13	2 ¹ / ₈
79795	2	2	3 ⁴ / ₄ FPT	1.06	1 ¹ / ₁₆	1.65	1 ¹¹ / ₁₆	2.64	2 ⁵ / ₈	2.20	2 ³ / ₁₆

Viega ProPress Tee P x P x FPT – Model 0917.2XL




Part No.	Size (in)			A (in)		A1 (in)		L (in)		L1 (in)	
	1	2	3	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
20883	2½	2½	¾ FPT	1.02	1	1.78	1¾	2.72	2¾	2.34	2½ ¹⁶
20878	2½	2½	2 FPT	1.54	1 ⁹ / ₁₆	1.90	1 ¹⁵ / ₁₆	3.23	3¼	2.60	2 ⁵ / ₈
20893	3	3	¾ FPT	1.04	1 ¹ / ₁₆	2.03	2 ¹ / ₁₆	3.01	3	2.59	2 ⁹ / ₁₆
20888	3	3	2 FPT	1.56	1 ⁹ / ₁₆	2.16	2 ³ / ₁₆	3.52	3½	2.85	2 ⁷ / ₈
20873	4	4	¾ FPT	1.08	1 ¹ / ₁₆	2.53	2½	3.34	3 ⁵ / ₁₆	3.09	3 ¹ / ₁₆
20868	4	4	2 FPT	1.59	1 ⁹ / ₁₆	2.69	2 ¹ / ₁₆	3.96	3 ¹⁵ / ₁₆	3.38	3 ³ / ₈

Viega ProPress Adapter Zero Lead Bronze P x MPT – Model 2911ZL




Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
79210	½	¾ MPT	0.77	¾	1.59	1 ⁹ / ₁₆
79215	½	½ MPT	0.89	7/8	1.71	1 ¹¹ / ₁₆
79220	½	¾ MPT	1.00	1	1.83	1 ¹³ / ₁₆
79225	¾	½ MPT	1.02	1	1.93	1 ¹⁵ / ₁₆
79230	¾	¾ MPT	1.02	1	1.93	1 ¹⁵ / ₁₆
79235	¾	1 MPT	1.18	1 ³ / ₁₆	2.09	2 ¹ / ₁₆
79240	1	¾ MPT	1.18	1 ³ / ₁₆	2.09	2 ¹ / ₁₆
79245	1	1 MPT	1.26	1¼	2.17	2 ³ / ₁₆
79250	1	1¼ MPT	1.54	1 ⁹ / ₁₆	2.44	2 ⁷ / ₁₆
79255	1¼	1 MPT	1.22	1¼	2.24	2¼
79260	1¼	1¼ MPT	1.34	1 ⁵ / ₁₆	2.36	2 ³ / ₈
79265	1¼	1½ MPT	1.48	1½	2.50	2½
79270	1½	1¼ MPT	1.34	1 ⁵ / ₁₆	2.76	2¾
79275	1½	1½ MPT	1.28	1¼	2.70	2 ¹¹ / ₁₆
79280	1½	2 MPT	1.65	1 ⁵ / ₈	3.07	3 ¹ / ₁₆
79285	2	1½ MPT	1.54	1 ⁹ / ₁₆	3.11	3 ¹ / ₈
79290	2	2 MPT	1.50	1½	3.07	3 ¹ / ₁₆

Viega ProPress Adapter P x MPT – Model 0911XL




Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
20823	2½	2½ MPT	2.76	2¾	4.45	4 ⁷ / ₁₆
20828	3	3 MPT	2.84	2 ¹³ / ₁₆	4.80	4 ¹³ / ₁₆
20838	4	4 MPT	3.10	3 ¹ / ₈	5.46	5 ⁷ / ₁₆

Viega ProPress Adapter Zero Lead Bronze FTG x MPT – Model 2911.1ZL




Part No.	Size (in)		Dec	L (in)	
	1	2		Dec	Frac
79375	1/2	3/8 MPT	1.75		1 3/4
79380	1/2	1/2 MPT	1.95		1 15/16
79385	1/2	3/4 MPT	2.05		2 1/16
79390	3/4	1/2 MPT	1.93		1 15/16
79395	3/4	3/4 MPT	2.05		2 1/16
79400	1	3/4 MPT	2.05		2 1/16
79405	1	1 MPT	2.22		2 1/4
79410	1 1/4	1 1/4 MPT	2.54		2 9/16
79415	1 1/2	1 1/2 MPT	2.89		2 7/8
79420	2	2 MPT	3.33		3 5/16

Viega ProPress Adapter Zero Lead Bronze P x FPT – Model 2912ZL




Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
79295	1/2	3/8 FPT	0.19	3/16	1.42	1 7/16
79300	1/2	1/2 FPT	0.25	1/4	1.61	1 5/8
79305	1/2	3/4 FPT	0.27	1/4	1.65	1 5/8
79310	3/4	1/2 FPT	0.33	5/16	1.77	1 3/4
79315	3/4	3/4 FPT	0.35	3/8	1.81	1 13/16
79320	1	1/2 FPT	0.41	7/16	1.85	1 7/8
79325	1	3/4 FPT	0.39	3/8	1.85	1 7/8
79330	1	1 FPT	0.44	7/16	2.01	2
79335	1	1 1/4 FPT	0.50	1/2	2.09	2 1/16
79340	1 1/4	1/2 FPT	0.37	3/8	1.93	1 15/16
79345	1 1/4	1 FPT	0.24	1/4	1.93	1 15/16
79350	1 1/4	1 1/4 FPT	0.34	5/16	2.05	2 1/16
79355	1 1/4	1 1/2 FPT	0.42	7/16	2.13	2 1/8
79360	1 1/2	1 1/4 FPT	0.26	1/4	2.36	2 3/8
79365	1 1/2	1 1/2 FPT	0.34	5/16	2.44	2 7/16
79370	2	2 FPT	0.41	7/16	2.68	2 11/16

Viega ProPress Adapter P x FPT – Model 0912XL




Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
20819	2 1/2	2 1/2 FPT	1.53	1 1/2	4.15	4 1/8
20829	3	3 FPT	1.84	1 13/16	4.82	4 13/16
20839	4	4 FPT	2.09	2 1/16	5.55	5 9/16

Viega ProPress Adapter Zero Lead Bronze FTG x FPT – Model 2912.1ZL




Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
79425	½ x ⅜ FPT		1.10	1⅓	1.54	1⅞
79430	½ x ½ FPT		1.22	1¼	1.75	1¾
79435	½ x ¾ FPT		1.30	1⅝	1.83	1⅔
79440	¾ x ½ FPT		1.26	1¼	1.79	1⅔
79445	¾ x ¾ FPT		1.28	1¼	1.83	1⅔
79455	1 x ½ FPT		1.35	1⅜	1.99	2
79450	1 x 1 FPT		1.33	1⅝	1.99	2
79460	1¼ x ½ FPT		1.65	1⅝	2.19	2⅜
79465	1¼ x 1¼ FPT		1.50	1½	2.19	2⅜
79470	1½ x 1½ FPT		1.88	1⅞	2.56	2⅞
79475	2 x 2 FPT		2.13	2⅓	2.95	2⅔

Viega PEX Press Adapter Zero Lead Bronze P x P – Model 2813PZL




Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
99620	½ x ½		0.29	5⁄₁₆	1.61	1⅝
99626	½ x ¾		0.43	7⁄₁₆	1.83	1¹³⁄₁₆
99630	¾ x ½		0.23	¼	1.56	1⅑⁄₁₆
99640	¾ x ¾		0.33	5⁄₁₆	1.73	1¾
99645	1 x ¾		0.35	3⁄₈	1.87	1⅞
99660	1 x 1		0.45	7⁄₁₆	1.97	2
99665	1¼ x 1		0.49	½	2.26	2¼
99670	1¼ x 1¼		0.49	½	2.38	2⅜
66675	1½ x 1		0.59	9⁄₁₆	2.36	2⅜
99680	1½ x 1½		0.59	9⁄₁₆	2.87	2⅞
99685	2 x 1		0.73	¾	2.68	2¹¹⁄₁₆
99690	2 x 2		0.59	9⁄₁₆	3.21	3¾

Viega ProPress Adapter Flange Zero Lead Bronze P x Flange – Model 2959.5ZL




Part No.	Size (in)	A (in)		L (in)		b (in)		D (in)		k (in)		d (in)	
		Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
79680	1	1.85	1 7/8	2.76	2 3/4	0.84	13/16	4.33	4 5/16	3.11	3 1/8	0.63	5/8
79685	1 1/4	1.73	1 3/4	2.76	2 3/4	0.84	13/16	4.53	4 1/2	3.50	3 1/2	0.63	5/8
79690	1 1/2	1.65	1 5/8	3.07	3 1/16	0.84	13/16	4.92	4 15/16	3.86	3 7/8	0.63	5/8
79695	2	2.09	2 1/16	3.66	3 11/16	0.84	13/16	5.91	5 15/16	4.76	4 3/4	0.75	3/4

Viega ProPress Adapter Flange P x Flange – Model 0959.5XL




Part No.	Size (in)	A (in)		L (in)		b (in)		k (in)		D (in)		d (in)	
	1	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
20853	2½	1.09	⅛	2.79	2⅓ ₁₆	0.70	11 ₁₆	5.51	5½	7.09	7 ₁₆	0.75	¾
20858	3	1.20	3 ₁₆	3.17	3¾ ₁₆	0.79	13 ₁₆	5.98	6	7.48	7½	0.75	¾

Viega ProPress Adapter Flange P x Flange – Model 0959.5XL




Part No.	Size (in)	A (in)		L (in)		b (in)		k (in)		D (in)		d (in)	
	1	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
20863	4	1.29	15 ₁₆	3.66	31 ₁₆	0.86	7 ₈	7.52	7½	9.06	9 ₁₆	0.75	¾

Viega ProPress Cap Copper P – Model 2956




Part No.	Size (in)	A (in)		L (in)	
	1	Dec	Frac	Dec	Frac
77712	½	0.79	13 ₁₆	0.92	15 ₁₆
77717	¾	0.94	15 ₁₆	1.07	11 ₁₆
77722	1	0.99	1	1.11	11 ₈
77727	1¼	1.20	13 ₁₆	1.32	15 ₁₆
77732	1½	1.49	11½	1.62	15 ₈
77737	2	1.69	111 ₁₆	1.81	113 ₁₆

Viega ProPress Cap P – Model 0956XL




Part No.	Size (in)	A (in)		L (in)	
	1	Dec	Frac	Dec	Frac
20833	2½	0.39	¾	2.11	2⅛
20843	3	0.39	¾	2.36	2⅜
20848	4	0.39	¾	2.76	2¾

Viega ProPress Union Zero Lead Bronze P x P – Model 2960ZL




Part No.	Size (in)	A (in)		L (in)	
	1	Dec	Frac	Dec	Frac
79125	½	1.19	1⅜	2.84	2⅜
79130	¾	1.34	1⅝	3.15	3⅛
79135	1	1.83	1⅜	3.65	3⅝
79140	1¼	1.64	1⅝	3.69	3⅞
79145	1½	2.13	2⅛	4.96	4⅝
79150	2	2.07	2⅞	5.22	5¼

Viega ProPress Union Zero Lead Bronze P x FPT – Model 2962ZL




Part No.	Size (in)	A (in)		L (in)	
	1 2	Dec	Frac	Dec	Frac
79700	½ x ½ FPT	0.91	1⅝	2.27	2¼
79705	¾ x ¾ FPT	0.96	1⅝	2.42	2⅞
79710	1 x 1 FPT	1.31	1⅝	2.88	2⅞
79715	1¼ x 1¼ FPT	1.27	1¼	2.97	3
79720	1½ x 1½ FPT	1.77	1¾	3.87	3⅞
79725	2 x 2 FPT	1.65	1⅝	3.92	3⅝

Viega ProPress Union Zero Lead Bronze P x MPT – Model 2965ZL




Part No.	Size (in)	A (in)		L (in)	
	1 2	Dec	Frac	Dec	Frac
79730	½ x ½ MPT	1.86	1⅞	2.69	2⅞
79735	¾ x ¾ MPT	2.00	2	2.90	2⅞
79740	1 x 1 MPT	2.54	2⅞	3.45	3⅞
79745	1¼ x 1¼ MPT	2.49	2½	3.52	3½
79750	1½ x 1½ MPT	3.05	3⅞	4.47	4½
79755	2 x 2 MPT	2.99	3	4.57	4⅞

Viega ProPress Dielectric Union Zero Lead Bronze P x FPT – Model 2967ZL




Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
79155	½ x ½ FPT		0.88	7/8	2.24	1¼
79160	¾ x ¾ FPT		1.11	1⅛	2.57	2 ⁹ / ₁₆
79165	1 x 1 FPT		1.00	1	2.57	2 ⁹ / ₁₆
79170	1¼ x 1¼ FPT		0.97	1	2.68	2 ¹¹ / ₁₆
79175	1½ x 1½ FPT		1.01	1	3.11	3⅛
79180	2 x 2 FPT		1.26	1¼	3.53	3½

Viega ProPress Tailpiece Zero Lead Bronze P x F BSP – Model 2957ZL




Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
79800	½ x 1 BSP		0.39	3/8	1.57	1 ⁹ / ₁₆
79805	¾ x 1 BSP		0.63	5/8	1.87	1 ⁷ / ₈
79810	1 x 1 BSP		0.91	15/16	2.14	2 ¹ / ₈
79815	1 x 1¼ BSP		0.73	1 ¹ / ₁₆	2.04	2 ¹ / ₁₆

Viega ProPress Coupling with Stop Copper P x P – Model 2915




Part No.	Size (in)		A (in)		L (in)	
	1	1	Dec	Frac	Dec	Frac
78047	½ x ½		0.12	1/8	1.61	1 ⁵ / ₈
78052	¾ x ¾		0.20	3/16	2.01	2
78057	1 x 1		0.16	3/16	1.97	2
78062	1¼ x 1¼		0.14	1/8	2.20	2 ³ / ₁₆
78067	1½ x 1½		0.14	1/8	2.99	3
78072	2 x 2		0.14	1/8	3.31	2 ⁵ / ₁₆

Viega ProPress Coupling with Stop P x P – Model 0915XL



Part No.	Size (in)		A (in)		L (in)	
	1	1	Dec	Frac	Dec	Frac
20728	2½ x 2½		0.95	15/16	4.33	4 ⁵ / ₁₆
20733	3 x 3		0.98	1	4.92	4 ¹⁵ / ₁₆
20738	4 x 4		1.06	1 ¹ / ₁₆	5.79	5 ¹³ / ₁₆

Viega ProPress Coupling No Stop Copper P x P – Model 2915.3




Part No.	Size (in)	Dec	L (in)	
	1 1		Dec	Frac
78172	½ x ½	1.61	1 ⅝	
78177	¾ x ¾	2.01	2	
78182	1 x 1	1.97	2	
78187	1¼ x 1¼	2.20	2 ⅜	
78192	1½ x 1½	2.99	3	
78197	2 x 2	3.31	3 ⅝	

Viega ProPress Extended Coupling Copper P x P – Model 2915.5




Part No.	Size (in)	Dec	L (in)	
	1 1		Dec	Frac
79005	½ x ½	2.99	3	
79010	¾ x ¾	3.50	3 ½	
79015	1 x 1	3.74	3 ¾	
79020	1¼ x 1¼	4.13	4 ⅛	
79025	1½ x 1½	4.72	4 ¾	
79030	2 x 2	5.31	5 ⅝	

Viega ProPress Coupling No Stop P x P – Model 0915.5XL




Part No.	Size (in)	Dec	L (in)	
	1 1		Dec	Frac
20743	2½ x 2½	4.33	4 ⅝	
20748	3 x 3	4.92	4 ⅝	
20753	4 x 4	5.79	5 ⅝	

Viega ProPress Reducer Copper P x P – Model 2915.2




Part No.	Size (in)	A (in)		L (in)	
	1 2	Dec	Frac	Dec	Frac
78147	¾ x ½	0.42	⅞	2.07	2 ⅞
15603	1 x ½	0.71	1 ⅞	2.36	2 ⅜
78152	1 x ¾	0.48	½	2.29	2 ⅝
15593	1¼ x ¾	0.70	1 ⅞	2.64	2 ⅝
78157	1¼ x 1	0.55	⅞	2.48	2 ½
18473	1½ x ¾	0.98	1	3.33	3 ⅝
15588	1½ x 1	0.74	¾	3.07	3 ⅞
78162	1½ x 1¼	0.50	½	2.96	2 ⅝
18468	2 x ¾	1.54	1 ⅞	4.02	4
15608	2 x 1	1.29	1 ⅝	3.78	3 ¾
22328	2 x 1¼	0.81	1 ⅝	3.43	3 ⅞
78167	2 x 1½	0.74	¾	3.75	3 ¾

Viega ProPress Reducer P x P – Model 0915.2XL




Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
20685	2½	1	1.76	1¾	4.36	4¾
20690	2½	1¼	1.61	1⅝	4.34	4⅝ ₁₆
20695	2½	1½	1.52	1½	4.64	4⅝
20700	2½	2	1.41	1⅞ ₁₆	4.69	4⅞ ₁₆
20705	3	1½	1.78	1¾	5.17	5⅜ ₁₆
20710	3	2	1.53	1½	5.08	5⅜ ₁₆
20715	3	2½	1.41	1⅞ ₁₆	5.07	5⅜ ₁₆
20720	4	2	2.06	2⅜ ₁₆	6.00	6
20725	4	2½	1.93	1⅝ ₁₆	5.99	6
20730	4	3	1.70	1⅞ ₁₆	6.03	6⅜ ₁₆

Viega ProPress Reducer Copper FTG x P – Model 2915.1




Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
78077	¾	½	1.42	1⅞ ₁₆	2.17	2⅜ ₁₆
78082	1	½	1.69	1⅞ ₁₆	2.44	2⅞ ₁₆
78087	1	¾	1.42	1⅞ ₁₆	2.32	2⅝ ₁₆
22333	1¼	½	1.91	1⅝ ₁₆	2.74	2¾
78092	1¼	¾	1.85	1⅞ ₁₆	2.76	2¾
78097	1¼	1	1.57	1⅞ ₁₆	2.48	2½
14543	1½	¾	2.56	2⅞ ₁₆	3.46	3⅞ ₁₆
78102	1½	1	2.28	2¼	3.19	3⅜ ₁₆
78107	1½	1¼	2.04	2⅜ ₁₆	3.07	3⅜ ₁₆
78112	2	1	3.03	3⅜ ₁₆	3.94	3⅝ ₁₆
78117	2	1¼	2.79	2⅜ ₁₆	3.82	3⅜ ₁₆
78122	2	1½	2.63	2⅝ ₈	4.06	4⅜ ₁₆

Viega ProPress Reducer Zero Lead Bronze FTG x P – Model 2915.1ZL




Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
79850	1½	½	1.95	1⅝ ₁₆	2.78	2¾
79855	2	½	2.38	2⅜ ₈	3.21	3⅜ ₁₆
79860	2	¾	2.42	2⅞ ₁₆	3.33	3⅝ ₁₆

Viega ProPress Reducer FTG x P – Model 0915.1XL




Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
20814	2½ x 1		3.61	3⅝	4.52	4½
20815	2½ x 1¼		3.47	3½	4.51	4½
20813	2½ x 1½		3.41	3⅞	4.84	4⅜
20758	2½ x 2		2.35	2⅜	3.94	3⅝
20817	3 x 1¼		3.96	3⅝	5.00	5
20818	3 x 1½		3.91	3⅝	5.34	5⅝
20763	3 x 2		2.98	3	4.57	4⅞
20768	3 x 2½		2.76	2¾	4.45	4⅞
20773	4 x 2		4.58	4⅞	6.17	6⅜
20778	4 x 2½		4.45	4⅞	6.15	6⅞
20783	4 x 3		4.17	4¾	6.14	6⅞

Viega ProPress Ball Valve Zero Lead Bronze P x P – Model 2971.1ZL




Part No.	Size (in)		A (in)		A1 (in)		L (in)		L1 (in)		L2 (in)		H (in)	
	1	1	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
79920	½ x ½		0.75	¾	0.75	¾	1.57	1⅞	1.57	1⅞	4.57	4⅞	1.97	2
79925	¾ x ¾		0.85	⅞	0.87	⅞	1.75	1¾	1.77	1¾	4.57	4⅞	2.09	2⅞
79930	1 x 1		1.02	1	1.06	1⅞	1.93	1⅝	1.96	1⅝	5.75	5¾	2.46	2⅞
79935	1¼ x 1¼		1.14	1⅞	1.12	1⅞	2.17	2⅞	2.15	2⅞	5.75	5¾	2.67	2⅞
79940	1½ x 1½		1.46	1⅞	1.25	1¼	2.87	2⅞	2.67	2⅞	6.12	6⅞	3.02	3
79950	2 x 2		1.73	1¾	1.47	1½	3.31	3⅝	3.05	3⅞	6.12	6⅞	3.32	3⅝

Viega ProPress Ball Valve Zero Lead Brass P x P – Model 2971.1XL




Part No.	Size (in)		A (in)		B (in)		H (in)		L (in)		Weight (lbs)
	1	1	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	
78300	2½		7.47	7½	3.91	3⅝	4.02	4	11.22	11¼	7.0
78305	3		8.15	8⅞	4.17	4¾	4.37	4¾	11.22	11¼	9.7
78310	4		9.72	9¾	4.99	5	5.12	5⅞	11.22	11¼	17.5

Viega ProPress Ball Valve Zero Lead Bronze P x P – Model 2971.3ZL




Part No.	Size (in)		A (in)		A1 (in)		L (in)		L1 (in)		L2 (in)		H (in)	
	1	1	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
79923	½ x ½		0.75	¾	0.75	¾	1.57	1⅞	1.57	1⅞	4.57	4⅞	1.97	2
79928	¾ x ¾		0.85	⅞	0.87	⅞	1.75	1¾	1.77	1¾	4.57	4⅞	2.09	2⅞
79933	1 x 1		1.02	1	1.06	1⅞	1.93	1⅝	1.96	1⅝	5.75	5¾	2.46	2⅞
79938	1¼ x 1¼		1.14	1⅞	1.12	1⅞	2.17	2⅞	2.15	2⅞	5.75	5¾	2.67	2⅞
79943	1½ x 1½		1.46	1⅞	1.25	1¼	2.87	2⅞	2.67	2⅞	6.12	6⅞	3.02	3
79948	2 x 2		1.73	1¾	1.47	1½	3.31	3⅝	3.05	3⅞	6.12	6⅞	3.32	3⅝

Viega ProPress Ball Valve Zero Lead Bronze P x FPT – Model 2971.4ZL




Part No.	Size (in)	A (in)		A1 (in)		L (in)		L1 (in)		L2 (in)		H (in)	
	1 FPT	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
79970	1/2 x 1/2	0.73	3/4	0.66	11/16	1.57	19/16	1.20	13/16	4.57	49/16	1.97	2
79975	3/4 x 3/4	0.85	7/8	0.79	13/16	1.75	13/4	1.35	13/8	4.57	49/16	2.09	2 1/16
79980	1 x 1	1.02	1	0.98	1	1.93	1 5/16	1.63	1 5/8	5.75	5 3/4	2.46	2 7/16

Viega ProPress Ball Valve Zero Lead Bronze P x Hose – Model 2971.6ZL




Part No.	Size (in)	A (in)		A1 (in)		L (in)		L1 (in)		L2 (in)		H (in)	
	1 Hose	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
79875	1/2 x 3/4 GH	0.75	3/4	0.79	13/16	1.57	19/16	1.56	19/16	4.57	49/16	1.99	2
79876	3/4 x 3/4 GH	0.85	7/8	0.79	13/16	1.75	13/4	1.56	19/16	4.57	49/16	2.10	2 1/8

Viega ProPress Ball Valve Bronze/Brass P x P – Model 2973




Part No.	Size (in)	A (in)		A1 (in)		L (in)		L1 (in)		L2 (in)		H (in)	
	1 1	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
24000	1/2 x 1/2	0.83	13/16	0.83	13/16	1.58	19/16	1.58	19/16	3.94	3 15/16	1.69	1 11/16
24005	3/4 x 3/4	0.95	15/16	0.95	15/16	1.86	1 7/8	1.86	1 7/8	4.72	4 3/4	1.97	2
24010	1 x 1	1.18	1 3/16	1.18	1 3/16	2.09	2 1/16	2.09	2 1/16	4.72	4 3/4	2.13	2 1/8
24015	1 1/4 x 1 1/4	1.29	1 5/16	1.29	1 5/16	2.31	2 5/16	2.31	2 5/16	6.22	6 1/4	2.87	2 7/8
24020	1 1/2 x 1 1/2	1.39	1 3/8	1.39	1 3/8	2.81	2 13/16	2.81	2 13/16	6.22	6 1/4	3.11	3 1/8
24025	2 x 2	1.85	1 7/8	1.85	1 7/8	3.43	3 7/16	3.43	3 7/16	6.22	6 1/4	3.46	3 7/16

Viega ProPress Ball Valve Bronze/Brass P x FPT – Model 2973.1




Part No.	Size (in)	A (in)		A1 (in)		L (in)		L1 (in)		L2 (in)		H (in)	
	1 FPT	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
24030	1/2 x 1/2	0.83	13/16	0.63	5/8	1.58	19/16	1.16	13/16	3.94	3 15/16	1.69	1 11/16
24035	3/4 x 3/4	0.95	15/16	0.70	1 1/16	1.86	1 7/8	1.26	1 1/4	4.72	4 3/4	1.97	2
24040	1 x 1	1.18	1 3/16	0.93	1 5/16	2.09	2 1/16	1.59	1 9/16	4.72	4 3/4	2.13	2 1/8

Viega ProPress Ball Valve Bronze/Brass P x Hose – Model 2973.3




Part No.	Size (in) 1 Hose	A (in)		A1 (in)		L (in)		L1 (in)		L2 (in)		H (in)	
		Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
24090	1/2 x 3/4	0.83	13/16	0.85	7/8	1.58	19/16	1.30	15/16	3.89	37/8	1.67	111/16
24095	3/4 x 3/4	0.95	15/16	0.94	15/16	1.86	17/8	1.39	13/8	4.72	43/4	1.97	2

Viega ProPress Ball Valve Zero Lead Bronze – Model 2975.3ZL




Part No.	Size (in) 1	H1 (in)		H2 (in)		L1 (in)		L2		L3 (in)		A1 (in)		A2 (in)		Cv (US gal/min)
		Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	
87845	1/2	2.05	21/16	0.63	5/8	2.01	2	1.97	2	4.61	45/8	1.18	13/16	1.14	11/8	13.5
87850	3/4	2.20	23/16	0.75	3/4	2.28	21/4	2.24	21/4	4.61	45/8	1.38	13/8	1.34	15/16	29.9

Viega ProPress Ball Valve Zero Lead Bronze 3-Piece – Model 2972.1ZL




Part No.	Size (in) 1	H1 (in)		H2 (in)		L1 (in)		L2 (in)		A1 (in)		Cv (US gal/min)	Bolt Torque (ft/lbs)
		Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac		
87275	1/2	2.28	21/4	0.91	15/16	1.93	115/16	3.98	4	1.10	11/8	10.9	7.5
87280	3/4	2.83	213/16	1.06	11/16	2.52	21/2	5.87	57/8	1.61	15/8	23.9	15
87285	1	2.91	215/16	1.14	11/8	2.60	25/8	5.87	57/8	1.70	111/16	47.3	15
87290	11/4	3.35	33/8	1.38	13/8	3.27	31/4	7.56	79/16	2.24	21/4	76.4	22.5
87295	11/2	3.58	39/16	1.54	19/16	3.78	33/4	7.56	79/16	2.36	23/8	113	22.5
87300	2	3.90	37/8	1.81	113/16	4.06	41/16	7.56	79/16	2.48	21/2	210	22.5

Viega ProPress Threaded Ball Valve Zero Lead - Model 2800ZL




Part No.	Size (in)	H1 (in)		H2 (in)		L1 (in)		L2 (in)		L3 (in)		A1 (in)		A2 (in)		Cv (US gal/min)
		Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	
87920	1/2	2.05	2 1/16	0.63	5/8	1.14	1 1/8	1.14	1 1/8	4.61	4 5/8	0.59	5/8	0.59	5/8	16
87925	3/4	2.17	2 3/16	0.75	3/4	1.30	1 5/16	1.30	1 5/16	4.61	4 5/8	0.71	1 1/16	0.71	1 1/16	27.1
87930	1	2.60	2 5/8	0.91	1 5/16	1.54	1 9/16	1.54	1 9/16	5.79	5 13/16	0.87	7/8	0.87	7/8	45.1
87935	1 1/4	2.83	2 13/16	1.18	1 3/4	1.77	1 3/4	1.77	1 3/4	5.79	5 13/16	1.10	1 1/8	1.10	1 1/8	106
87940	1 1/2	3.11	3 1/8	1.42	1 7/16	1.93	1 15/16	1.93	1 15/16	6.14	6 1/8	1.26	1 1/4	1.26	1 1/4	160
87945	2	3.43	3 7/16	1.73	1 3/4	2.17	2 3/16	2.17	2 3/16	6.14	6 1/8	1.46	1 7/16	1.46	1 7/16	255

Viega PureFlow Press x ProPress Ball Valve – Model 2882.1ZL




Part No.	Size (in)	H1 (in)		H2 (in)		L1 (in)		L2 (in)		L3 (in)		A1 (in)		A2 (in)		Cv (US gal/min)
		Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	
87855	1/2	2.05	2 1/16	0.63	5/8	1.97	2	1.93	1 15/16	4.61	4 5/8	1.14	1 1/8	1.46	1 7/16	8.01
87860	3/4	2.17	2 3/16	0.75	3/4	2.24	2 1/4	2.05	2 1/16	4.61	4 5/8	1.34	1 5/16	1.54	1 9/16	16
87865	1	2.60	2 5/8	0.91	1 5/16	2.56	2 9/16	2.44	2 7/16	5.75	5 3/4	1.65	1 5/8	1.81	1 13/16	27.2
87870	1 1/4	2.80	2 13/16	1.18	1 3/4	2.83	2 13/16	2.95	2 15/16	5.79	5 13/16	1.81	1 13/16	2.09	2 1/16	46.5
87875	1 1/2	3.15	3 1/8	1.42	1 7/16	3.35	3 3/8	3.31	3 5/16	6.14	6 1/8	1.93	1 15/16	2.44	2 7/16	57.1
87880	2	3.47	3 1/2	1.73	1 3/4	3.82	3 13/16	3.86	3 7/8	6.14	6 1/8	2.24	2 1/4	2.80	2 13/16	105

Viega PureFlow Crimp x ProPress Ball Valve – Model 2882.2ZL




Part No.	Size (in)	H1 (in)		H2 (in)		L1 (in)		L2 (in)		L3 (in)		A1 (in)		A2 (in)		Cv (US gal/min)
	1	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	
87890	1/2	1.93	1 15/16	0.55	9/16	1.06	1 1/16	2.01	2	4.61	4 5/8	0.43	7/16	1.18	1 3/16	6.05
87885	3/4	1.97	2	0.67	1 1/16	1.14	1 1/8	2.28	2 1/4	4.61	4 5/8	0.51	1/2	1.38	1 3/8	13.5
87895	1	2.48	2 1/2	0.83	1 3/16	1.46	1 7/16	2.60	2 5/8	5.79	5 13/16	0.67	1 1/16	1.69	1 11/16	22.3

Viega ProPress Check Valve Zero Lead Bronze P x P – Model 2974ZL




Part No.	Size (in)	A (in)		L (in)	
	1 1	Dec	Frac	Dec	Frac
79035	1/2 x 1/2	0.87	7/8	2.52	2 1/2
79040	3/4 x 3/4	1.14	1 1/8	2.95	2 15/16
79045	1 x 1	1.34	1 5/16	3.15	3 1/8
79050	1 1/4 x 1 1/4	1.69	1 11/16	3.74	3 3/4
79055	1 1/2 x 1 1/2	2.09	2 1/16	4.92	4 15/16
79060	2 x 2	2.56	2 9/16	5.71	5 11/16

Viega ProPress Swing Check Valve Zero Lead – Model 2974.2ZL




Part No.	Size (in)	H1 (in)		H2 (in)		L1 (in)		A1 (in)		A2 (in)		Cv (US gal/min)
	1	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	
87170	1/2	1.65	1 5/8	0.55	9/16	2.05	2 1/16	0.47	2 1/2	1.22	1 1/4	5.6
87175	3/4	1.97	2	0.67	1 1/16	2.40	2 3/8	0.55	2 9/16	1.50	1 1/2	9.6
87180	1	2.24	2 1/4	0.83	1 3/16	2.72	2 11/16	0.75	3/4	1.81	1 13/16	17
87185	1 1/4	2.72	2 11/16	0.98	1	3.03	3	0.91	1 5/16	2.01	2	28.2
87190	1 1/2	3.15	3 1/8	1.14	1 1/8	3.62	3 5/8	1.02	1	2.20	2 3/16	44
87195	2	3.86	3 7/8	1.38	1 3/8	4.21	4 3/16	1.30	1 5/16	2.64	2 5/8	82.3

Viega ProPress Strainer Valve – Models 2981.1XL




Part No.	Size (in)	H1 (in)		H2 (in)		L1 (in)		L2 (in)		A1 (in)		A2 (in)		Cv (US gal/min)
	1	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	
87260	2½	4.09	4⅛	1.69	1⅛	6.89	6⅞	3.82	3⅜	5.00	5	1.93	1⅝	88.9
87265	3	4.80	4⅜	1.97	2	7.68	7⅞	4.09	4⅛	5.63	5⅝	2.05	2⅛	126
87270	4	6.06	6⅛	2.48	2½	9.13	9⅞	4.53	4½	6.89	6⅞	2.29	2⅝	212.7

Viega ProPress Strainer Valve – Models 2981.1ZL




Part No.	Size (in)	H1 (in)		H2 (in)		L1 (in)		L2 (in)		A1 (in)		A2 (in)		Cv (US gal/min)
	1	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	
87140	½	0.59	9/16	1.58	1⅞	2.76	2¾	1.73	1¾	1.93	1⅝	0.91	1⅝	3.1
87145	¾	0.71	11/16	1.73	1¾	3.07	3⅛	2.24	2¼	2.17	2⅜	1.34	1⅝	5.1
87150	1	0.87	7/8	2.01	2	3.50	3½	2.40	2⅜	2.60	2⅝	1.50	1½	7.9
87155	1¼	1.02	1	2.48	2½	4.06	4⅛	2.36	2⅜	3.03	3	1.34	1⅝	20.5
87160	1½	1.18	1⅜	2.84	2⅜	4.84	4⅜	2.76	2¾	3.43	3⅞	1.34	1⅝	29.2
87165	2	1.42	1⅞	3.11	3⅞	5.51	5½	3.15	3⅞	3.94	3⅝	1.58	1⅞	40

Butterfly Valve – Model 2873.81




Part No.	Size (in)	A (in)		B (in)		C (in)		D (in)		E (in)		F (in)		G (in)		H (in)		I (in)	
		Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
22074	2½	6.50	6½	7.40	7¾	2.17	2¾	0.43	7/16	1.81	113/16	2.64	25/8	5.35	5¾	5.20	53/16	5.51	5½
22075	3	7.28	7¼	7.64	7¾	2.80	213/16	0.67	11/16	1.81	113/16	2.82	213/16	5.59	59/16	7.01	7	5.98	6

Butterfly Valve – Model 2873.81



Part No.	Size (in)	A (in)		B (in)		C (in)		D (in)		E (in)		F (in)		G (in)		H (in)		I (in)	
		Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
22076	4	9.06	91/16	8.47	8½	3.54	39/16	0.91	15/16	2.05	21/16	3.62	35/8	6.42	67/16	8.27	8¼	7.48	7½


Viega ProPress Manual Balancing Valve – Model 2980ZL



Part No.	Size (in)	ØP ¹ (in)	H (in)		L (in)		B (in)		Weight (lbs)	Flow Range (GPM)
			Dec	Frac	Dec	Frac	Dec	Frac		
82100	U-½	0.627-0.631	4.06	4 1/16	5.16	5 3/16	0.83	13/16	1.23/1.16	0.27-0.71
82105	L-½	0.627-0.631	4.06	4 1/16	5.16	5 3/16	0.83	13/16	1.23/1.16	0.49-1.17
82110	½	0.627-0.631	4.06	4 1/16	5.16	5 3/16	0.83	13/16	1.23/1.16	0.98-2.35
82115	¾	0.877-0.881	4.06	4 1/16	5.85	5 7/8	0.91	15/16	1.43/1.34	2.19-5.15
82120	1	1.128-1.131	4.06	4 1/16	6.18	6 3/16	0.91	15/16	1.73/1.55	4.09-9.56
82125	1 ¼	1.378-1.381	4.85	4 7/8	6.99	7	1.02	1	2.78/2.53	8.56-19.81
82130	1 ½	1.628-1.632	4.94	4 15/16	7.92	7 15/16	1.42	1 7/16	3.50/3.16	12.84-29.80
82135	2	2.128-2.132	5.34	5 5/16	6.14	6 1/8	1.58	1 9/16	4.80/4.46	24.09-55.63


¹ Tolerance field

Viega ProPress Automatic Recirculation Regulating Valve Zero Lead – Model 2981.3ZL




Part No.	Size (in)	A (in)		B (in)		C (in)		D (in)	
		Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
79901	1	3.66	3 11/16	3.43	3 7/16	1.09	1 1/16	0.79	13/16

Viega ProPress Dynamic Auto Balancing Valve – Model 2981.7




Part No.	Size (in)	H1 (in)		H2 (in)		L1 (in)		A1 (in)		A2 (in)		Flow Range (GPM)	Cv (US gal/min)
		Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac		
87305	½	3.47	3 1/2	2.32	2 5/16	2.40	2 3/8	0.39	3/8	1.58	1 9/16	0.26 - 4.75	3.02
87310	¾	3.47	3 1/2	2.32	2 5/16	2.68	2 11/16	0.39	3/8	1.77	1 3/4	0.45 - 8.50	3.02
87315	1	3.58	3 9/16	2.44	2 7/16	2.84	2 13/16	0.39	3/8	1.93	1 15/16	0.60 - 10.57	4.87
87320	1 ¼	4.37	4 3/8	2.76	2 3/4	3.31	3 5/16	0.55	9/16	2.28	2 1/4	0.88 - 22.01	12.65
87325	1 ½	5.20	5 3/16	2.87	2 7/8	4.25	4 1/4	0.83	13/16	2.84	2 13/16	3.17 - 32.58	20.88
87330	2	5.20	5 3/16	3.11	3 1/8	4.53	4 1/2	0.83	13/16	2.95	2 15/16	3.96 - 45.57	23.55

Viega ProPress Pressure Independent Balancing and Control Valve – Models 2981.71 / 2987.72




Part No.		Size (in)	H1 (in)		H2 (in)		L1 (in)		A1 (in)		A2 (in)		Flow Range (GPM)	Cv (US gal/min)
2981.71	2987.72	1	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac		
87365	89925	1/2	2.44	27/16	2.24	2 1/4	2.40	2 3/8	0.39	3/8	1.58	1 9/16	0.26 - 4.75	3.02
87370	89930	3/4	2.64	2 5/8	2.24	2 1/4	2.68	2 11/16	0.39	3/8	1.77	1 3/4	0.45 - 8.50	3.02
87375	89935	1	2.76	2 3/4	2.32	2 5/16	2.84	2 13/16	0.39	3/8	1.93	1 15/16	0.60 - 10.57	4.87
87380	89940	1 1/4	3.35	3 3/8	2.68	2 11/16	3.31	3 5/16	0.55	9/16	2.28	2 1/4	0.88 - 22.01	12.65
87385	89945	1 1/2	5.63	5 5/8	2.80	2 13/16	4.25	4 1/4	0.83	1 3/16	2.84	2 13/16	3.17 - 32.58	20.88
87390	89950	2	5.63	5 5/8	3.03	3 1/16	4.53	4 1/2	0.83	1 3/16	2.95	2 15/16	3.96 - 45.57	23.55

Viega ProPress Supply Stop Valve – Models 2942.3ZL / 2942.4ZL




Part No.		Size (in)	H1 (in)		H2 (in)		L1 (in)		L2 (in)		A (in)		Cv (US gal/min)
2942.3ZL	2942.4ZL	1	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	
89995		1/2" CTS x 3/8" OD	1.22	1 1/4	0.47	1/2	1.50	1 1/2	1.22	1 1/4	0.67	1 1/16	1.50
	90000	1/2" CTS x 3/8" OD	1.22	1 1/4	0.39	3/8	1.50	1 1/2	1.22	1 1/4	0.67	1 1/16	2.20

Viega ProPress 3-Way Valve – Model 2976.3




Part No.	Size (in)	A1 (in)		A2 (in)		A3 (in)		L1 (in)		L2 (in)		L3 (in)		L4 (in)		Cv (US gal/min)
	1	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	
87420	1/2	1.85	17/8	1.85	17/8	2.56	29/16	2.68	211/16	2.68	211/16	2.87	27/8	1.65	15/8	2.89
87425	3/4	2.28	21/4	2.28	21/4	2.72	23/4	3.19	33/16	3.19	33/16	3.47	31/2	2.09	21/16	5.09
87430	1	2.52	21/2	2.52	21/2	2.87	27/8	3.43	35/16	3.43	35/16	3.62	35/8	2.09	21/16	6.59
87435	1 1/4	2.68	211/16	2.68	211/16	2.99	3	3.70	311/16	3.70	311/16	3.86	37/8	2.09	21/16	8.32
87440	1 1/2	3.07	31/16	3.07	31/16	3.07	31/16	4.49	41/2	4.49	41/2	4.65	45/8	2.13	21/8	9.83
87445	2	3.07	31/16	3.07	31/16	3.31	35/16	4.65	45/8	4.65	45/8	4.72	43/4	2.32	25/16	11.56

Shower Valve – Model 2842.5




Part No.	Stub Out (in)	A (in)		L (in)	
		Dec	Frac	Dec	Frac
93516	1/2	4.75	43/4	5.63	55/8


Shower Valve – Model 2842.6



Part No.	Stub Out (in)	A (in)		L (in)	
		Dec	Frac	Dec	Frac
93517	1/2	4.75	43/4	5.88	57/8

Viega ProPress Cross-Over Copper P x P – Model 2928

Part No.	Size (in)		A (in)		L (in)		H (in)	
	1	1	Dec	Frac	Dec	Frac	Dec	Frac
77742	1/2	1/2	3.62	3 5/8	5.12	5 1/8	0.77	3/4
77747	3/4	3/4	4.49	4 1/2	6.30	6 5/16	0.90	7/8

Viega Stem Extension Brass – Model 2973.96*

Part No.	Valve Size (in)	ØM (in)	ØN (in)	A (in)		H (in)		B (in)		D (in)	
				Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
23449	1/2	0.67	0.98	3.94	3 15/16	1.69	1 11/16	2.22	2 1/4	1.04	1 1/16
23451	3/4	0.79	1.10	4.72	4 3/4	1.97	2	2.46	2 7/16	1.08	1 1/16
23451	1	0.79	1.10	4.72	4 3/4	2.13	2 1/8	2.46	2 7/16	1.08	1 1/16
23453	1 1/4	1.02	1.42	6.22	6 1/4	2.87	2 7/8	2.66	2 11/16	0.81	13/16
23453	1 1/2	1.02	1.42	6.22	6 1/4	3.11	3 1/8	2.66	2 11/16	0.81	13/16
23453	2	1.02	1.42	6.22	6 1/4	3.46	3 7/16	2.66	2 11/16	0.81	13/16

*For use with Models 2973, 2973.1, and 2973.3 Valves