

Date:

Client:

Project:




**5401**

¾" thermostatic mixer and diverter. 5401UP = Thermostatic mixer 5400V.  
 5401AP = Handle NR51, handle NR52, handle NR64G, 3 pcs. 60 mm  
 circular flanges 2001.A24 sold separately.

**Flow**



|          | Bar:    | 1.0  | 2.0  | 3.0  | 4.0  | 5.0  |
|----------|---------|------|------|------|------|------|
| Outlet 1 | (l/min) | 18.5 | 26.1 | 32.0 | 37.0 | 41.3 |
| Outlet 2 | (l/min) | 18.5 | 26.1 | 32.0 | 37.0 | 41.3 |
| Outlet 1 | (l/min) | 4.4  | 6.2  | 7.6  | 7.6  | 7.6  |
| Outlet 2 | (l/min) | 4.4  | 6.2  | 7.6  | 7.6  | 7.6  |

**Available in colors**


|                           |                                   |
|---------------------------|-----------------------------------|
| Color 02, Grey            | Color 17, Gloss black             |
| Color 04, Light blue      | Color 18, White                   |
| Color 05, Orange          | Color 19, Natural brass           |
| Color 06, Light green     | Color 20, Brushed chrome          |
| Color 08, Yellow          | Color 21, Carmine red             |
| Color 09, Dark grey       | Color 25, Pink                    |
| Color 12, Mocca           | Color 27, Matt black              |
| Color 14, Bright red      | Color 28, Matt white              |
| Color 15, Dark blue       | Color 40, Brushed stainless steel |
| Color 16, Polished chrome |                                   |




**2001**  
60 mm circular flange. Hole Ø39 mm.



**5400V**  
Thermostatic mixer with diverter, without outlet sockets.  $\frac{3}{4}$ " connection to copper, steel, iron or pex pipe work.




**NR51**  
On/off handle for series 5000.



**NR52**

Thermostatic handle for series 5000.

**NR64G**

Diverter handle for 5400/5600. With peg in the same colour as handle (Standard).

