

2010 PRODUCT CATALOG

Webstone

INNOVATION

**QUALITY AND COMMITMENT
TO TECHNOLOGY AND SERVICE SINCE 1954**

 **The Isolator**® 

 **The Isolator**® 
-E-X-P-

 **PRO-CONNECT**™
VALVES & FITTINGS

 **PRO-PAL**
SERIES®


The Isolator® Uni-Flange Ball Valve

 Full Port Forged Brass Ball Valves
w/ Bonus Wing Style "T" Handle, Nuts & Bolts

 600 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS x Flange				
40402	1/2"	2	20	30
40403	3/4"	2	20	34
40404	1"	2	20	41
40405	1 1/4"	2	20	47
40406	1 1/2"	2	20	63
40407HV	2"	2	10	42
SWT x Flange				
50402	1/2"	2	20	30
50403	3/4"	2	20	34
50404	1"	2	20	40
50405	1 1/4"	2	20	48
50406	1 1/2"	2	20	66
50407HV	2"	2	10	43

1" - 1 1/2" also available for High Velocity Pumps — to order, add HV onto the end of the part #.

2" Available in High Velocity only, also fits standard size pumps.


The Isolator® w/Drain

 Full Port Forged Brass Uni-Flange Ball Valves
w/Hi-Flow Hose Drain & Bonus Wing Style "T" Handle, Nuts & Bolts

 600 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS x Flange				
40413	3/4"	2	20	47
40414	1"	2	20	54
40415	1 1/4"	2	20	68
40416	1 1/2"	2	10	43
40417HV	2"	1	10	62
SWT x Flange				
50413	3/4"	2	20	47
50414	1"	2	20	56
50415	1 1/4"	2	20	71
50416	1 1/2"	2	10	46
50417HV	2"	1	10	64

1" - 1 1/2" also available for High Velocity Pumps — to order, add HV onto the end of the part #.

2" Available in High Velocity only, also fits standard size pumps.


The Isolator® w/Rotating Flange

 Full Port Forged Brass Uni-Flange Ball Valves
w/Detachable Rotating Flange & Bonus Wing Style "T" Handle, Nuts & Bolts

 600 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS x Rotating Flange				
41403	3/4"	2	20	34
41404	1"	2	20	43
41405	1 1/4"	2	20	52
41406	1 1/2"	2	20	54
SWT x Rotating Flange				
51403	3/4"	2	20	34
51404	1"	2	20	43
51405	1 1/4"	2	20	52
51406	1 1/2"	2	20	52

Also available for High Velocity Pumps — to order, add HV onto the end of the part #.


The Isolator® w/Rotating Flange & Drain

 Full Port Forged Brass Uni-Flange Ball Valves
w/Detachable Rotating Flange & Hi-Flow Hose Drain
& Bonus Wing Style "T" Handle, Nuts & Bolts

 600 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS x Rotating Flange				
41413	3/4"	2	20	47
41414	1"	2	20	57
41415	1 1/4"	2	20	78
41416	1 1/2"	2	10	77
SWT x Rotating Flange				
51413	3/4"	2	20	47
51414	1"	2	20	58
51415	1 1/4"	2	20	77
51416	1 1/2"	2	10	76

Also available for High Velocity Pumps — to order, add HV onto the end of the part #.



The Isolator® Check Valve

Full Port Forged Brass Uni-Flange Ball Valves

w/Replaceable Integral Spring Check & Bonus Lever Style Handle, Nuts & Bolts

150 PSI @ 200°F

ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS × Flange				
42403	3/4"	1	10	22
42404	1"	1	10	27
42405	1 1/4"	1	10	32
42406	1 1/2"	1	10	44
42407HV	2"	1	10	46
SWT × Flange				
52403	3/4"	1	10	22
52404	1"	1	10	28
52405	1 1/4"	1	10	32
52406	1 1/2"	1	10	44
52407HV	2"	1	10	48

1" - 1 1/2" also available for High Velocity Pumps — to order, add HV onto the end of the part #.

2" Available in High Velocity only, also fits standard size pumps.

The Isolator® Check Valve w/ Rotating Flange

Full Port Forged Brass Uni-Flange Ball Valves

w/Replaceable Integral Spring Check & Detachable Rotating Flange & Bonus Lever Style Handle, Nuts & Bolts

150 PSI @ 200°F

ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS × Rotating Flange				
43403	3/4"	1	10	20
43404	1"	1	10	24
43405	1 1/4"	1	10	29
43406	1 1/2"	1	10	40
SWT × Rotating Flange				
53403	3/4"	1	10	20
53404	1"	1	10	24
53405	1 1/4"	1	10	29
53406	1 1/2"	1	10	40

Also available for High Velocity Pumps — to order, add HV onto the end of the part #.

The Isolator® Circulator Pump Installation Kit

1 Isolator, 1 Isolator w/Drain, 2 Full-Faced Flange Gaskets & Bonus Wing Style "T" Handles, Nuts & Bolts

600 WOG

ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS × Flange				
40413KIT	3/4"	1	10	40
40414KIT	1"	1	10	47
40415KIT	1 1/4"	1	10	57
SWT × Flange				
50413KIT	3/4"	1	10	40
50414KIT	1"	1	10	48
50415KIT	1 1/4"	1	10	59

1" - 1 1/4" also available for High Velocity Pumps — to order, add HV onto the end of the part # before "KIT".

The Isolator® w/ Rotating Flange Circulator Pump Installation Kit

1 Isolator w/ Rotating Flange, 1 Isolator w/ Rotating Flange & Drain, 2 Full-Faced Flange Gaskets & Bonus Wing Style "T" Handles, Nuts & Bolts

600 WOG

ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS × Rotating Flange				
41413KIT	3/4"	1	10	38
41414KIT	1"	1	10	39
41415KIT	1 1/4"	1	10	60
SWT × Rotating Flange				
51413KIT	3/4"	1	10	37
51414KIT	1"	1	10	47
51415KIT	1 1/4"	1	10	60

Also available for High Velocity Pumps — to order, add HV onto the end of the part # before "KIT".

The Isolator® Check Valve Accessories

Item #	Fits Valve Size	p/carton	p/case	wt/case
REPLACEMENT INTEGRAL CHECK				
C42403	3/4"	BULK	BULK	BULK
C42404	1"	BULK	BULK	BULK
C42405	1 1/4"	BULK	BULK	BULK
C42406	1 1/2" & 2"	BULK	BULK	BULK
RETAINING RING				
RR42403	3/4"	BULK	BULK	BULK
RR42404	1"	BULK	BULK	BULK
RR42405	1 1/4"	BULK	BULK	BULK
RR42406	1 1/2"	BULK	BULK	BULK



Certified to
NSF/ANSI 61-8



Certified to
NSF/ANSI 61-8



Certified to
NSF/ANSI 61-8



Certified to
NSF/ANSI 61-8



Certified to
NSF/ANSI 61-8

The Isolator[®] E-X-P[™]

Tankless Water Heater Service Valve Kits
Hot & Cold Set of Full Port Forged Brass Ball Valves
w/ Hi-Flow Drains & Pressure Relief Valve Outlet

600 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS Union x IPS				
40443	3/4"	1	8	45
40444	1"	1	8	56
IPS Union x SWT				
50443	3/4"	1	8	44
50444	1"	1	8	56
IPS Union x Push-On				
				200 PSI @ 200°F
60443	3/4"	1	8	51
60444	1"	1	8	65

INCLUDES RESIDENTIAL PRESSURE RELIEF VALVE (150 PSI/200,000 BTU)

Item #	Size	p/carton	p/case	wt/case
IPS Union x IPS				
40443PR	3/4"	1	8	50
40444PR	1"	1	8	60
IPS Union x SWT				
50443PR	3/4"	1	8	50
50444PR	1"	1	8	60
IPS Union x Push-On				
				200 PSI @ 200°F
60443PR	3/4"	1	8	56
60444PR	1"	1	8	68

INCLUDES COMMERCIAL GRADE PRESSURE RELIEF VALVE (150 PSI/2,703,000 BTU) & CLOSE NIPPLE

Item #	Size	p/carton	p/case	wt/case
IPS Union x IPS				
40443PR2	3/4"	1	6	38
40444PR2	1"	1	6	52
IPS Union x SWT				
50443PR2	3/4"	1	6	38
50444PR2	1"	1	6	52
IPS Union x Push-On				
				200 PSI @ 200°F
60443PR2	3/4"	1	6	42
60444PR2	1"	1	6	58

UPC & NSF/ANSI 61-8 certifications apply to 3/4" models only

The Isolator[®] E-X-P E2[™]

Tankless Water Heater Service Valve Kits
Hot & Cold Set of Full Port Forged Brass Ball Valves
w/ Hi-Flow Drains & Pressure Relief Valve Outlet

500 WOG
ISO 9001

INCLUDES RESIDENTIAL PRESSURE RELIEF VALVE (150 PSI/200,000 BTU)

Item #	Size	p/carton	p/case	wt/case
IPS Union x IPS				
44443PR	3/4"	1	10	36
44444PR	1"	1	8	52
IPS Union x SWT				
54443PR	3/4"	1	10	41
54444PR	1"	1	8	52

INCLUDES COMMERCIAL GRADE PRESSURE RELIEF VALVE (150 PSI/2,703,000 BTU) & CLOSE NIPPLE

Item #	Size	p/carton	p/case	wt/case
IPS Union x IPS				
44443PR2	3/4"	1	6	28
44444PR2	1"	1	6	44
IPS Union x SWT				
54443PR2	3/4"	1	6	30
54444PR2	1"	1	6	45

CONTINUED ON NEXT PAGE ►►

THE **ONLY** WAY TO INSTALL ANY **TANKLESS** **WATER HEATER**



LEAD FREE
CLEAN BRASS
THE CLEAR CHOICE FOR THE PROFESSIONAL

Certified to
NSF/ANSI 61-8



LEAD FREE
CLEAN BRASS
THE CLEAR CHOICE FOR THE PROFESSIONAL

Certified to
NSF/ANSI 61-8



LEAD FREE
CLEAN BRASS
THE CLEAR CHOICE FOR THE PROFESSIONAL

Certified to
NSF/ANSI 61-8



LEAD FREE
CLEAN BRASS
THE CLEAR CHOICE FOR THE PROFESSIONAL

Certified to
NSF/ANSI 61-8



The Isolator[®] E-X-P E2[™] w/ CleanBrass Construction

500 WOG
ISO 9001

Tankless Water Heater Service Valve Kits
Hot & Cold Set of Full Port Forged Brass Ball Valves
w/ Hi-Flow Drains & Pressure Relief Valve Outlet

INCLUDES RESIDENTIAL PRESSURE RELIEF VALVE (150 PSI/200,000 BTU)

Item #	Size	p/carton	p/case	wt/case
IPS Union x IPS				
44043PR	3/4"	1	10	36
IPS Union x SWT				
54043PR	3/4"	1	10	41

INCLUDES COMMERCIAL GRADE PRESSURE RELIEF VALVE (150 PSI/2,703,000 BTU) & CLOSE NIPPLE

Item #	Size	p/carton	p/case	wt/case
IPS Union x IPS				
44043PR2	3/4"	1	6	28
IPS Union x SWT				
54043PR2	3/4"	1	6	30

The Isolator[®] E-X-P E3[™]

500 WOG
ISO 9001

Tankless Water Heater Service Valve Kits
Hot & Cold Set of Full Port Forged Brass Ball Valves
w/ Hi-Flow Drains & Adjustable Pressure Relief Valve Outlet

INCLUDES RESIDENTIAL PRESSURE RELIEF VALVE (150 PSI/200,000 BTU)

Item #	Size	p/carton	p/case	wt/case
IPS Union x IPS				
45443PR	3/4"	1	10	42
IPS Union x SWT				
55443PR	3/4"	1	10	38

INCLUDES COMMERCIAL GRADE PRESSURE RELIEF VALVE (150 PSI/2,703,000 BTU) & CLOSE NIPPLE

Item #	Size	p/carton	p/case	wt/case
IPS Union x IPS				
45443PR2	3/4"	1	6	31
IPS Union x SWT				
55443PR2	3/4"	1	6	29

The Isolator[®] E-X-P Complete[™]

ISO 9001

Tankless Water Heater Installation Kits

Includes your choice of the EXP, E2 or E3 Service Valves with:

Residential Pressure Relief Valve (150 PSI/200,000 BTU)

1) 24" x 3/4" Gas Flex Line, 2) 24" x 3/4" Braided Water Connectors, & 1) 3/4" CGA Gas Ball Valve

Item #	Size	p/carton	p/case	wt/case
THE ISOLATOR[®] E-X-P[™]				
600 WOG				

IPS Union x IPS				
40443COM	3/4"	1	4	38
IPS Union x SWT				
50443COM	3/4"	1	4	38

THE ISOLATOR[®] E-X-P E2[™] 500 WOG

IPS Union x IPS				
44443COM	3/4"	1	4	28
IPS Union x SWT				
54443COM	3/4"	1	4	31

THE ISOLATOR[®] E-X-P E3[™] 500 WOG

IPS Union x IPS				
45443COM	3/4"	1	4	30
IPS Union x SWT				
55443COM	3/4"	1	4	29

The Isolator[®] E-X-P[™] Tankless Water Heater Service Valves Accessories

Item #	Size	p/carton	p/case	wt/case
UNION ADAPTER SET (FITS ORIGINAL EXP)				
ISO 9001				
40463	3/4" x 1/2"	1	50	23
29032	3/4" x 1/2"	BULK	BULK	BULK
PRESSURE RELIEF VALVE RELOCATION ADAPTERS				
ISO 9001				
28003	3/4" (fits original EXP)	1	100	85
28023	3/4" (fits E2 Models)	1	100	55
RESIDENTIAL PRESSURE RELIEF VALVE (150 PSI/200,000 BTU)				
ISO 9001				
20713	3/4"	1	100	49
COMMERCIAL GRADE PRESSURE RELIEF VALVE (150 PSI/2,703,000 BTU)				
ISO 9001				
20723	3/4"	1	24	31
CLOSE NIPPLE				
ISO 9001				
29003	3/4"	BULK	BULK	BULK



Union Ball™

Full Port Forged Brass Ball Valves w/ Single Union End
Reversible Handle

**600 WOG
ISO 9001**

Item #	Size	p/carton	p/case	wt/case
IPS Union x IPS				
40423	3/4"	4	60	80
40424	1"	4	48	91
40425	1 1/4"	2	16	45
40426	1 1/2"	2	16	62
IPS Union x SWT				
50423	3/4"	4	60	80
50424	1"	4	48	91
50425	1 1/4"	2	16	46
50426	1 1/2"	2	16	63

Union Ball Drain™

Full Port Forged Brass Ball Valves w/ Single Union End & Hi-Flow Hose Drain
Reversible Handle

**600 WOG
ISO 9001**

Item #	Size	p/carton	p/case	wt/case
IPS Union x IPS x Hose				
40433	3/4"	4	32	66
40434	1"	2	24	71
40435	1 1/4"	2	16	59
40436	1 1/2"	2	16	76
IPS Union x SWT x Hose				
50433	3/4"	4	32	69
50434	1"	2	24	73
50435	1 1/4"	2	16	60
50436	1 1/2"	2	16	76

Union Drain Ball™

Full Port Forged Brass Ball Valves w/Hi-Flow Hose Drain & Single Union End
Reversible Handle

**600 WOG
ISO 9001**

Item #	Size	p/carton	p/case	wt/case
IPS Union x Hose x IPS				
41433	3/4"	4	32	62
41434	1"	2	24	66
41435	1 1/4"	2	16	60
41436	1 1/2"	1	16	86
IPS Union x Hose x SWT				
51433	3/4"	4	32	62
51434	1"	2	24	67
51435	1 1/4"	2	16	63
51436	1 1/2"	1	16	95

Ball Drain™

Full Port Forged Brass Ball Valves w/Hi-Flow Hose Drain
Reversible Handle

**600 WOG
ISO 9001**

Item #	Size	p/carton	p/case	wt/case
IPS				
40612	1/2"	6	60	51
40613	3/4"	6	60	67
40614	1"	4	48	79
40615	1 1/4"	2	32	80
40616	1 1/2"	2	24	80
40617	2"	1	12	57
C x C				
50612	1/2"	6	60	50
50613	3/4"	6	60	67
50614	1"	4	48	79
50615	1 1/4"	2	32	72
50616	1 1/2"	2	24	83
50617	2"	1	12	60
SWT x IPS				
54612	1/2"	6	60	50
54613	3/4"	6	60	67
54614	1"	4	48	79



T-Drain™

Full Port Forged Brass Fitting w/Hi-Flow Hose Drain

600 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
40672	1/2"	10	80	50
40673	3/4"	8	48	47
40674	1"	8	48	54
40675	1 1/4"	6	24	34
40676	1 1/2"	4	24	39
40677	2"	2	20	42
CxC				
50672	1/2"	10	80	49
50673	3/4"	8	48	44
50674	1"	8	48	50
50675	1 1/4"	6	24	28
50676	1 1/2"	4	24	32
50677	2"	2	20	42

Expansion Tank Pro Service Valve™

Full Port Forged Brass Ball Valves w/Hi-Flow Hose Drain

600 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
FIP x MIP x FIP x Hose				
41672	1/2"	1	30	26

Purge-Tee™

Full Port Forged Brass Ball Valves — Primary/Secondary Loop Purge Tee
Reversible Handle

600 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
CxC (1" Primary Loop)				
58642	1" x 1/2"	1	12	28
58643	1" x 3/4"	1	12	32
58644	1" x 1"	1	12	35
CxC (1 1/4" Primary Loop)				
58652	1 1/4" x 1/2"	1	12	42
58653	1 1/4" x 3/4"	1	12	46
58654	1 1/4" x 1"	1	12	50
58655	1 1/4" x 1 1/4"	1	12	53
CxC (1 1/2" Primary Loop)				
58662	1 1/2" x 1/2"	1	12	62
58663	1 1/2" x 3/4"	1	12	65
58664	1 1/2" x 1"	1	12	70
58665	1 1/2" x 1 1/4"	1	12	72

Purge & Fill™

Full Port Forged Brass Ball Valves w/ (2) 3/4" Hi-Flow Hose Drains

600 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
48613	3/4"	1	12	21
48614	1"	1	12	27
48615	1 1/4"	1	12	36
48616	1 1/2"	1	12	51

STEP **SAVING** VALVES
FOR THE
PROFESSIONAL



Complies w/
NSF/ANSI 61
& ASSE 1061



Complies w/
NSF/ANSI 61
& ASSE 1061



Complies w/
NSF/ANSI 61
& ASSE 1061



Complies w/
NSF/ANSI 61
& ASSE 1061



Complies w/
NSF/ANSI 61
& ASSE 1061



Complies w/
NSF/ANSI 61
& ASSE 1061



Complies w/
NSF/ANSI 61
& ASSE 1061



PRO-CONNECT Push™

Full Port Forged DZR Brass Ball Valves

200 PSI @ 200°F
ISO 9001

Item #	Size	p/carton	p/case	wt/case
PUSH				
62702	1/2"	10	60	31
62703	3/4"	10	40	29
62704	1"	6	24	32

PRO-CONNECT Push™ Fittings

Forged DZR Brass Fittings

200 PSI @ 200°F
ISO 9001

Item #	Size	p/carton	p/case	wt/case
STRAIGHT COUPLING				
Push x Push				
26102	1/2"	10	100	17
26103	3/4"	10	100	26
26104	1"	5	50	22
FEMALE STRAIGHT CONNECTOR				
FIP x Push				
26202	1/2"	10	100	14
26203	3/4"	10	100	21
26204	1"	5	50	18
26223	1/2" x 3/4"	10	100	21

Certifications do not apply to 26223

MALE STRAIGHT CONNECTOR

MIP x Push

26302	1/2"	10	100	16
26303	3/4"	10	100	21
26304	1"	5	50	19

90° ELBOW

Push x Push

26402	1/2"	10	100	20
26403	3/4"	10	100	35
26404	1"	5	50	31

TEE

Push x Push x Push

26502	1/2"	10	100	29
26503	3/4"	10	100	47
26504	1"	5	50	43

END CAP

Push

26602	1/2"	10	100	9
26603	3/4"	10	100	15
26604	1"	5	50	13

Contractor Push Fitting Kit

Includes: Plastic Divided Carrying Case, (2 each) 1/2" Straight Couplings, 3/4" Straight Couplings, 1/2" Female Straight Connectors, 3/4" Female Straight Connectors, 1/2" Male Straight Connectors, 3/4" Male Straight Connectors, 1/2" Elbows, 3/4" Elbows, 1/2" Pex Adapter Sets, 3/4" Pex adapter Sets, (1 each) 1/2" Tee, 3/4" Tee, 1/2" End Cap, 3/4" End Cap, 1/2" Removal Tool, 3/4" Removal Tool, (6 each) 1/2" Replacement Push Assemblies, 3/4" Replacement Push Assemblies

Item #	Size	p/carton	p/case	wt/case
26000KIT	NA	1	1	7

PRO-CONNECT Push™ Accessories

Item #	Size	p/carton	p/case	wt/case
REMOVAL TOOL				ISO 9001
28112	1/2"	1	300	2
28113	3/4"	1	300	4
28114	1"	1	250	6
PEX CONNECTION ADAPTER (2 PIECE SET)				ISO 9001
28212	1/2"	1	300	2
28213	3/4"	1	300	4
28214	1"	1	250	3
REPLACEMENT PUSH ASSEMBLY				ISO 9001
28312	1/2"	1	100	1
28313	3/4"	1	100	1
28314	1"	1	100	2



MAKE ANY 1/2" THRU 2" SWT VALVE INTO A PRO-CONNECT Universal™

The PRO-CONNECT Universal™ series is a full line of heavy duty brass valves featuring 2" copper tube-sized male extensions ideal for soldering or use with any solder-less crimp systems or quick-connect fittings available on the market today. Any Webstone sweat ball valve, gate valve, check valve, or globe valve sized 1/2" to 2" can be converted to PRO-CONNECT Universal™ according to your needs.

COMMITMENT TO QUALITY

PRO-CONNECT Universal™ extensions are machine soldered, de-burred, cleaned, polished, and 100% tested assuring a perfect connection every time. Each extension is outfitted with plastic caps to preserve the integrity of the copper right up until installation.

All PRO-CONNECT Universal™ valves are soldered and packaged to order. In most cases, your order will ship within 24 hours, larger orders may take a day or two more.

TO ORDER

Add an "X" and the number of extensions to the end of the part number of the valve you wish to purchase. See Webstone's current List Price Guide and add the appropriate list price per extension to the list price of the valve you wish to purchase.

FOR EXAMPLE

51703X2 is a 3/4" Full Port Brass Ball Valve with extensions on 2 ends.

58644X4 is a 1 1/2" x 1 1/4" Primary/Secondary Purge Tee with extensions on 4 ends.

BRASS BALL VALVES

Full Port Forged Brass Ball Valves w/ Reversible Handle

600 WOG / 150 WSP (400 WOG / 125 WSP for 2½" - 4")
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
40700	1/4"	12	144	49
40701	3/8"	12	144	46
40702	1/2"	10	100	57
40703	3/4"	5	60	53
40704	1"	5	40	53
40705	1 1/4"	4	28	57
40706	1 1/2"	4	20	55
40707	2"	2	12	57
40708	2 1/2"	1	6	48
40709	3"	1	6	69
40710	4"	1	4	77
C×C				
50702	1/2"	10	100	53
50703	3/4"	5	60	46
50704	1"	5	40	49
50705	1 1/4"	4	28	60
50706	1 1/2"	4	20	62
50707	2"	2	12	62

UL applies to 1/4" - 2" only

Full Port Forged Brass Ball Valves

600 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
44700	1/4"	10	120	37
44701	3/8"	10	120	37
44702	1/2"	10	100	49
44703	3/4"	10	80	58
44704	1"	4	48	53
44705	1 1/4"	4	36	57
44706	1 1/2"	2	24	55
44707	2"	2	12	41
C×C				
54702	1/2"	10	100	43
54703	3/4"	10	80	58
54704	1"	4	48	53
54705	1 1/4"	4	36	57
54706	1 1/2"	2	24	55
54707	2"	2	12	49

Full Port Forged Brass Ball Valves w/ CleanBrass Construction

600 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
47002	1/2"	15	120	60
47003	3/4"	10	60	44
47004	1"	8	48	48
47005	1 1/4"	4	24	41
47006	1 1/2"	2	24	54
47007	2"	2	12	42
C×C				
57002	1/2"	15	120	50
57003	3/4"	10	60	43
57004	1"	8	48	44
57005	1 1/4"	4	24	40
57006	1 1/2"	2	24	58
57007	2"	2	12	42

Full Port Nickel Plated Forged Brass Ball Valves w/ 304 Stainless Steel Lever Handle

600 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
40800	1/4"	20	120	43
40801	3/8"	20	120	39
40802	1/2"	20	120	57
40803	3/4"	14	84	59
40804	1"	8	48	56
40805	1 1/4"	6	36	60
40806	1 1/2"	4	24	60
40807	2"	2	16	57



BRASS BALL VALVES

Full Port Forged Brass Ball Valves

600 WOG / 150 WSP (400 WOG / 125 WSP for 2½" – 4")
ISO 9001



Item #	Size	p/carton	p/case	wt/case
IPS				
w/ Chrome Plated Lever Handle				
41700	1/4"	10	120	46
41701	3/8"	10	120	44
41702	1/2"	10	100	49
41703	3/4"	10	60	44
41704	1"	6	48	57
41705	1 1/4"	4	32	57
41706	1 1/2"	2	24	66
41707	2"	2	16	62
41708	2 1/2"	2	6	48
41709	3"	1	3	35
41710	4"	1	2	36
w/ 304 Stainless Steel Handle				
41702SSL	1/2"	10	100	71
41703SSL	3/4"	10	60	44
41704SSL	1"	6	48	57
41705SSL	1 1/4"	4	32	57
41706SSL	1 1/2"	2	26	66
41707SSL	2"	2	16	62
w/ Wing Style "T" Handle				
41702T	1/2"	10	100	49
41703T	3/4"	10	60	44
41704T	1"	6	48	57
w/ 304 Stainless Steel Wing Style "T" Handle				
41702SSW	1/2"	10	100	47
41703SSW	3/4"	10	60	41
41704SSW	1"	6	48	54
C×C				
w/ Chrome Plated Lever Handle				
51702	1/2"	10	100	51
51703	3/4"	10	60	46
51704	1"	6	48	62
51705	1 1/4"	4	32	60
51706	1 1/2"	2	24	71
51707	2"	2	12	53
51708	2 1/2"	2	8	57
51709	3"	1	3	33
51710	4"	1	2	41
w/ 304 Stainless Steel Handle				
51702SSL	1/2"	10	100	46
51703SSL	3/4"	10	60	43
51704SSL	1"	6	48	62
51705SSL	1 1/4"	4	32	60
51706SSL	1 1/2"	2	24	71
51707SSL	2"	2	12	53
w/ Wing Style "T" Handle				
51702T	1/2"	10	100	51
51703T	3/4"	10	60	46
51704T	1"	6	48	62
w/ 304 Stainless Steel Wing Style "T" Handle				
51702SSW	1/2"	10	100	51
51703SSW	3/4"	10	60	46
51704SSW	1"	6	48	62

Standard Port Forged Brass Ball Valves

400 WOG / 125 WSP
ISO 9001



Item #	Size	p/carton	p/case	wt/case
IPS				
41820	1/4"	10	120	42
41821	3/8"	10	120	40
41822	1/2"	10	120	49
41823	3/4"	10	80	44
41824	1"	6	48	46
41825	1 1/4"	4	32	44
41826	1 1/2"	2	24	51
41827	2"	2	16	46
41828	2 1/2"	2	4	26
41829	3"	1	3	31
41830	4"	1	2	31
C×C				
51822	1/2"	10	120	44
51823	3/4"	10	80	42
51824	1"	6	48	49
51825	1 1/4"	4	48	63
51826	1 1/2"	2	32	63
51827	2"	2	20	38

GAS BALL VALVES

Forged Brass Gas Ball Valves

1/2 to 175 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS w/ Locking Device				
21562	1/2"	12	144	57
21563	3/4"	12	96	60
21564	1"	6	60	55
IPS w/ T-Handle				
21532	1/2"	12	144	51
21533	3/4"	12	96	55
21534	1"	6	60	53
IPS w/ Square Head				
21542	1/2"	12	144	57
21543	3/4"	12	96	57
21544	1"	6	60	44

Forged Brass Gas Ball Valves

1/2 to 175 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
22561	3/8"	12	144	38
22562	1/2"	12	144	49
22563	3/4"	12	144	73
Flare x FIP				
22521	3/8" x 1/2"	10	120	49
22522	1/2" x 1/2"	10	100	34
21526	5/8" x 3/4"	6	96	57
Flare x Flare				
21550	3/8" x 3/8"	12	144	55
21551	1/2" x 1/2"	12	144	55
Flare x MIP				
21571	3/8" x 1/2"	12	144	51
21572	1/2" x 1/2"	12	144	51

MINI BALL VALVES

Full Port Forged Brass Mini Ball Valves

600 WOG / 125 WSP
ISO 9001

Pet Cock Style

Item #	Size	p/carton	p/case	wt/case
FIP x MIP				
41685	1/8" x 1/8"	10	100	21
41686	1/4" x 1/8"	10	100	19
41687	1/4" x 1/4"	10	100	20
FIP x FIP				
41698	1/8" x 1/8"	10	100	19
41699	1/4" x 1/4"	10	100	18

Chrome Plated Extruded Brass Mini Ball Valves

110 WOG Non-Shock

Hex Body

Item #	Size	p/carton	p/case	wt/case
MIP x FIP				
40790	1/8"	50	300	20
40791	1/4"	50	300	25
40792	3/8"	50	300	24
40798	1/2"	12	144	39
IPS				
40793	1/8"	12	144	23
40794	1/4"	50	300	29
40795	3/8"	50	300	24
40796	1/2"	40	240	42
Pex				
40782	1/2"	12	144	31

SAME DAY SHIPPING

SPECIALTY BALL VALVES



Full Port Forged Brass Ball Valves w/ Wing Handle

160 WOG

Item #	Size	p/carton	p/case	wt/case
SWT x PEX				
50682	1/2"	10	100	25

Full Port Forged Brass Ball Valves 3 Way L-Port w/ Reversible Handle

600 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
40642	1/2"	15	60	34
40643	3/4"	10	40	32
40644	1"	6	24	34

Full Port Forged Brass Ball Valves w/ 1/4" Threaded Gauge Hole (Plugged) & Reversible Handle

600 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
41722	1/2"	10	80	46
41723	3/4"	10	60	50
41724	1"	6	48	63
41725	1 1/4"	4	32	67
41726	1 1/2"	2	24	75
41727	2"	2	16	78

Full Port Forged Brass Ball Valves w/ Bleeder & Reversible Handle

600 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
40622	1/2"	20	80	42
40623	3/4"	12	48	38
40624	1"	8	32	41
C x C				
50622	1/2"	25	100	50
50623	3/4"	10	40	32
50624	1"	6	24	32

Full Port Forged Brass Ball Valves w/ Reversible Handle

600 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
MIP x FIP				
40530	1/4"	12	96	35
40531	3/8"	12	96	35
40532	1/2"	12	96	47
40533	3/4"	8	48	35
40534	1"	6	48	57

Full Port Forged Brass Ball Valves w/ Reversible Handle

600 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
SWT x FIP				
45702	1/2"	10	100	46
45703	3/4"	5	60	35
45704	1"	5	40	37

Full Port Forged Brass Ball Valves w/ Compression Ends

600 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
Compression x Compression				
40632	1/2"	25	100	59
40633	3/4"	15	60	55
40634	1"	10	40	58

Full Port Forged Brass Ball Valves w/ Cap, Strap & Reversible Handle

600 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
FIP x Hose				
40312	1/2" x 3/4"	10	60	41
40313	3/4" x 3/4"	10	60	52
SWT x Hose				
50312	1/2" x 3/4"	10	100	69
50313	3/4" x 3/4"	10	60	48

STAINLESS STEEL BALL VALVES

Full Port 316 Stainless Steel Ball Valves

Seal Welded w/ 304 Stainless Steel Locking Handle

2000 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
43710	1/4"	12	48	31
43712	1/2"	10	30	23
43713	3/4"	9	27	49
43714	1"	6	18	52
43715	1 1/4"	2	8	30
43716	1 1/2"	2	8	46
43717	2"	2	6	52

Standard Port 316 Stainless Steel Ball Valves

Seal Welded w/ 304 Stainless Steel Locking Handle

2000 WOG

Item #	Size	p/carton	p/case	wt/case
IPS				
43814	1"	9	27	49
43817	2"	2	8	45

Full Port 316 Stainless Steel Ball Valves

3 Piece Investment Cast w/ 304 Stainless Steel Locking Handle

1000 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
43702	1/2"	1	40	40
43703	3/4"	2	24	32
43704	1"	2	24	48
43705	1 1/4"	2	12	44
43706	1 1/2"	2	8	37
43707	2"	2	8	59

Full Port 316 Stainless Steel Ball Valves

2 Piece Investment Cast w/ 304 Stainless Steel Locking Handle

1000 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
43720	1/4"	2	100	53
43721	3/8"	2	100	49
43722	1/2"	2	80	56
43723	3/4"	2	40	65
43724	1"	2	40	65
43725	1 1/4"	2	20	78
43726	1 1/2"	2	16	63
43727	2"	2	10	51

Full Port 316 Stainless Steel Ball Valves

2 Piece Investment Cast w/ 304 Stainless Steel Oval Handle

1000 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
43722-OH	1/2"	1	40	40
43723-OH	3/4"	1	30	33
43724-OH	1"	1	20	51

Standard Port 316 Stainless Steel Ball Valves

1 Piece Investment Cast w/ 304 Stainless Steel Locking Handle

1000 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
43900	1/4"	4	200	26
43901	3/8"	4	200	44
43902	1/2"	2	100	35
43903	3/4"	2	80	42
43904	1"	2	50	40
43905	1 1/4"	2	30	55
43906	1 1/2"	2	30	56
43907	2"	2	30	83

OVER **99%**
ORDER **ACCURACY**

BRONZE BALL VALVES



Full Port B62 Bronze Ball Valves

3 Piece Design w/ 304 Stainless Steel Handle

600 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
43502	1/2"	5	50	62
43503	3/4"	6	36	70
43504	1"	4	24	64
43505	1 1/4"	3	18	65
43506	1 1/2"	2	12	55
43507	2"	2	8	58
CxC				
53502	1/2"	5	50	56
53503	3/4"	6	36	59
53504	1"	4	24	59
53505	1 1/4"	3	18	62
53506	1 1/2"	2	12	55
53507	2"	2	8	58

Full Port B62 Bronze Ball Valves

w/ 304 Stainless Steel Handle

600 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
40500	1/4"	10	100	36
40501	3/8"	10	100	33
40502	1/2"	10	100	43
40503	3/4"	6	60	46
40504	1"	6	42	13
40505	1 1/4"	4	32	33
40506	1 1/2"	4	20	48
40507	2"	2	12	60
40508	2 1/2"	2	10	73
40509	3"	2	8	81

PVC BALL VALVES

Full Port PVC Ball Valves

Fits Both Schedule 40 & 80 Pipe

1/2" - 2" - 230 PSI @ 113° F
2 1/2" - 6" - 150 PSI @ 113° F
ISO 9001

Item #	Size	p/carton	p/case	wt/case
Socket Ends				
03822	1/2"	1	24	6
03823	3/4"	1	24	8
03824	1"	1	24	13
03825	1 1/4"	1	12	10
03826	1 1/2"	1	12	12
03827	2"	1	12	19
03828	2 1/2"	1	16	67
03829	3"	1	6	23
03830	4"	1	4	42
03831	6"	1	1	21
IPS				
03922	1/2"	1	24	6
03923	3/4"	1	24	8
03924	1"	1	24	13
03925	1 1/4"	1	12	10
03926	1 1/2"	1	12	12
03927	2"	1	12	19
True Union (includes both IPS & Socket Ends)				
04602	1/2"	1	72	31
04603	3/4"	1	60	26
04604	1"	1	24	18
04605	1 1/4"	1	12	17
04606	1 1/2"	1	12	19
04607	2"	1	12	35

Full Port CPVC Ball Valves

Fits Schedule 40 & 80 CPVC Tubing (Copper Tubing Size)

230 PSI @ 194° F
ISO 9001

Item #	Size	p/carton	p/case	wt/case
Socket Ends				
03722	1/2"	1	100	15
03723	3/4"	1	100	20
03724	1"	1	100	29
03725	1 1/4"	1	100	58
03726	1 1/2"	1	48	37
03727	2"	1	24	31



Made w/
NSF Certified
Polymer

GATE VALVES



Forged Brass Gate Valves

200 WOG / 125 WSP

Hard Seat

Item #	Size	p/carton	p/case	wt/case
IPS				
10132	1/2"	10	100	53
10133	3/4"	10	100	71
10134	1"	5	50	53
10135	1 1/4"	5	30	44
10136	1 1/2"	2	30	55
10137	2"	2	20	64
10138	2 1/2"	1	10	49
10139	3"	1	10	71
10140	4"	1	4	51
CxC				
10232	1/2"	10	100	55
10233	3/4"	10	100	66
10234	1"	5	50	51
10235	1 1/4"	5	40	53
10236	1 1/2"	2	30	53
10237	2"	2	20	68

Heavy Pattern Brass Gate Valves

300 WOG / 150 WSP
ISO 9001

Hard Seat

Item #	Size	p/carton	p/case	wt/case
IPS				
10150	1/4"	10	60	40
10151	3/8"	10	60	37
10152	1/2"	10	60	38
10153	3/4"	10	80	71
10154	1"	5	60	79
10155	1 1/4"	5	40	72
10156	1 1/2"	5	30	72
10157	2"	2	12	44
10158	2 1/2"	1	6	41
10159	3"	1	6	56
10160	4"	1	4	54
CxC				
10252	1/2"	10	60	36
10253	3/4"	10	80	70
10254	1"	5	60	74
10255	1 1/4"	5	40	66
10256	1 1/2"	5	30	68
10257	2"	2	12	40

Heavy Pattern B62 Bronze (85-5-5-5) Gate Valves

300 WOG / 150 WSP
ISO 9001

Hard Seat

Item #	Size	p/carton	p/case	wt/case
IPS				
10102	1/2"	10	100	63
10103	3/4"	6	60	53
10104	1"	5	40	51
10105	1 1/4"	5	30	56
10106	1 1/2"	4	24	57
10107	2"	4	16	58
10108	2 1/2"	2	8	55
10109	3"	1	6	56
10110	4"	1	4	65

CHECK VALVES



B62 Bronze (85-5-5-5) Swing Check Valves

300 WOG / 150 WSP
ISO 9001

Hard Seat

Item #	Size	p/carton	p/case	wt/case
IPS				
10501	3/8"	10	120	51
10502	1/2"	10	120	52
10503	3/4"	10	80	47
10504	1"	5	60	48
10505	1 1/4"	5	40	56
10506	1 1/2"	5	30	54
10507	2"	2	24	63
10508	2 1/2"	1	12	55
10509	3"	1	8	57
10510	4"	1	4	45

CHECK VALVES



Forged Brass Swing Check Valves — Hard Seat

200 WOG / 125 WSP

Item #	Size	p/carton	p/case	wt/case
IPS				
10540	1/4"	12	120	50
10541	3/8"	10	120	51
10542	1/2"	10	120	51
10543	3/4"	10	80	45
10544	1"	5	60	55
10545	1 1/4"	5	40	55
10546	1 1/2"	5	30	60
10547	2"	2	12	35
10548	2 1/2"	2	8	42
10549	3"	1	8	67
10550	4"	1	4	50
C×C				
10622	1/2"	10	120	51
10623	3/4"	10	80	48
10624	1"	5	60	56
10625	1 1/4"	5	40	58
10626	1 1/2"	5	30	58
10627	2"	2	24	73

Forged Brass Swing Check Valves Soft Seat

200 WOG / 125 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
10522	1/2"	12	120	53
10523	3/4"	10	80	49
10524	1"	5	60	50
10525	1 1/4"	5	40	57
10526	1 1/2"	5	30	55
10527	2"	2	24	71

Brass In-Line Spring Check Valves

300 PSI

316 Stainless Steel Spring — Celcon Poppet — Soft Seat

Item #	Size	p/carton	p/case	wt/case
IPS				
10701	3/8"	60	240	45
10702	1/2"	10	100	29
10703	3/4"	7	70	35
10704	1"	5	50	35
10705	1 1/4"	5	40	37
10706	1 1/2"	5	30	35
10707	2"	2	20	35

GLOBE VALVES



Brass Globe Valves Straight — Hard Seat

200 WOG / 125 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
10400	1/4"	10	120	63
10401	3/8"	10	120	63
10402	1/2"	10	120	69
10403	3/4"	10	80	60
10404	1"	5	40	48
10405	1 1/4"	5	30	52
10406	1 1/2"	4	24	59
10407	2"	2	16	59

Brass Stop Valves (Globe) Straight — Soft Seat

125 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
11802	1/2"	12	72	40
11803	3/4"	12	72	45
11804	1"	5	40	46
11805	1 1/4"	5	30	51
11806	1 1/2"	4	24	59
11807	2"	2	16	60
C×C				
11822	1/2"	12	72	37
11823	3/4"	12	72	43
Compression				
11882	1/2"	12	72	42
11883	3/4"	12	72	55

CONTINUED ON NEXT PAGE ►►

GLOBE VALVES



Brass Globe Valves

Angled — Soft Seat

125 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
11854	1"	4	20	35
11855	1 1/4"	2	10	39
11856	1 1/2"	2	10	48
11857	2"	2	10	61

Brass Stop & Waste Valves (Globe)

Straight — Soft Seat

125 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
11842	1/2"	12	72	40
11843	3/4"	12	72	45
C×C				
11862	1/2"	12	72	38
11863	3/4"	12	72	44
Compression				
11872	1/2"	12	72	44
11873	3/4"	12	72	56



BOILER DRAINS

Brass Boiler Drains

200 PSI
ISO 9001

Item #	Size	p/carton	p/case	wt/case
MIP × Hose				
11702	1/2"	12	72	30
11703	3/4"	12	144	33
FIP × Hose				
11707	1/2"	12	72	30
11708	3/4"	12	72	32

Brass Boiler Drains

w/Stuffing Box

200 PSI
ISO 9001

Item #	Size	p/carton	p/case	wt/case
MIP × Hose (Hi-Flow)				
11700	1/2"	12	72	38
11701	3/4"	12	72	39
MIP × Hose				
11704	1/2"	12	72	34
11705	3/4"	12	72	36
FIP × Hose				
11709	1/2"	12	72	34
11712	3/4"	12	72	35

Brass Water Heater Drain Valve

125 PSI
ISO 9001

Item #	Size	p/carton	p/case	wt/case
MIP × Hose				
11710	3/4"	12	72	45

Brass Water Heater Drain Valve

w/ Recirculating Elbow

125 PSI
ISO 9001

Item #	Size	p/carton	p/case	wt/case
FIP × FIP × Hose				
11711-T	3/4"	12	72	49



SILCOCKS & HOSE BIBBS

Brass Silcocks

125 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
FIP × Hose				
11892	1/2"	12	72	34
11893	3/4"	12	72	37
SWT × Hose				
11884	1/2"	12	72	40



SILLCOCKS & HOSE BIBBS



Brass Frost Free Sillcocks

Chrome Plated

125 WOG
ISO 9001

Item #	Length	p/carton	p/case	wt/case
1/2 MIP or 1/2 SWT x Hose				
11810	4"	1	24	26
11812	6"	1	24	29
11814	8"	1	24	31
11816	10"	1	24	33
11818	12"	1	24	36
11820	14"	1	24	38
3/4 MIP or 1/2 FIP x Hose				
11815	8"	1	24	31
11817	10"	1	24	35
11819	12"	1	24	36

Brass Frost Free Sillcocks

Chrome Plated w/ Integral Vacuum Breaker

125 WOG
ISO 9001

Item #	Length	p/carton	p/case	wt/case
1/2 MIP or 1/2 SWT x Hose				
11832	6"	1	24	30
11834	8"	1	24	33
11836	10"	1	24	35
11838	12"	1	24	38

Forged Brass Hose Bibbs

Ball Valve Action

125 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
MIP x HOSE				
T-Handle*				
30314	1/2"	12	72	33
30316	3/4"	12	72	36
Locking Handle*				
30312	1/2"	12	72	45
30313	3/4"	12	72	51

Brass Hose Bibbs

125 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
MIP or SWT x Plain Spout				
30201	1/2"	12	72	28
MIP x Hose*				
30216	1/2"	12	72	28
30217	3/4"	12	72	31

Brass Hose Bibbs

Chrome Plated

125 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
FIP Flange x Hose				
30202	1/2"	12	72	35
MIP or SWT x Hose				
30205	1/2"	12	72	26

Brass Hose Bibbs

No Kink (RH = Round Handles)

125 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
MIP x Hose*				
30218	1/2"	12	72	27
30219	3/4"	12	72	29
30219-RH	3/4"	12	72	37
FIP x Hose				
30228	1/2"	12	72	24
30229	3/4"	12	72	27

Brass Hose Bibb Vacuum Breakers

Anti-Siphon Device w/Flat Washer (CP = Chrome Plated)

150 WOG
ISO 9001

Item #	Size	p/carton	p/case	wt/case
Hose x Hose				
11850	3/4"	12	144	35
11850-CP	3/4"	12	144	35

* 1/2" is MIP or SWT x Hose

RADIATOR VALVES

Brass Radiator Gate Valves

w/ Ground Joint Union Tailpiece & Nut

125 PSI / 15 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
11523	3/4"	6	60	72
11524	1"	4	36	69
11525	1 1/4"	2	24	65
11526	1 1/2"	2	16	59

Brass Steam Radiator Globe Valves

Angled w/ Ground Joint Union Tailpiece & Nut

60 PSI / 15 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
11533	3/4"	6	48	57
11534	1"	4	36	56
11535	1 1/4"	2	24	53
11536	1 1/2"	2	16	48

Brass Hot Water Radiator Globe Valves

Angled w/ Ground Joint Union Tailpiece & Nut

60 PSI
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
11553	3/4"	6	60	52
11554	1"	4	36	56
11555	1 1/4"	2	24	53
11556	1 1/2"	2	16	48

Brass Union Elbows & Nuts for Radiator Valves

Ground Joint Union Connection

60 PSI / 15 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
FIP x MIP				
11533-E	3/4"	10	100	59
11534-E	1"	7	70	70
11535-E	1 1/4"	5	50	76

Brass Union Tailpiece & Nut for Radiator Valves

Ground Joint Union Connection

60 PSI / 15 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
FIP x MIP				
11533-T	3/4"	22	220	67
11534-T	1"	16	160	70
11535-T	1 1/4"	10	100	66

Brass Balancing Valves

Butterfly Action — Screwdriver Slot

125 PSI
ISO 9001

Item #	Size	p/carton	p/case	wt/case
CxC				
20103	3/4"	12	72	33

Brass Purge & Balancing Valves

Butterfly Action — Screwdriver Slot

125 PSI
ISO 9001

Item #	Size	p/carton	p/case	wt/case
CxC				
11603	3/4"	12	72	45

Forged Brass Auto Steam Vent Valves

Stainless Steel Check Ball & Spring

125 PSI
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
11516	1/8"	50	500	29
11517	1/4"	50	500	66

Brass Steam Radiator Air Vent Valves

Chrome Plated Float Type — Non Vacuum

10 PSI
ISO 9001

Item #	Size	p/carton	p/case	wt/case
Angle				
11511	1/8"	12	72	12
Straight				
11512	1/8"	12	72	13
11513	1/4"	12	72	12
11514	1/2" x 3/4"	12	72	14
Adjustable Angle				
11515-A	1/8"	12	72	13

CONTINUED ON NEXT PAGE ➡



RADIATOR VALVES



Brass Tank Valves (Globe)

Hard Seat

125 PSI
ISO 9001

Item #	Size	p/carton	p/case	wt/case
MIP x MIP				
11401	1/2" x 3/8"	6	72	58
MIP x FLR				
11403	1/2" x 3/8"	6	72	63

Heavy Pattern Forged Brass Oil Barrel Faucet

Plug Valve Design w/ Lockable Handle

125 PSI
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
11543	3/4"	10	80	53

Radiator Valve Spud Wrench

Item #	Fits	p/carton	p/case	wt/case
25011	1/2" - 2" Radiator Valve	10	20	3

SPECIALTY VALVES



Wye Strainer B62 Bronze (85-5-5-5)

20 Mesh Screen

300 WOG / 150 WSP
ISO 9001

Item #	Size	p/carton	p/case	wt/case
IPS				
10562	1/2"	12	60	47
10563	3/4"	8	48	60
10564	1"	8	32	55
10565	1 1/4"	6	24	62
10566	1 1/2"	2	16	55
10567	2"	2	8	49
10569	3"	1	4	59

Brass Garden Valves

Bent Nose (Oval Handle)

125 PSI
ISO 9001

Item #	Size	p/carton	p/case	wt/case
FIP x Hose				
30213	3/4"	12	72	50
30214	1"	12	72	52

Brass Evaporative Cooler Valves

125 PSI
ISO 9001

Item #	Size	p/carton	p/case	wt/case
FIP x Hose				
30223	3/4"	12	72	36
Hose x Hose				
30224	3/4"	12	72	36

Brass Evaporative Cooler Float Valves

85 PSI

Item #	Size	p/carton	p/case	wt/case
Comp x FIP				
30225	1/4"	20	80	38

Ice Maker Valves & Accessories

Item #	Size	p/carton	p/case	wt/case
SELF-PIERCING BRASS SADDLE VALVES (FITS 1/4" - 1 1/4" x 1/4" TUBE COMPRESSION OUTLET)				
ICE MAKER KIT - 1/4" SELF-PIERCING SADDLE VALVE (20179) & 1/4" x 25' POLY TUBE				
20179	1/4"	10	200	44
20178		1	50	17
CHROME PLATED THREADED SHANK x COMPRESSION (BALL VALVE ACTION)				
30226	1/2" x 1/4"	25	100	45
CHROME PLATED THREADED SHANK x COMPRESSION (30226), OUTLET BOX (50971) & 1/4" x 25' POLY TUBE				
30227	1/2" x 1/4"	4	16	21
OUTLET BOX				
50971	5 3/16" x 5 3/16"	1	10	5

Chrome Plated Forged Brass Ball Valve Style Washing Machine Valves

Item #	Packaging	p/carton	p/case	wt/case
1/2" Comp x Hose				
50900	Boxed	1	24	21

CONTINUED ON NEXT PAGE ►►

SPECIALTY VALVES



Brass Washing Machine Shut-Off Valves

Item #	Size	p/carton	p/case	wt/case
C×C × Hose				
50950	1/2"	1	24	32
Threaded or SWT × Hose				
50980	1/2"	1	40	60

Brass Washing Machine Valves — Long Shank

Item #	Size	p/carton	p/case	wt/case
Straight Thread × Hose				
50960	1/2"	12	72	37

Forged Brass Washing Machine Valves

Long Shank — Chrome Plated 1/4 Turn

Item #	Handle Color	p/carton	p/case	wt/case
1/2" Straight Thread × Hose				
50961	RED	25	100	46
50962	BLUE	25	100	44

Washing Machine Outlet Boxes

Item #	p/carton	p/case	wt/case
ABS Outlet Box w/ 2 Compression Valves (50960)			
50952	1	4	19
ABS Outlet Box w/ 2 Ball Valves (1/4 Turn w/ Red (50961) & Blue Handles (50962))			
50963	1	4	15
ABS Outlet Box Only			
50970	1	10	8

SUPPLY STOPS & TUBES



Complies w/
NSF/ANSI 61

Supply Stops — 1/4 Turn

Nickel Plated Forged Brass — Angle

Item #	Size	p/carton	p/case	wt/case
FIP × OD Comp				
11910	3/8" × 3/8"	10	150	36
11911	1/2" × 3/8"	10	150	40
OD SWT × OD Comp				
11915	5/8" × 3/8"	10	150	41
OD Comp × OD Comp				
11918	5/8" × 3/8"	10	150	42

Supply Stops — 1/4 Turn

Nickel Plated Forged Brass — Straight

Item #	Size	p/carton	p/case	wt/case
FIP × OD Comp				
11950	3/8" × 3/8"	10	150	35
11951	1/2" × 3/8"	10	150	39
OD SWT × OD Comp				
11955	5/8" × 3/8"	10	150	41
OD Comp × OD Comp				
11958	5/8" × 3/8"	10	150	42

Supply Stops

Chrome Plated Extruded Brass — Angle

ISO 9001

Item #	Size	p/carton	p/case	wt/case
FIP × OD Comp				
11900	3/8" × 3/8"	10	100	25
11901	1/2" × 3/8"	10	100	29
OD SWT × OD Comp				
11905	5/8" × 3/8"	10	100	24
OD Comp × OD Comp				
11908	5/8" × 3/8"	10	100	28

Supply Stops

Chrome Plated Extruded Brass — Straight

ISO 9001

Item #	Size	p/carton	p/case	wt/case
FIP × OD Comp				
11940	3/8" × 3/8"	10	100	30
11941	1/2" × 3/8"	10	100	35
OD SWT × OD Comp				
11945	5/8" × 3/8"	10	100	29
OD Comp × OD Comp				
11948	5/8" × 3/8"	10	100	33

CONTINUED ON NEXT PAGE ➡

SUPPLY STOPS & TUBES



Complies w/
NSF/ANSI 61-9



Complies w/
NSF/ANSI 61-9



Complies w/
NSF/ANSI 61-9



Complies w/
NSF/ANSI 61-9



Complies w/
NSF/ANSI 61-9



Complies w/
NSF/ANSI 61-9



Complies w/
NSF/ANSI 61-9

Supply Stops

ISO 9001

Chrome Plated Extruded Brass — Celcon Stem — Angle

Item #	Size	p/carton	p/case	wt/case
FIP x OD Comp				
11900-C	3/8" x 3/8"	10	100	21
11901-C	1/2" x 3/8"	10	100	25
PEX x OD Comp				
11907-C	1/2" x 3/8"	10	100	20
OD Comp x OD Comp				
11908-C	5/8" x 3/8"	10	100	25
OD CPVC x OD Comp				
11909-C	5/8" x 3/8"	10	100	27

CSA certification does not apply to 11909-C

Supply Stops

ISO 9001

Chrome Plated Extruded Brass — Celcon Stem — Straight

Item #	Size	p/carton	p/case	wt/case
FIP x OD Comp				
11940-C	3/8" x 3/8"	10	100	27
11941-C	1/2" x 3/8"	10	100	31
PEX x OD Comp				
11947-C	1/2" x 3/8"	10	100	26
OD Comp x OD Comp				
11948-C	5/8" x 3/8"	10	100	30
11949-C	5/8" x 1/2"	10	100	32

Dual Outlet Supply Stops

ISO 9001

Chrome Plated Extruded Brass — Celcon Stem — Angle

Item #	Size	p/carton	p/case	wt/case
OD Comp x OD Comp x OD Comp				
11991-C	5/8" x 3/8" x 3/8"	10	100	28
FIP x OD Comp x OD Comp				
11992-C	1/2" x 3/8" x 3/8"	10	100	28

Supply Stops

ISO 9001

Chrome Plated Extruded Brass — w/ 5" Extension Tube & Bell Escutcheon — Angle
(C = Celcon Stem)

Item #	Size	p/carton	p/case	wt/case
OD SWT x OD Comp				
11916	5/8" x 3/8"	6	96	38
11916-C	5/8" x 3/8"	6	96	34

Supply Stops

ISO 9001

Chrome Plated Extruded Brass — w/ 5" Extension Tube & Bell Escutcheon — Straight
(C = Celcon Stem)

Item #	Size	p/carton	p/case	wt/case
OD SWT x OD Comp				
11936	5/8" x 3/8"	6	96	43
11936-C	5/8" x 3/8"	6	96	40

Supply Stops

ISO 9001

Rough Extruded Brass — Angle

Item #	Size	p/carton	p/case	wt/case
OD SWT x OD Comp				
11904-RB	5/8" x 1/4"	10	100	22
11905-RB	5/8" x 3/8"	10	100	24
OD Comp x OD Comp				
11908-RB	5/8" x 3/8"	10	100	28

cUPC certification does not apply to 11904-RB

Supply Stops

ISO 9001

Rough Extruded Brass — Straight

Item #	Size	p/carton	p/case	wt/case
OD SWT x OD Comp				
11944-RB	5/8" x 1/4"	10	100	28
11945-RB	5/8" x 3/8"	10	100	29

Integral Supply Stops

ISO 9001

Rough Extruded Brass w/Screwdriver Slot — Straight

Item #	Size	p/carton	p/case	wt/case
MIP x OD SWT				
11898	1/2" x 5/8"	10	100	26
MIP x FIP				
11899	1/2" x 1/2"	10	100	32

CONTINUED ON NEXT PAGE ➡

SUPPLY STOPS & TUBES

Chrome Plated Copper Supply Tubes

Item #	Size	p/carton	p/case	wt/case
Lavatory				
40100	3/8" x 12"	20	500	50
40101	3/8" x 20"	20	300	46
40102	3/8" x 30"	20	200	46
Closet				
40300	3/8" x 12"	20	200	19
40301	3/8" x 20"	20	300	46

Unplated Copper Supply Tubes

Item #	Size	p/carton	p/case	wt/case
Lavatory				
40200	3/8" x 12"	20	500	46
40201	3/8" x 20"	20	300	46
Closet				
40400	3/8" x 12"	20	200	52

PVC — Nylon Reinforced Supply Tubes

Item #	Size	p/carton	p/case	wt/case
Lavatory				
40120	3/8" x 1/2" x 12"	20	200	15
40122	3/8" x 1/2" x 20"	20	200	19
Closet				
40130	3/8" x 7/8" x 12"	10	120	23
40132	3/8" x 7/8" x 20"	10	120	22

PEX Supply Tubes

Item #	Size	p/carton	p/case	wt/case
Lavatory				
40150	3/8" x 12"	10	200	10
40151	3/8" x 20"	10	200	26
40152	3/8" x 30"	30	180	14
Closet				
40154	3/8" x 15"	10	200	18
40155	3/8" x 12"	10	200	16
40156	3/8" x 20"	1	50	3

Stainless Steel Braided Supply Tubes

ISO 9001

Lavatory				
40450	3/8" x 1/2" x 12"	10	200	39
40451	3/8" x 1/2" x 20"	10	200	60
Closet				
40460	3/8" x 7/8" x 12"	10	200	35

COUPLINGS & UNIONS

Brass Compression Couplings — Long Pattern

Item #	Tube - Size - Pipe	p/carton	p/case	wt/case
23601	3/8" 1/2"	8	80	44
23602	1/2" 3/4"	8	80	48
23603	3/4" 1"	8	40	36
23604	1" 1 1/4"	6	30	43

PVC Compression Couplings

ISO 9001

White — Fits both Schedule 40 & 80 Pipe

Item #	Size	p/carton	p/case	wt/case
03301	3/8"	25	125	17
03302	1/2"	20	120	24
03303	3/4"	10	80	29
03304	1"	10	80	36
03305	1 1/4"	10	80	52
03306	1 1/2"	8	64	51
03307	2"	4	32	35
03308	2 1/2"	1	16	27
03309	3"	1	12	34
03310	4"	1	8	34

CPVC Compression Couplings

ISO 9001

Fits CPVC Pipe (Copper Tubing Size)

Item #	Size	p/carton	p/case	wt/case
03732	1/2"	25	250	42
03733	3/4"	10	200	53

CONTINUED ON NEXT PAGE ➡

COUPLINGS & UNIONS

PVC Unions — White — Fits both Schedule 40 & 80 Pipe

ISO 9001

Item #	Size	p/carton	p/case	wt/case
Socket Ends				
04822	1/2"	12	96	13
04823	3/4"	12	72	15
04824	1"	12	60	18
04825	1 1/4"	6	48	24
04826	1 1/2"	6	36	26
04827	2"	6	24	31
04828	2 1/2"	1	16	36
04829	3"	1	12	37
04830	4"	1	6	32
IPS				
04832	1/2"	12	96	17
04833	3/4"	12	72	15
04834	1"	12	60	18
04835	1 1/4"	6	48	24
04836	1 1/2"	6	36	26
04837	2"	6	24	31

CPVC Unions — Fits CPVC Pipe (Copper Tubing Size)

ISO 9001

Item #	Size	p/carton	p/case	wt/case
Socket Ends				
03742	1/2"	16	96	13
03743	3/4"	12	96	18

Dielectric Unions — Galvanized Steel & Brass — ABS Insulator Ring Max Temp 232° F

Item #	Size	p/carton	p/case	wt/case
FIP x SWT				
01102	1/2"	24	144	66
01103	3/4"	24	96	78
01103-2	3/4" x 1/2"	24	144	72
01104	1"	12	120	77
01105	1 1/4"	12	72	68
01106	1 1/2"	12	36	53
01107	2"	6	24	59
MIP x SWT				
02202	1/2"	24	144	68
02203	3/4"	8	96	62
02203-2	3/4" x 1/2"	24	144	89

PLUMBING ACCESSORIES

Drop Ear Elbows — Brass

ISO 9001

Item #	Size	p/carton	p/case	wt/case
C x C				
20198	1/2"	25	250	37
IPS x SWT				
20199	1/2"	25	250	40

Teflon Tape

Item #	Size	p/carton	p/case	wt/case
05262	1/2" x 260"	120	600	12
05263	3/4" x 260"	120	600	18
05522	1/2" x 520"	120	600	18
05523	3/4" x 520"	120	600	18

Pipe Repair Clamps

Item #	Pipe Size	p/carton	p/case	wt/case
23402	1/2"	10	100	44
23403	3/4"	1	50	26
23404	1"	5	50	43
23405	1 1/4"	5	50	50
23406	1 1/2"	5	50	53
23407	2"	1	50	62

Heavy Pattern Brass Pop-Up & Waste Assembly — Chrome Plated

ISO 9001

Item #	p/carton	p/case	wt/case
30115	1	48	30

Brass Fixed Grid Drain Assembly — Chrome Plated

ISO 9001

Item #	Size	p/carton	p/case	wt/case
Straight				
30120	1 1/4" x 6"	1	24	16
ADA Compliant				
30121	1 1/4" x 7" x 9"	1	20	16

THE WEB WARRANTY • PRODUCTS BUILT TO LAST A LIFETIME

Webstone Company, Inc. warrants all of its products to be free from manufacturer defects in material and/or workmanship for the life of the product, provided they are professionally installed and operated under normal conditions. Webstone will replace, FREE OF CHARGE, any product or part thereof that proves defective in material and/or workmanship under normal installation, use, and service.

FOR FULL DETAILS CONTACT WEBSTONE COMPANY, INC. (800) 225-9529

WEB TRACK SYSTEM

SAME DAY SHIPPING AND MORE

All orders placed with Webstone are now processed by our automated Web Track System. Upon receipt of your order, the Web Track System processes it for shipment THE SAME DAY (if received by 1:00 PM EST). Upon shipment, Web Track information is transmitted to you via your preference of fax or email. It serves as your invoice and shipping confirmation. This confirmation invoice includes the carrier name, pro or tracking number, quantities shipped, quantities backordered (if any), and your costs. That means:

**NO MORE LONG LEAD TIMES
FOR ORDER SHIPMENT**

**NO MORE CALLING TO CHECK
ON YOUR ORDER STATUS**

**NO MORE WONDERING IF IT
WILL SHIP COMPLETE OR PARTIAL**

And it doesn't stop there, through our website
WWW.WEBSTONEVALVES.COM
you can do MUCH MORE!

PLACE NEW ORDERS

FIND PART NUMBERS

PRINT SPECIFICATION/SUBMITTAL SHEETS

TRACK YOUR SHIPMENT

UPDATE ACCOUNT INFORMATION

PRINT INVOICES

DOWNLOAD CURRENT BROCHURES & CATALOGS

**AND CONTACT US FOR ANY SPECIAL
ASSISTANCE YOU MAY NEED!**

TERMS OF SERVICE

TERMS OF PAYMENT

2% 10th of the following month. Cash discount is calculated on the total amount of the invoice before additions for freight. A 1 1/2% per month service charge will be added to any past due balances.

FREIGHT ALLOWANCE

Prepaid freight on orders of \$1500 net or greater to all contiguous US States & Canada or to the nearest Continental US port for all other locations.

MINIMUM ORDER

Webstone has no minimum order.

CLAIMS OF SHORTAGE OR VARIANCE

Claims of any character must be made within 10 days after receipt of goods. Settlements of any claims are at the discretion of Webstone Company, Inc.

RETURNS

An RMA number must be obtained from our Inside Sales office when goods are returned for credit. An RMA form must accompany the goods returned. Webstone reserves the right to charge a 15% restocking fee on any returned merchandise.

ORDER CONFIRMATIONS

All orders are subject to acceptance by Webstone Company, Inc. Prices are subject to change without notice.

STANDARD PACKAGING

Typically, shipments are made in case and carton quantities. However, Webstone will ship any quantities ordered.

UPC BARCODING

100% of products will be shipped with barcodes if customer specifies the need.

Part Number Page

INDEX

Boiler Drains	18
Brass Ball Valves	10-11
Bronze Ball Valves	15
Check Valves	16-17
Couplings	24
Gas Ball Valves	12
Gate Valves	16
Globe Valves	17-18
Hose Bibbs	19
Isolator	2-3
Isolator E-X-P	4-5
Mini Ball Valves	12
Plumbing Accessories	25
Pro-Connect	8-9
Pro-Pal	6-7
PVC Ball Valves	15
Radiator Valves	20-21
Sillcocks	18-19
Specialty Ball Valves	13
Specialty Valves	21-22
Stainless Steel Ball Valves	14
Supply Stops	22-23
Supply Tubes	24
Unions	25

INDEX BY PART NUMBER

01102	25
01103	25
01103-2	25
01104	25
01105	25
01106	25
01107	25
02202	25
02203	25
02203-2	25
03301	24
03302	24
03303	24
03304	24
03305	24
03306	24
03307	24
03308	24
03309	24
03310	24
03722	15

Part Number Page

03723	15
03724	15
03725	15
03726	15
03727	15
03732	24
03733	24
03742	25
03743	25
03822	15
03823	15
03824	15
03825	15
03826	15
03827	15
03828	15
03829	15
03830	15
03831	15
03922	15
03923	15
03924	15
03925	15
03926	15
03927	15
04602	15
04603	15
04604	15
04605	15
04606	15
04607	15
04822	25
04823	25
04824	25
04825	25
04826	25
04827	25
04828	25
04829	25
04830	25
04832	25
04833	25
04834	25
04835	25
04836	25
04837	25
05262	25
05263	25
05522	25
05523	25
10102	16

Part Number Page

10103	16
10104	16
10105	16
10106	16
10107	16
10108	16
10109	16
10110	16
10132	16
10133	16
10134	16
10135	16
10136	16
10137	16
10138	16
10139	16
10140	16
10150	16
10151	16
10152	16
10153	16
10154	16
10155	16
10156	16
10157	16
10158	16
10159	16
10160	16
10232	16
10233	16
10234	16
10235	16
10236	16
10237	16
10252	16
10253	16
10254	16
10255	16
10256	16
10257	16
10400	17
10401	17
10402	17
10403	17
10404	17
10405	17
10406	17
10407	17
10501	16
10502	16
10503	16

Part Number Page

10504	16
10505	16
10506	16
10507	16
10508	16
10509	16
10510	16
10522	17
10523	17
10524	17
10525	17
10526	17
10527	17
10540	17
10541	17
10542	17
10543	17
10544	17
10545	17
10546	17
10547	17
10548	17
10549	17
10550	17
10562	21
10563	21
10564	21
10565	21
10566	21
10567	21
10569	21
10622	17
10623	17
10624	17
10625	17
10626	17
10627	17
10701	17
10702	17
10703	17
10704	17
10705	17
10706	17
10707	17
11401	21
11403	21
11511	20
11512	20
11513	20
11514	20
11515-A	20

Part Number Page

11516	20
11517	20
11523	20
11524	20
11525	20
11526	20
11533	20
11533-E	20
11533-T	20
11534	20
11534-E	20
11534-T	20
11535	20
11535-E	20
11535-T	20
11536	20
11543	21
11553	20
11554	20
11555	20
11556	20
11603	20
11700	18
11701	18
11702	18
11703	18
11704	18
11705	18
11707	18
11708	18
11709	18
11710	18
11711-T	18
11712	18
11802	17
11803	17
11804	17
11805	17
11806	17
11807	17
11810	19
11812	19
11814	19
11815	19
11816	19
11817	19
11818	19
11819	19
11820	19
11822	17
11823	17

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
11832	19	28003	5	40642	13	43706	14	50960	22
11834	19	28023	5	40643	13	43707	14	50961	22
11836	19	28112	8	40644	13	43710	14	50962	22
11838	19	28113	8	40672	7	43712	14	50963	22
11842	18	28114	8	40673	7	43713	14	50970	22
11843	18	28212	8	40674	7	43714	14	50971	21
11850	19	28213	8	40675	7	43715	14	50980	22
11850-CP	19	28214	8	40676	7	43716	14	51403	2
11854	18	28312	8	40677	7	43717	14	51404	2
11855	18	28313	8	40700	10	43720	14	51405	2
11856	18	28314	8	40701	10	43721	14	51406	2
11857	18	29003	5	40702	10	43722	14	51413	2
11862	18	29032	5	40703	10	43722-OH	14	51413KIT	3
11863	18	30115	25	40704	10	43723	14	51414	2
11872	18	30120	25	40705	10	43723-OH	14	51414KIT	3
11873	18	30121	25	40706	10	43724	14	51415	2
11882	17	30201	19	40707	10	43724-OH	14	51415KIT	3
11883	17	30202	19	40708	10	43725	14	51416	2
11884	18	30205	19	40709	10	43726	14	51433	6
11892	18	30213	21	40710	10	43727	14	51434	6
11893	18	30214	21	40782	12	43814	14	51435	6
11898	23	30216	19	40790	12	43817	14	51436	6
11899	23	30217	19	40791	12	43900	14	51702	11
11900	22	30218	19	40792	12	43901	14	51702SSL	11
11900-C	23	30219	19	40793	12	43902	14	51702SSW	11
11901	22	30219-RH	19	40794	12	43903	14	51702T	11
11901-C	23	30223	21	40795	12	43904	14	51703	11
11904-RB	23	30224	21	40796	12	43905	14	51703SSL	11
11905	22	30225	21	40798	12	43906	14	51703SSW	11
11905-RB	23	30226	21	40800	10	43907	14	51703T	11
11907-C	23	30227	21	40801	10	44043PR	5	51704	11
11908	22	30228	19	40802	10	44043PR2	5	51704SSL	11
11908-C	23	30229	19	40803	10	44443COM	5	51704SSW	11
11908-RB	23	30312	19	40804	10	44443PR	4	51704T	11
11909-C	23	30313	19	40805	10	44443PR2	4	51705	11
11910	22	30314	19	40806	10	44444PR	4	51705SSL	11
11911	22	30316	19	40807	10	44444PR2	4	51706	11
11915	22	40100	24	41403	2	44700	10	51706SSL	11
11916	23	40101	24	41404	2	44701	10	51707	11
11916-C	23	40102	24	41405	2	44702	10	51707SSL	11
11918	22	40120	24	41406	2	44703	10	51708	11
11936	23	40122	24	41413	2	44704	10	51709	11
11936-C	23	40130	24	41413KIT	3	44705	10	51710	11
11940	22	40132	24	41414	2	44706	10	51822	11
11940-C	23	40150	24	41414KIT	3	44707	10	51823	11
11941	22	40151	24	41415	2	45443COM	5	51824	11
11941-C	23	40152	24	41415KIT	3	45443PR	5	51825	11
11944-RB	23	40154	24	41416	2	45443PR2	5	51826	11
11945	22	40155	24	41433	6	45702	13	51827	11
11945-RB	23	40156	24	41434	6	45703	13	52403	3
11947-C	23	40200	24	41435	6	45704	13	52404	3
11948	22	40201	24	41436	6	47002	10	52405	3
11948-C	23	40300	24	41672	7	47003	10	52406	3
11949-C	23	40301	24	41685	12	47004	10	52407HV	3
11950	22	40312	13	41686	12	47005	10	53403	3
11951	22	40313	13	41687	12	47006	10	53404	3
11955	22	40400	24	41698	12	47007	10	53405	3
11958	22	40402	2	41699	12	48613	7	53406	3
11991-C	23	40403	2	41700	11	48614	7	53502	15
11992-C	23	40404	2	41701	11	48615	7	53503	15
20103	20	40405	2	41702	11	48616	7	53504	15
20178	21	40406	2	41702SSL	11	50312	13	53505	15
20179	21	40407HV	2	41702SSW	11	50313	13	53506	15
20198	25	40413	2	41702T	11	50402	2	53507	15
20199	25	40413KIT	3	41703	11	50403	2	54043PR	5
20713	5	40414	2	41703SSL	11	50404	2	54043PR2	5
20723	5	40414KIT	3	41703SSW	11	50405	2	54443COM	5
21526	12	40415	2	41703T	11	50406	2	54443PR	4
21532	12	40415KIT	3	41704	11	50407HV	2	54443PR2	4
21533	12	40416	2	41704SSL	11	50413	2	54444PR	4
21534	12	40417HV	2	41704SSW	11	50413KIT	3	54444PR2	4
21542	12	40423	6	41704T	11	50414	2	54612	6
21543	12	40424	6	41705	11	50414KIT	3	54613	6
21544	12	40425	6	41705SSL	11	50415	2	54614	6
21550	12	40426	6	41706	11	50415KIT	3	54702	10
21551	12	40433	6	41706SSL	11	50416	2	54703	10
21562	12	40434	6	41707	11	50417HV	2	54704	10
21563	12	40435	6	41707SSL	11	50423	6	54705	10
21564	12	40436	6	41708	11	50424	6	54706	10
21571	12	40443	4	41709	11	50425	6	54707	10
21572	12	40443COM	5	41710	11	50426	6	55443COM	5
22521	12	40443PR	4	41722	13	50433	6	55443PR	5
22522	12	40443PR2	4	41723	13	50434	6	55443PR2	5
22561	12	40444	4	41724	13	50435	6	57002	10
22562	12	40444PR	4	41725	13	50436	6	57003	10
22563	12	40444PR2	4	41726	13	50443	4	57004	10
23402	25	40450	24	41727	13	50443COM	5	57005	10
23403	25	40451	24	41820	11	50443PR	4	57006	10
23404	25	40460	24	41821	11	50443PR2	4	57007	10
23405	25	40463	5	41822	11	50444	4	58642	7
23406	25	40500	15	41823	11	50444PR	4	58643	7
23407	25	40501	15	41824	11	50444PR2	4	58644	7
23601	24	40502	15	41825	11	50612	6	58652	7
23602	24	40503	15	41826	11	50613	6	58653	7
23603	24	40504	15	41827	11	50614	6	58654	7
23604	24	40505	15	41828	11	50615	6	58655	7
25011	21	40506	15	41829	11	50616	6	58662	7
26000KIT	8	40507	15	41830	11	50617	6	58663	7
26102	8	40508	15	42403	3	50622	13	58664	7
26103	8	40509	15	42404	3	50623	13	58665	7
26104	8	40530	13	42405	3	50624	13	60443	4
26202	8	40531	13	42406	3	50672	7	60443PR	4
26203	8	40532	13	42407HV	3	50673	7	60443PR2	4
26204	8	40533	13	43403	3	50674	7	60444	4
26223	8	40534	13	43404	3	50675	7	60444PR	4
26302	8	40612	6	43405	3	50676	7	60444PR2	4
26303	8	40613	6	43406	3	50677	7	62702	8
26304	8	40614	6	43502	15	50682	13	62703	8
26402	8	40615	6	43503	15	50702	10	62704	8
26403	8	40616	6	43504	15	50703	10	C42403	3
26404	8	40617	6	43505	15	50704	10	C42404	3
26502	8	40622	13	43506	15	50705	10	C42405	3
26503	8	40623	13	43507	15	50706	10	C42406	3
26504	8	40624	13	43702	14	50707	10	RR42403	3
26602	8	40632	13	43703	14	50900	21	RR42404	3
26603	8	40633	13	43704	14	50950	22	RR42405	3
26604	8	40634	13	43705	14	50952	22	RR42406	3

ONE APPIAN WAY WORCESTER, MA 01610

P.O. BOX 59 WORCESTER, MA 01613

Phone: (800) 225-9529

Fax: (800) 336-5133

email: sales@webstonevalves.com

www.webstonevalves.com

**DISTRIBUTION FACILITIES
THROUGHOUT NORTH AMERICA**

Webstone
Company, Inc.

QUALITY AND COMMITMENT SINCE 1954

Founded in 1954, Webstone is one of the oldest companies of its kind in the United States. We design, manufacture and distribute domestic and imported plumbing products for residential, commercial and industrial use.